



Last revised on : 01/01/2015

SR FILE NO. SHEET

5.6-A6-8




**ELEVATION**  
**FULL DEPTH INTERMEDIATE DIAPHRAGM**  
DIMENSIONS ARE ALONG DIAPHRAGM



**ANCHOR DETAIL**  
ASTM A-307

**NOTE TO DETAILER:**  
Revise Details to show correct girder height.



**SECTION B**

**NOTES:**

1. GIRDERS SHALL BE HELD RIGIDLY IN PLACE WHEN DIAPHRAGMS ARE PLACED.
2. IT MAY BE NECESSARY TO THREAD REINFORCING BARS THROUGH HOLES IN GIRDERS PRIOR TO PLACING EXTERIOR GIRDERS.
3. LONGITUDINAL DIMENSIONS ARE NORMAL TO SKEW.
4. FOR CONCRETE PLACEMENT PROCEDURE SEE "SUPERSTRUCTURE CONSTRUCTION SEQUENCE" SHEET.

Bridge Design Engr.		M:\STANDARDS\Girders\WFDG\WFDG FULL INTERMEDIATE DIAPHRAGM.MAN				REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
Supervisor						10	WASH.			
Designed By						JOB NUMBER				
Checked By										
Detailed By										
Bridge Projects Engr.										
Prelim. Plan By										
Architect/Specialist		DATE	REVISION	BY	APP'D					

**BRIDGE AND STRUCTURES OFFICE**



**STANDARD PRESTRESSED CONCRETE GIRDERS**  
WF DECK GIRDER  
FULL DEPTH INTERMEDIATE DIAPHRAGM

BRIDGE SHEET NO.  
SHEET  
OF  
SHEETS