

1	<b><u>INTRO.GR1</u></b>	<b>Special Provisions</b>
2		<b>(November 20, 2023)</b>
3		<b>All Projects</b>
4		
5	<b><u>DIVISION1.GR1</u></b>	<b>General Requirements</b>
6		
7	<b><u>DESWORK.GR1</u></b>	<b>Description of Work</b>
8		
9	<b><u>DESWORK1.FR1</u></b>	(Description of Work)
10		(March 13, 1995)
11		Use in all projects except those involving only painting of metal
12		bridges.
13		(1 fill-in)
14		
15	<b><u>DESWORK2.FB1</u></b>	(Description of Work - Bridge Painting)
16		(August 3, 2015)
17		Use in projects involving only the painting of metal bridges.
18		(3 fill-ins)
19		
20	<b><u>1-02.GR1</u></b>	<b>Bid Procedures and Conditions</b>
21		
22	<b><u>1-02.1.GR1</u></b>	<b>Prequalification of Bidders</b>
23		
24	<b><u>1-02.1.INST1.GR1</u></b>	(Section 1-02.1, including title, is deleted and replaced
25		with the following)
26		Must use one preceding any of the following:
27		
28	<b><u>1-02.1.OPT1.GR1</u></b>	(Vacant)
29		(April 2, 2018)
30		Use in projects where all of the work will occur outside the
31		highway right of way.
32		Requires approval of HQ Contract Ad and Award Manager.
33		
34	<b><u>1-02.4.GR1</u></b>	<b>Examination of Plans, Specifications and Site of Work</b>
35		
36	<b><u>1-02.4(1).GR1</u></b>	<b>General</b>
37		
38	<b><u>1-02.4(1).INST1.GR1</u></b>	(Section 1-02.4(1) is supplemented with the following)
39		Must use once preceding any of the following:
40		
41	<b><u>1-02.4(1).OPT1.FR1</u></b>	(Reference information)
42		(September 3, 2019)
43		Use in projects for which the Contracting Agency is
44		providing Reference Information for the Contractor's
45		use.
46		(2 fill-ins)
47		The first fill-in identifies the web address where the
48		Reference Information is located:
49		<a href="https://ftp.wsdot.wa.gov/contracts/">https://ftp.wsdot.wa.gov/contracts/</a> . The second fill-in
50		lists the items available for the prospective bidder's
51		review. Structural Reference Information should include
52		bridge inspection reports for all bridges within the
53		project limits and as-built plans for all bridges which are
54		being modified as part of the Project scope including
55		but not limited to widening, repair, retrofit (rail, seismic,

etc.), painting, overlay and paving. Structural Reference Information should be listed by bridge number. For projects including culverts or bridges associated with water crossings, include the Final Hydraulic Design Report. When applicable, include the project electronic design files.

**1-02.6.GR1**

**Preparation of Proposal**

**1-02.6.INST1.GR1**

(Item number 3 in the second paragraph of Section 1-02.6 is supplemented with the following)

Must use once preceding any of the following:

**1-02.6.OPT1.FR1**

(Maximum Funds Available)  
(September 3, 2019)

Use in Connecting Washington projects. Contact your Region Program Management Office and CPDM to determine whether to use this GSP and establish a maximum funds available amount.

The list of Connecting Washington projects is available at <http://www.wsdot.wa.gov/publications/fulltext/ProjectDev/ConnectingWashington.pdf>.

Use of this GSP requires approval from the HQ Construction Office.

(1 fill-in)

Fill-in #1 is the maximum funds available for this Contract.

**1-02.6.OPT2.GR1**

(Subcontractor list not required with bid)

(The fourth and fifth paragraphs of Section 1-02.6 are deleted)  
(November 20, 2023)

Use in all projects with estimated cost of \$1,000,000 or less.

**1-02.6.INST3.GR1**

(Section 1-02.6 is supplemented with the following)

Must use once preceding any of the following:

**1-02.6.OPT3.NEW.GR1**

(Delivery of DBE forms)  
(November 20, 2023)

Use in Federal Aid projects with DBE Condition of Award (COA) goals.

Must use with **1-02.9.OPT1.GR1**, **1-03.3.OPT2.GR1**, and **1-07.11.OPT3.FR1**

**1-02.6.OPT4.GR1**

(Small and Veteran-Owned Business Enterprises (SVBE) and Minority and Women's Business Enterprises (MWBE) Documentation)

(March 14, 2022)

Use in all State funded (100%) projects with an estimated cost of \$250,000 or more and requiring the use of Small Business Enterprise (SBE) or Veteran-Owned Business (VOB) enforceable COA goals and MWBE voluntary goals.

Must use with **1-02.9.OPT2.GR1** and **1-07.11.OPT6.FR1**.

**1-02.6.OPT5.NEW.FR1** (Alternative Bids)

1		(September 7, 2021)
2		Use in projects when the proposal is to contain alternate
3		items for bidding. Fill-ins consist of a brief description of the
4		portion of the project or of the work that would be subject to
5		alternative bidding. Repeat the "Alternative" paragraphs if
6		the project consists of more than two alternatives.
7		(4 or more fill-ins)
8		
9	<a href="#">1-02.6.OPT6.FR1</a>	(Cumulative Alternate Bidding)
10		(August 3, 2015)
11		Use in contracts when the award process is modified to
12		include cumulative Alternates. The region shall determine
13		and notify the Ad and Award office of the Funds Available.
14		The bid items shall be segregated into a Base Bid and
15		Alternates as appropriate. Fill-ins consist of a brief
16		description of the portion of the project or of the work that is
17		included in the noted Alternates. The specification
18		language may be adjusted to suit the number of Alternates.
19		
20		Use of this GSP requires the approval of the HQ Ad and
21		Award Manager and HQ Assistant State Design Engineer.
22		When requesting approval, provide documentation of funds
23		available, and that Approvals consistent with Design
24		Manual Chapter 300 exist for the Base project and each
25		potential combination of Base plus Alternates.
26		(1 or more fill-ins)
27		
28	<a href="#">1-02.9.GR1</a>	<b>Delivery of Proposal</b>
29		
30	<a href="#">1-02.9.INST1.GR1</a>	(Section 1-02.9 is supplemented with the following)
31		Must use once preceding any of the following:
32		
33	<a href="#">1-02.9.OPT1.GR1</a>	(DBE document submittal)
34		(November 20, 2023)
35		Use in projects that <b>require</b> the use of the Disadvantaged
36		Business Enterprise (DBE) Condition of Award (COA)
37		Participation Goal Requirement.
38		Must use with <b>1-02.6.OPT3.NEW.GR1, 1-03.3.OPT2.GR1,</b>
39		<b>and 1-07.11.OPT3.FR1.</b>
40		
41	<a href="#">1-02.9.OPT2.GR1</a>	(SVBE document submittal)
42		(November 20, 2023)
43		Use in all State funded (100%) projects with an estimated
44		cost of \$250,000 or more and requiring the use of Small
45		Business Enterprise (SBE) or Veteran-Owned Business
46		(VOB) enforceable COA goals and MWBE voluntary goals.
47		Must use with <b>1-02.6.OPT4.GR1, and 1-07.11.OPT6.FR1.</b>
48		
49	<a href="#">1-02.12.GR1</a>	<b>Public Opening of Proposal</b>
50		
51	<a href="#">1-02.12.INST1.GR1</a>	(Section 1-02.12 is supplemented with the following)
52		Must use once preceding any of the following:
53		
54	<a href="#">1-02.12.OPT1.FR1</a>	(Date of Opening Bids)
55		(August 3, 2015)

1		Do not use in projects scheduled for Region bid openings.
2		Use in all projects scheduled for bid openings in Olympia.
3		Do not use with <b>1-02.12.OPT2.FR1</b> .
4		(1 fill-in)
5		Bid opening is held on Wednesday, except in the event of
6		holidays. Should a holiday be observed on the Monday
7		prior to bid opening, bid opening will be held on Thursday
8		of that same week. Contact the HQ Contract Ad & Award
9		Office if additional guidance is necessary.
10		
11	<a href="#">1-02.12.OPT2.FR1</a>	(Date of Opening Bids for Region Bid Openings)
12		(October 3, 2022)
13		Do not use in projects scheduled for bid opening in
14		Olympia.
15		Use in all projects scheduled for Region bid openings.
16		Do not use with <b>1-02.12.OPT1.FR1</b> .
17		(3 fill-ins)
18		Fill-in #1 is the name of the facility where the bid opening
19		will be held.
20		Fill-in #2 is the address of the facility where the bid opening
21		will be held.
22		Fill-in #3 is the bid opening date.
23		
24	<a href="#">1-02.INST1.GR1</a>	(Section 1-02 is supplemented with the following)
25		Must use once preceding any of the following:
26		
27	<a href="#">1-02.OPT1.GR1</a>	(Protest Procedures)
28		(September 7, 2021)
29		Include in all contracts with Federal Transit Administration
30		(FTA) funding. Typically only applies to Ferry System and
31		Sound Transit projects.
32		
33	<b><a href="#">1-03.GR1</a></b>	<b>Award and Execution Of Contract</b>
34		
35	<b><a href="#">1-03.2.GR1</a></b>	<b>Award of Contract</b>
36		
37	<a href="#">1-03.2.INST1.GR1</a>	(The first sentence of Section 1-03.2 is revised to read)
38		Must use once preceding any of the following:
39		
40	<a href="#">1-03.2.OPT1.GR1</a>	(Rapid Award of Contract)
41		(April 7, 2008)
42		Use only in projects when the Regional Administrator has
43		declared an emergency, and the nature of the emergency
44		requires a rapid award and execution of the contract.
45		Requires approval of HQ Contract Ad and Award Manager.
46		
47	<b><a href="#">1-03.3.GR1</a></b>	<b>Execution of Contract</b>
48		
49	<a href="#">1-03.3.INST1.GR1</a>	(Section 1-03.3 is supplemented with the following)
50		Must use once preceding any of the following:
51		
52	<a href="#">1-03.3.OPT1.GR1</a>	(Execution of Contract)
53		(October 3, 2022)
54		Use in projects selected by the Region when it is desired to
55		have Escrow Bid Documentation established for the

1		project. The project must be of significant size and duration
2		to extend over multiple construction seasons.
3		
4		Requires Region to set up banking facility for document
5		storage prior to advertisements.
6		
7	<a href="#">1-03.3.OPT2.GR1</a>	(DBE Trucking form)
8		(February 13, 2024)
9		Use in Federal Aid projects with DBE Condition of Award
10		(COA) goals.
11		
12		Must use with <b>1-02.6.OPT3.NEW.GR1</b> , <b>1-02.9.OPT1.GR1</b>
13		and <b>1-07.11.OPT3.FR1</b>
14		
15	<a href="#">1-03.3.INST2.GR1</a>	(The first paragraph of Section 1-03.3 is supplemented with
16		the following)
17		Must use once preceding any of the following:
18		
19	<a href="#">1-03.3.OPT3.GR1</a>	(Connecting Washington)
20		(January 4, 2016)
21		Use in the Connecting Washington projects listed at
22		<a href="http://www.wsdot.wa.gov/publications/fulltext/ProjectDev/ConnectingWashington.pdf">http://www.wsdot.wa.gov/publications/fulltext/ProjectDev/ConnectingWashington.pdf</a> .
23		
24		
25	<b><a href="#">1-04.GR1</a></b>	<b>Scope of the Work</b>
26		
27	<b><a href="#">1-04.2.GR1</a></b>	<b>Coordination of Contract Documents, Plans, Special</b>
28		<b>Provisions, Specifications, and Addenda</b>
29		
30	<a href="#">1-04.2.INST1.GR1</a>	(Section 1-04.2 is supplemented with the following)
31		Must use once preceding any of the following:
32		
33	<a href="#">1-04.2.OPT1.GR1</a>	(Unifier)
34		(November 20, 2023)
35		Use in all projects unless approved for omission by Region
36		Construction.
37		
38	<b><a href="#">1-04.5.GR1</a></b>	<b>Procedure and Protest by the Contractor</b>
39		
40	<a href="#">1-04.5.INST1.GR1</a>	(Section 1-04.5 is supplemented with the following)
41		Must use once preceding any of the following:
42		
43	<a href="#">1-04.5.OPT1.GR1</a>	(Partnering)
44		(January 13, 2021)
45		Use in all projects with an Engineer's estimate of \$5 million
46		or greater, and/or Contracts exceeding 200 working days.
47		At the discretion of the Region, may be used in projects
48		with lesser cost and duration where the project complexity,
49		scope of work, or project conditions support the need to
50		host a Project Specific Partnering workshop. Deletion of
51		this item requires Region Construction Engineer approval.
52		
53	<b><a href="#">1-05.GR1</a></b>	<b>Control of Work</b>
54		
55	<b><a href="#">1-05.3.GR1</a></b>	<b>Working Drawings</b>

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

[1-05.3.INST1.GR1](#) (Section 1-05.3 is supplemented with the following)  
Must use once preceding any of the following:

[1-05.3.OPT2.GR1](#) (Right/Left Designation)  
(October 3, 2022)  
Use in all WSF projects.

[1-05.3.OPT3.GR1](#) (Work Plan)  
(October 3, 2022)  
Use in all WSF projects.

**[1-05.4.GR1](#) Conformity With and Deviations from Plans and Stakes**

[1-05.4.INST1.GR1](#) (Section 1-05.4 is supplemented with the following)  
Must use once preceding any of the following:

[1-05.4.OPT1.GR1](#) (Contractor Surveying - Structure)  
(February 6, 2023)  
Use in projects requiring the Contractor to do all surveying needed for bridges, buried structures, walls, or marine structures. May be edited to retain portions of surveying for WSDOT crews but editing to assign additional work to the Contractor requires HQ Construction Office approval. Do not use for bridge deck paving existing surfacing profile work (already covered by Section 6-08.3(2)). Do not use for concrete overlay existing surfacing profile work (already covered by Section 6-21.3(4) or 6-22.3(4) depending on the type of overlay).

[1-05.4.OPT2.GR1](#) (Contractor Surveying - Roadway)  
(January 13, 2021)  
Use in projects requiring the Contractor to do all surveying needed for roadway items. May be edited to retain portions of surveying for WSDOT crews but editing to assign additional work to the Contractor requires HQ Construction Office approval. Must also use **2-03.4.OPT2.GR2** if roadway excavation or embankment is included in the project.

[1-05.4.OPT3.GR1](#) (Licensed Surveyors)  
(April 4, 2011)  
Include in projects requiring the Contractor to supply professional land surveyors to establish right-of-way lines and other monuments. Use of this GSP for Local Agency projects requires the approval of the HQ Local Programs Office.

[1-05.4.OPT4.GR1](#) (Contractor Surveying – ADA Features)  
(March 9, 2023)  
Use in all projects that require any ADA work.  
Must use with **8-14.3.OPT2.GR8** and **8-14.3.OPT3.GR8**.

**[1-05.9.GR1](#) Equipment**

1	<a href="#"><u>1-05.9.INST1.GR1</u></a>	(Section 1-05.9 is supplemented with the following)
2		Must use once preceding any of the following:
3		
4	<a href="#"><u>1-05.9.OPT1.FR1</u></a>	(Machine control grading)
5		(April 7, 2008)
6		Use in eligible projects that require extensive grading if
7		adequate design files have already been created during the
8		design process. Eligible projects are those that require
9		large areas of linear grading or mass quantities of roadway
10		excavation, and are in locations where satellite signals are
11		not obstructed by natural or manmade feature (such as
12		highly mountainous areas or urban canyons). Requires
13		approval of Region Construction Manager.
14		
15		Must also use <b>1-05.4.OPT2.GR1</b> (Contractor Surveying –
16		Roadway).
17		(2 fill-ins) The first fill-in describes the type of data to be
18		provided (cross sections Sta. A to B, digital terrain model,
19		etc.) and the file format of the electronic data. The second
20		fill-in is the name and address of the Project Engineer
21		administering the contract.
22		
23	<a href="#"><u>1-05.9.OPT2.FR1</u></a>	(Class A Noxious Weeds)
24		(March 9, 2023)
25		RCW 17.10.145 requires state agencies to control Class A
26		noxious weeds. Apply this GSP if the project’s SEPA
27		checklist and/or the Region Landscape Architect determine
28		a Class A noxious weed is present in the upland.
29		Fill-in #1 will contain the name of the noxious weed or
30		aquatic invasive species.
31		Fill-in #2 will contain the specific instructions how to clean
32		the equipment prior to leaving the project site.
33		(2 fill-ins)
34		
35	<a href="#"><u>1-05.14.GR1</u></a>	<b>Cooperation With Other Contractors</b>
36		
37	<a href="#"><u>1-05.14.INST1.GR1</u></a>	(Section 1-05.14 is supplemented with the following)
38		Must use once preceding any of the following:
39		
40	<a href="#"><u>1-05.14.OPT1.FR1</u></a>	(Other contracts or other work)
41		(March 13, 1995)
42		Use when it is anticipated that other projects are, or will be,
43		under construction during the life of this project within the
44		limits of this project or when access to, or through adjacent
45		projects may be necessary.
46		(1 fill-in)
47		
48	<a href="#"><u>1-05.14.OPT2.FR1</u></a>	(Provide Access)
49		(March 13, 1995)
50		Use on structure contracts which are separate contracts
51		when other contractors are required to haul past the
52		structure being constructed.
53		(1 fill-in)
54		
55	<a href="#"><u>1-06.GR1</u></a>	<b>Control of Material</b>

1  
2  
3  
4  
5  
6  
7  
8

[1-06.INST1.GR1](#)

(Section 1-06 is supplemented with the following)  
Must use once preceding any of the following:

Please use the following Table to determine which GSPs to use. If you have FTA funding, Contact HQ Construction for advice on which GSPs to use:

		Federal Funding Amount	
		Less than \$500K in Federal Aid Aggregate total for all phases	\$500K or more in Federal Aid Aggregate total for all phases.
<b>Funding Source</b>	No federal aid on any phases (Only State and/or Local Funds are being used for all phases)	Ø	Ø
	Federal aid on CN phase only (Only State and/or Local funds are being used for all other phases)	BA	BABA
	Federal aid on any phase except CN phase (Only State and/or Local funds are being used on the CN phase)	BA	BA
	Federal aid on CN phase and at least one other phase of the Project	BA	BABA

Ø = Neither Buy America nor Buy America/Build America Specs apply  
 BA = Buy America applies. Use the 1-06.OPT1 GSPs. (Iron & Steel Only)  
 BABA=Buy America/Build America applies. Use 1-06.OPT2 GSPs (all materials including Iron & Steel)

9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23

[1-06.OPT1.GR1](#)

Buy America  
Must use once preceding any of the following:

[1-06.OPT1\(A\).GR1](#)

(Buy America)  
(August 6, 2012)  
Specification will require the use of domestically sourced Steel and Iron in accordance with 23 CFR 635.410.

Use if “BA” GSPs are required in the table above.

Do not use if using **1-06.OPT1(C).FR1**

[1-06.OPT1\(B\).FR1](#)

(Buy America)  
(August 6, 2012)



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

Specification used for providing a list of temporary steel or iron construction materials that are excluded from Buy America requirements.

Use in projects that use 1-06.OPT1(A).GR1 when steel or iron in both permanent and temporary installations will be required.

Must also use **1-06.OPT1(A).GR1**  
(1 fill-in) List of temporary steel or iron construction materials.

[1-06.OPT1\(C\).FR1](#)

(Buy America)  
(September 7, 2021)  
When the “BA” GSPs are required in the table above, this GSP may be used instead of 1-06.OPT1(A).GR1 in any Contract at each Region’s discretion that require the use of structural steel when the use of foreign structural steel would result in a cost benefit approaching 25 percent of the cost of the total project **AND** the Project or one of several Contracts from a Project that has a NEPA decision and federal aid was used or anticipated to be used in any of the design, right of way, utilities. May not be used if the construction phases of this Contract or in any other Contracts is federal funded.

If the structural steel items constitute at least 60 percent of the estimated total project cost, alternate bids for domestic and foreign structural steel will be required. Format for alternate bid item is Item Name - Domestic Steel and Item Name - Foreign Steel.  
(6 fill-ins) (\$\$1\$\$ and \$\$6\$\$ will be the same and \$\$2\$\$ and \$\$5\$\$ will be the same)

[1-06.INST1.GR1](#)

(Section 1-06 is supplemented with the following)  
Must use once preceding any of the following:

[1-06.OPT2.GR1](#)

Build America/Buy America  
Must use once preceding any of the following:

[1-06.OPT2\(A\).GR1](#)

(Build America/Buy America)  
(December 20, 2023)  
Requires the use of domestically sourced Steel, Iron, and Construction Materials in accordance with Public Law 117-58, div G §§70901-52.

Must use if “BABA” GSPs are required in the table above.

[1-06.OPT2\(B\).FR1](#)

(Build America/Buy America)  
(October 5, 2022)  
Specification used for providing a list of temporary steel, iron or other construction materials that are excluded from Build America/Buy America requirements.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Use in Projects with 1-06.OPT2(A).GR1 when both permanent and temporary installations will be required **AND** the Project is federal funded for construction.

Must also use **1-06.OPT2(A).GR1** (1 fill-in) List of temporary steel, iron or other construction materials.

**1-06.1.GR1**                      **Approval of Materials Prior to Use**

**1-06.1.INST1.GR1**                      (Section 1-06.1 is supplemented with the following)  
Must use once preceding any of the following:

**1-06.1.OPT1.GR1**                      (April 3, 2017)  
May be used on any project with Construction Project Engineer, Region Construction Engineering Manager, or Assistant Regional Administrator approval. Should be considered on projects that contain large or numerous electrical or ITS components.

**1-07.GR1**                                      **Legal Relations and Responsibilities to the Public**

**1-07.1.GR1**                                      **Laws to be Observed**

**1-07.1.INST1.GR1**                      (Section 1-07.1 is supplemented with the following)  
Must use once preceding any of the following:

**1-07.1.OPT1.GR1**                      Ferry Tolls and Service  
(October 3, 2022)  
Use in all WSF projects. At the discretion of the Region, may also be used in highway projects that have a close proximity to WSF Terminals.

**1-07.1.OPT2.GR1**                      Ferry Terminal Access and Security  
(October 3, 2022)  
Use in all WSF projects. Provides access requirements and restrictions at WSF terminals such as Contractor employee ID lists and cards, parking, material delivery, and equipment identification.

**1-07.1.OPT4.FR1**                      Noise Exemption/Variance Conditions  
(October 3, 2022)  
Use in projects that have been issued a local agency noise variance or exemption and there is a requirement for notification of property owners by mail. Requires Region Construction Approval.  
(6 fill-ins)  
Fill-in #1 is the name of the local jurisdiction(s) issuing the exemption/variance  
Fill-in #2 is the number of nights allowed  
Fill-in #3 is the date the exemption/variance expires  
Fill-in #4 is the distance from the project limits the nighttime notices are to be mailed  
Fill-in #5 is any additional requirements added to the exemption/variance

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Fill-in #6 is the number of days the notices need to be mailed before work starts

[1-07.1.OPT5.FR1](#)

Nighttime Construction Work Requirements  
(October 3, 2022)

Use in projects when a local agency noise variance has not been obtained but restrictions are placed on the contract to mitigate nighttime construction noise. Requires Region Construction Approval.

(3 fill-ins)

Fill-in #1 is the distance from the project limits the nighttime notices are to be mailed to

Fill-in #2 is any additional requirements added to the project

Fill-in #3 is the number of days the notices need to be mailed before work starts

[1-07.1.OPT6.FR1](#)

Noise Exemption/Variance Conditions  
(October 3, 2022)

Use in projects that have been issued a local agency noise variance or exemption. This can be used for rural (not heavily populated) areas and where notification of property owners is not required by mail.

(5 fill-ins)

Fill-in #1 and #2 is the name of the local jurisdiction(s) issuing the exemption/variance

Fill-in #3 is the number of nights allowed

Fill-in #4 is the date the exemption/variance expires

Fill-in #5 is other requirements

[1-07.1\(2\).GR1](#)

**Health and Safety**

[1-07.1\(2\).INST1.GR1](#)

(Section 1-07.1(2) is supplemented with the following)  
Must use once preceding any of the following:

[1-07.1\(2\).OPT1.FR1](#)

Confined Space  
(April 3, 2006)

Must use when Contractor workers are required to enter a confined space and all other projects where confined spaces are known to exist. Use requires approval of the Region Safety Manager.

A confined space is a space that is ALL of the following:

- Large enough and arranged so an employee could fully enter the space and work.
- Has limited or restricted entry or exit. Examples of spaces with limited or restricted entry are tanks, vessels, silos, storage bins, hoppers, vaults, excavations, and pits.
- Not primarily designed for human occupancy.

Examples of confined spaces include but are not limited to concrete or steel box girder structures, pontoons on floating bridges, existing

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

stormwater/sewer conveyances and vaults, electrical or signal hubs.

Fill-in #1: Include each known confined space that the Contractor may enter to perform the work. Describe identified hazards and experience with each known confined space, if any. Must contact Region Safety office for fill-in information.

1-07.1(2).OPT2.GR1

(Diving and Workboat Safety Requirements)  
(October 3, 2022)

Use in all WSF projects. Provides communication and safety protocols for all diving and work boat activities. Also provides requirements and restriction for working around ferry slips.

1-07.1(2).OPT3.FR1

(Lead Health Protection Program)  
(March 9, 2023)

Use in projects when lead based paint on existing structures and non-structural items will be disturbed. (1 fill-in).

1-07.3.GR1

**Fire Prevention and Merchantable Timber Requirements**

1-07.3.INST1.GR1

(Section 1-07.3 is supplemented with the following)  
Must use once preceding any of the following:

1-07.3.OPT1.GR1

(Forest Service Provisions)  
(August 2, 2004)

Use in projects that require work in or adjacent to National Forest Reservations.

Must also use Forest Service Provisions Appendix located at:

<http://wsdot.wa.gov/publications/fulltext/ProjectDev/GSPsP/DF/1-07.3.Appendix.pdf>. Do not include this Appendix in the run-list. On the Final Check sheet (Form 221-019EF) under Contract Make-Up check the box Forest Service Provisions.

1-07.3(2).GR1

**Merchantable Timber Requirements**

1-07.3(2).INST1.GR1

(Section 1-07.3(2) is supplemented with the following)

Must use once preceding any of the following:

1-07.3(2).OPT1.GR1

(Timber Export Restrictions)  
(April 7, 2008)

Use in projects that have one log truck load (approximately 5,000 board feet) or more of merchantable timber that is to be cut.

1-07.4.GR1

**Sanitation**

1-07.4(2).GR1

**Health Hazards**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

[1-07.4\(2\).INST1.GR1](#) (Section 1-07.4(2) is revised to read)  
Must use once preceding any of the following:

[1-07.4\(2\).OPT1.FR1](#) (Site cleanup of biological and physical hazards)  
(August 7, 2017)  
Use in all projects known to be inhabited by transients,  
and all projects known to contain biological or physical  
hazards such as drug paraphernalia, human  
excrement, etc.  
(1 fill-in)

**[1-07.5.GR1](#) Environmental Regulations**

[1-07.5.INST1.GR1](#) (Section 1-07.5 is supplemented with the following)  
Must use once preceding any of the following:

[1-07.5.OPT1.GR1](#) Environmental Commitments  
(September 20, 2010)  
An Environmental Commitment Meeting is expected as  
outlined in Division 4 of the Plans Preparation Manual  
  
Must use with **1-07.5.OPT2.GR1**. Must use once preceding  
any of the following Environmental Commitment GSPs:

[1-07.5.OPT1\(A\).FR1](#) (Notification of ground disturbing activities)  
(August 4, 2014)  
Use if the project includes a requirement for Cultural  
Resource Monitoring.  
(1 fill-in)  
The fill-in can either be a station reference(s), plan  
sheet(s), or a certain depth below an elevation control  
point, etc.

[1-07.5.OPT1\(B\).FR1](#) (Notification of work in sensitive areas)  
(April 1, 2019)  
Use if work is authorized in environmentally sensitive  
areas. Use the Environmental Commitment Meeting to  
determine applicability of this provision for the project.  
(1 fill-in - choose the largest number of days noted in  
your permits/environmental documentation or 15 days,  
whichever is greater.)

[1-07.5.OPT1\(C\).FR1](#) (Setback distance)  
(April 1, 2019)  
Use in projects applying either Programmatic Biological  
Assessment (or Individual BA), Hydraulic Project  
Approval, or local shoreline conditions where setbacks  
of certain work are required from sensitive areas like  
waters of the state, wetlands, or unique upland  
features.  
(3 Fill-ins)  
Fill-in #1 defines the contractor activity that is not  
allowed (e.g. staging, storing material, maintaining  
equipment, etc.)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Fill-in #2 defines the minimum distance between the contractor activity and the sensitive area.  
Fill-in #3 defines the sensitive area(s).

[1-07.5.OPT2.GR1](#)

Payment  
(August 3, 2009)  
Must use with **1-07.5.OPT1.GR1**.

[1-07.5\(1\).GR1](#)

**General**

[1-07.5\(1\).INST1.GR1](#)

(Section 1-07.5(1) is supplemented with the following)  
Must use once preceding any of the following:

[1-07.5\(1\).OPT1.FR1](#)

In-Water Operations Along Marine Shorelines  
(October 3, 2022)  
Use in all WSF Projects, and any projects where floating equipment or vessels will be operating or mooring near marine shorelines.  
(2 fill-ins)  
Fill-in #1 is State or Federal Agency issuing permit or approval.  
Fill in #2 is allowable work dates.

[1-07.5\(2\).GR1](#)

**State Department of Fish And Wildlife**

[1-07.5\(2\).INST1.GR1](#)

(Section 1-07.5(2) is supplemented with the following)  
Must use once preceding any of the following:

[1-07.5\(2\).OPT1.GR1](#)

Hydraulic Project Approval  
(April 2, 2018)  
An Environmental Commitment Meeting (see Division 4 of the Plans Preparation Manual) is mandatory for all projects to determine the applicability of these requirements.  
  
Must use with **1-07.5(2).OPT2.GR1**. Must use once preceding any of the following Hydraulic Project Approval GSPs:

[1-07.5\(2\).OPT1\(A\).FR1](#)

(Work window below ordinary high water)  
(April 2, 2018)  
Use in projects with an HPA and a “fish window.”  
Fill-in #1 is the start date of the fish window.  
Fill-in #2 is the end date.  
Consider setting the work completion date one day less than permitted end date. This ensures WSDOT has time to remove the nets, which is technically in-water work.  
(2 fill-ins)

[1-07.5\(2\).OPT2.GR1](#)

Payment  
(April 2, 2018)  
Must use with **1-07.5(2).OPT1.GR1**.

[1-07.5\(3\).GR1](#)

**State Department of Ecology**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

[1-07.5\(3\).INST1.GR1](#) (Section 1-07.5(3) is supplemented with the following)  
Must use once preceding any of the following:

[1-07.5\(3\).OPT1.GR1](#) Water Quality and Resource Protection  
(April 2, 2018)  
An Environmental Commitment Meeting (see Division 4  
of the Plans Preparation Manual) is mandatory for all  
projects to determine the applicability of these  
requirements.

Must use with **1-07.5(3).OPT2.GR1**. Must use once  
preceding any of the following Hydraulic Project  
Approval GSPs:

[1-07.5\(3\).OPT1\(A\).FR1](#) (Mixing zone)  
(August 3, 2009)  
Use in projects having permitted work within  
waters of the United States and a mixing zone is  
allowed by the Washington State Department of  
Ecology.  
(1 fill-in)  
Fill in No. \$\$\$ choose a distance in feet based  
on either 173-201A of the Washington  
Administrative Code or the project specific 401  
Water Quality Certification from the Washington  
State Department of Ecology.

[1-07.5\(3\).OPT1\(B\).GR1](#) (Stormwater, dewatering water, and other non-  
storm water discharges)  
(April 1, 2019)  
Use with Contracting Agency owned NPDES  
Construction Stormwater General Permits  
(CSWGP). This GSP shall not be used on  
projects where CSWGP administration will be  
transferred to the Contractor prior to the start of  
construction. Additional planning, monitoring,  
sampling, and reporting requirements, beyond the  
scope of this GSP, may be required if the project  
is issued a CSWGP that covers discharges to  
impaired surface waters, such as those listed on  
the 303(d) list or in a Total Maximum Daily Load  
(TMDL) coverage area. Use the Environmental  
Commitment Meeting to determine applicability of  
this provision for the project.

[1-07.5\(3\).OPT2.GR1](#) Payment  
(April 2, 2018)  
Must use with **1-07.5(3).OPT1.GR1**.

[1-07.5\(4\).GR1](#) **Air Quality**

[1-07.5\(4\)C.GR1](#) **Asbestos Containing Materials**

[1-07.5\(4\)C.INST1.GR1](#) (Section 1-07.5(4)C is supplemented with the following)

Must use once preceding any of the following:

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

[1-07.5\(4\)C.OPT1.FR1](#)

(Asbestos containing material known or presumed)  
(October 4, 2021)  
**Must use either OPT1 or OPT2 in all WSDOT projects.**  
Use in projects where the asbestos Good Faith Investigation (GFI) has determined that known and/or presumed, Asbestos Containing Material (ACM) will be disturbed by the work on the project. Must include the asbestos GFI as an appendix.

Must also use **2-02.1.OPT2.GR2, 2-02.3.OPT4.GR2, and 2-02.5.OPT11.GR2.**

(1 fill-in)  
Fill-in is the appendix location for the GFI.

[1-07.5\(4\)C.OPT2.FR1](#)

(No known asbestos containing material)  
(October 4, 2021)  
**Must use either OPT1 or OPT2 in all WSDOT projects.**  
Use in projects where an asbestos Good Faith Investigation (GFI) has determined that that no known, and/ or assumed, and/or reasonably likely Asbestos Containing Material (ACM) will be disturbed by the work on the project. Must include the asbestos GFI as an appendix.

Must also use **2-02.3.OPT5.GR2.**

(1 fill-in)  
Fill-in is the Appendix location for the GFI.

[1-07.5\(5\).GR1](#)

**U.S. Army Corps of Engineers**

[1-07.5\(5\).INST1.GR1](#)

(Section 1-07.5(5) is supplemented with the following)  
Must use once preceding any of the following:

[1-07.5\(5\).OPT1.GR1](#)

U.S. Army Corps Nationwide Permit  
(April 2, 2018)  
An Environmental Commitment Meeting (see Division 4 of the Plans Preparation Manual) is mandatory for all projects to determine the applicability of these requirements.

Must use with **1-07.5(5).OPT2.GR1.** Must use once preceding any of the following Hydraulic Project Approval GSPs:

[1-07.5\(5\).OPT1\(B\).FR1](#)

(Temporary fill restrictions)  
(February 25, 2013)



1		Must use when the project requires a U.S. Army
2		Corps of Engineers Nationwide Permit No. 33.
3		The permit provides for temporary fills for up to
4		six months (180 days). The designer must
5		evaluate the length of time needed for temporary
6		fills. Any duration in excess of six months must
7		have received a waiver by the U.S. Army Corps of
8		Engineers. Use the Environmental Commitment
9		Meeting to determine applicability of this provision
10		for the project.
11		(2-fill-ins)
12		Fill-in No. \$\$1\$\$ defines the location of temporary
13		fill(s).
14		Fill-in No. \$\$2\$\$ is number of calendar days of
15		the temporary fill(s) are permitted to be placed.
16		
17	<a href="#">1-07.5(5).OPT1(C).GR1</a>	(Maintaining normal downstream flows)
18		(February 25, 2013)
19		Must use when the project requires a U.S. Army
20		Corps of Engineers Nationwide Permit No. 3, 13,
21		14, or 33.
22		
23	<a href="#">1-07.5(5).OPT1(D).GR1</a>	(Measures for heavy equipment)
24		(August 3, 2009)
25		Use if permits authorize heavy equipment
26		operation in wetlands or mudflats.
27		
28	<a href="#">1-07.5(5).OPT1(F).GR1</a>	(Creosote timber, piling, and associated debris)
29		(February 6, 2023)
30		Use if the project involves disposing of creosoted
31		materials.
32		
33	<a href="#">1-07.5(5).OPT2.GR1</a>	Payment
34		(April 2, 2018)
35		Must use with <b>1-07.5(5).OPT1.GR1</b> .
36		
37	<a href="#">1-07.5(6).GR1</a>	<b>U.S. Fish and Wildlife Service and National Marine</b>
38		<b>Fisheries Service</b>
39		
40	<a href="#">1-07.5(6).INST1.GR1</a>	(Section 1-07.5(6) is supplemented with the following)
41		Must use once preceding any of the following:
42		
43	<a href="#">1-07.5(6).OPT1.GR1</a>	(Introduction paragraph for environmental
44		commitments)
45		(April 2, 2018)
46		An Environmental Commitment Meeting (see Division 4
47		of the Plans Preparation Manual) is mandatory for all
48		projects to determine the applicability of these
49		requirements.
50		
51		Must use with <b>1-07.5(6).OPT2.GR1</b> . Must use once
52		preceding any of the following GSPs:
53		
54	<a href="#">1-07.5(6).OPT1(B).GR1</a>	(Temporary storage pile restrictions)
55		(April 2, 2018)

1		Use in projects applying Programmatic Biological
2		Assessment Minimization Measure #8, where
3		work will be performed between October 1 and
4		June 1. If this GSP is used, please ensure that the
5		Plans indicate where the 100 year floodplain is.
6		Do not use for Emergency Projects.
7		
8	<a href="#">1-07.5(6).OPT1(C).FR1</a>	(Floating work platforms)
9		(April 2, 2018)
10		Use in projects applying Programmatic Biological
11		Assessment Minimization Measure #15.
12		Fill-in #1 is the maximum number of days. Work
13		with the Region Environmental Coordinator.
14		(1 fill-in)
15		
16	<a href="#">1-07.5(6).OPT1(D).GR1</a>	(Truck chute cleanout areas)
17		(April 2, 2018)
18		Use in projects applying Programmatic Biological
19		Assessment Minimization Measure #27.
20		
21	<a href="#">1-07.5(6).OPT1(E).GR1</a>	(Creosote-treated wood restrictions)
22		(April 2, 2018)
23		Use in projects applying Programmatic Biological
24		Assessment Minimization Measure #69.
25		
26	<a href="#">1-07.5(6).OPT1(F).GR1</a>	(Pile removal methods)
27		(April 2, 2018)
28		Use in projects applying Programmatic Biological
29		Assessment Minimization Measure #71.
30		
31	<a href="#">1-07.5(6).OPT1(G).GR1</a>	(Removed pile requirements)
32		(April 2, 2018)
33		Use in projects applying Programmatic Biological
34		Assessment Minimization Measure #73.
35		
36		This GSP should pertain only to non-bridge
37		projects (i.e., culverts) because treated wood
38		containment for bridges is covered by Section 2-
39		02.3(2)A1 of the Standard Specifications.
40		
41	<a href="#">1-07.5(6).OPT1(H).FR1</a>	(Pile driving sound pressure monitoring)
42		(April 2, 2018)
43		Use in projects applying Programmatic Biological
44		Assessment Minimization Measure #74.
45		Fill-in #1 is the maximum decibel level.
46		(1 fill-in)
47		
48	<a href="#">1-07.5(6).OPT1(I).FR1</a>	(Temporary light restriction)
49		(April 2, 2018)
50		Use in projects applying Programmatic Biological
51		Assessment Minimization Measure #76.
52		Fill-in #1 is the waterbody name that has ESA
53		listed species.
54		(1 fill-in)
55		

1	<a href="#">1-07.5(6).OPT1(J).FR1</a>	(Night work required - 2 hrs after sunset to 2 hrs before sunrise)
2		(April 2, 2018)
3		Use in projects applying Programmatic Biological Assessment Minimization Measure #82.
4		Fill-in #1 is the Washington city nearest to the project location.
5		(1 fill-in)
6		
7		
8		
9		
10	<a href="#">1-07.5(6).OPT1(K).FR1</a>	(Night work required - 1 hr after sunset to 1 hr before sunrise)
11		(April 2, 2018)
12		Use in projects applying Programmatic Biological Assessment Minimization Measure #83.
13		Fill-in #1 is the Washington city nearest to the project location.
14		(1 fill-in)
15		
16		
17		
18		
19	<a href="#">1-07.5(6).OPT1(L).FR1</a>	(Night work required - cease work 2 hours before sunrise)
20		(April 2, 2018)
21		Use in projects applying Programmatic Biological Assessment Minimization Measure #84.
22		Fill-in #1 is the Washington city nearest to the project location.
23		(1 fill-in)
24		
25		
26		
27		
28	<a href="#">1-07.5(6).OPT1(M).FR1</a>	(Night and day work – sunrise and sunset restrictions)
29		(April 2, 2018)
30		Use in projects applying Programmatic Biological Assessment Minimization Measure #85.
31		Fill-in #1 is the Washington city nearest to the project location.
32		
33		
34		
35		
36	<a href="#">1-07.5(6).OPT1(N).FR1</a>	(Night and day work – sunrise restrictions only, no sunset restrictions)
37		(April 2, 2018)
38		Use in projects applying Programmatic Biological Assessment Minimization Measure #86.
39		Fill-in #1 is the Washington city nearest to the project location.
40		
41		
42		
43		
44	<a href="#">1-07.5(6).OPT1(O).GR1</a>	(Trash and food waste collection plan)
45		(April 2, 2018)
46		Use in projects applying Programmatic Biological Assessment Minimization Measure #87.
47		
48		
49	<a href="#">1-07.5(6).OPT1(P).FR1</a>	(Day work required April 1 through Sept 22)
50		(September 3, 2019)
51		Use in projects applying Programmatic Biological Assessment Minimization Measure #93.
52		Fill-in #1 is the type of visual or noisy work that is not allowed.
53		
54		

1		Fill-in #2 is the Washington city nearest to the
2		project location.
3		(2 fill-ins)
4		
5	<a href="#">1-07.5(6).OPT1(Q).GR1</a>	(Galvanizing and zinc coating restrictions)
6		(September 7, 2021)
7		Restricts the use of Galvanized or Zinc Coatings
8		below the 100-year water level. Contact Region
9		Biologist for direction on use.
10		
11	<a href="#">1-07.5(6).OPT2.GR1</a>	Payment
12		(April 2, 2018)
13		Must use with <b>1-07.5(6).OPT1.GR1</b> .
14		
15	<a href="#">1-07.5(6).OPT3.FR1</a>	(Bird Protection and Monitoring)
16		(November 2, 2022)
17		Use in projects that require a Project-specific Bird
18		Protection Plan. Consult Region biologist for
19		assistance.
20		(2 fill-ins)
21		Fill-in #1 defines the birds identified for protection.
22		Fill-in #2 identifies the Appendix in which the MTBA
23		Assessment Report will be located.
24		
25	<b><a href="#">1-07.6.GR1</a></b>	<b>Permits and Licenses</b>
26		
27	<a href="#">1-07.6.INST1.GR1</a>	(Section 1-07.6 is supplemented with the following)
28		Must use once preceding any of the following:
29		
30	<a href="#">1-07.6.OPT1.FR1</a>	Permits and Licenses
31		(January 2, 2018)
32		An Environmental Commitment Meeting is expected as
33		outlined in Division 4 of the Plans Preparation Manual.
34		
35		*This GSP requires editing the data located in the permit
36		table located at:
37		<a href="http://www.wsdot.wa.gov/publications/fulltext/projectdev/EnvironmentalDocumentation/1-07.6.OPT2.FR1_Table.docx">http://www.wsdot.wa.gov/publications/fulltext/projectdev/En</a>
38		<a href="http://www.wsdot.wa.gov/publications/fulltext/projectdev/EnvironmentalDocumentation/1-07.6.OPT2.FR1_Table.docx">vironmentalDocumentation/1-07.6.OPT2.FR1_Table.docx</a> ,
39		copying and pasting the revised table inside this fill-in area.
40		This needs to be edited prior to insertion and final printing
41		to delete all permits that are not required for the project and
42		insert additional permits not part of the original table. All
43		permits will be attached as an Appendix. Include the
44		Department of Ecology permit coverage letter with the
45		CSWGP. If using a Nationwide Permit, attach the most
46		recent U.S. Army Corps of Engineers Nationwide Permit
47		Verification Letter, conditions, and permit drawings.
48		
49		(1 fill-in)
50		
51	<a href="#">1-07.6.OPT3.GB1</a>	<b>United States Coast Guard</b>
52		Must use once preceding any of the following:
53		
54	<a href="#">1-07.6.OPT3(A).FB1</a>	United States Coast Guard
55		(January 2, 2018)

1		Use in projects over navigable waters when the Coast
2		Guard is involved.
3		(2 fill-ins)
4		
5	<a href="#">1-07.6.OPT3(B).GB1</a>	United States Coast Guard
6		(September 3, 2019)
7		Use in all projects involving bridge work, including
8		painting, in or near the navigable portion of a waterway
9		when <b>1-07.6.OPT3(A).FB1</b> is not used.
10		
11	<b><u>1-07.7.GR1</u></b>	<b>Load Limits</b>
12		
13	<a href="#">1-07.7.INST1.GR1</a>	(Section 1-07.7 is supplemented with the following)
14		Must use once preceding any of the following:
15		
16	<a href="#">1-07.7.OPT3.FR1</a>	(List of haul routes provided)
17		(March 13, 1995)
18		Use when WSDOT provides a materials source and roads
19		other than State highways are designated as the haul
20		route.
21		(4 fill-ins)
22		
23	<a href="#">1-07.7.OPT4.FR1</a>	(Restrictions on provided haul routes)
24		(March 13, 1995)
25		Use with <b>1-07.7.OPT3.FR1</b> when the agreement
26		stipulates additional requirements.
27		(1 fill-in)
28		
29	<a href="#">1-07.7.OPT5.GR1</a>	(Contractor provides haul routes for material sources not
30		designated to come from the provided source)
31		(March 13, 1995)
32		Use in all projects where WSDOT provides a source of
33		materials for part or all required materials.
34		
35	<a href="#">1-07.7.OPT6.GR1</a>	(Contractor provides haul routes for material sources)
36		(March 13, 1995)
37		Use in projects when no source of materials is provided.
38		
39	<b><u>1-07.9.GR1</u></b>	<b>Wages</b>
40		
41	<b><u>1-07.9(1).GR1</u></b>	<b>General</b>
42		
43	<a href="#">1-07.9(1).INST1.GR1</a>	(Section 1-07.9(1) is supplemented with the following)
44		Must use once preceding any of the following:
45		
46	<a href="#">1-07.9(1).OPT1.GR1</a>	(January 10, 2024)
47		Use in all Federally funded projects consisting of
48		highway construction and/or landscaping.
49		
50		For the selection and application of multiple wage
51		schedules see the U.S. Department of Labor 'ALL
52		AGENCY MEMORANDUM NO. 130' dated 3/17/1978
53		at:
54		<a href="https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf">https://www.dol.gov/whd/programs/dbra/docs/memo-</a>
55		<a href="https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf">131.pdf.</a>

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

1-07.9(1).OPT2.FR1

(January 10, 2024)  
Use in Federally funded projects consisting of both highway and building construction.  
(1 fill-in)  
  
For the selection and application of multiple wage schedules see the U.S. Department of Labor 'ALL AGENCY MEMORANDUM NO. 130' dated 3/17/1978 at:  
<https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf>.

1-07.9(1).OPT3.FR1

(May 11, 2010)  
Use in Federally funded projects consisting of only building construction.  
(1 fill-in)  
  
For the selection and application of multiple wage schedules see the U.S. Department of Labor 'ALL AGENCY MEMORANDUM NO. 130' dated 3/17/1978 at:  
<https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf>.

1-07.9(1).OPT5.FR1

(January 10, 2024)  
Use in all Federally funded projects consisting of both highway and heavy construction.  
(1 fill-in)  
  
For the selection and application of multiple wage schedules see the U.S. Department of Labor 'ALL AGENCY MEMORANDUM NO. 130' dated 3/17/1978 at:  
<https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf>.

1-07.9(1).OPT6.FR1

(January 10, 2024)  
Use in all Federally funded projects consisting of highway, heavy, and building construction.  
(2 fill-ins)  
  
For the selection and application of multiple wage schedules see the U.S. Department of Labor 'ALL AGENCY MEMORANDUM NO. 130' dated 3/17/1978 at:  
<https://www.dol.gov/whd/programs/dbra/docs/memo-131.pdf>.

1-07.9(3).GR1

**Apprentices**

1-07.9(3).INST1.GR1

(Section 1-07.9(3) is supplemented with the following)  
Must use once preceding any of the following:

1-07.9(3).OPT1.GR1

Apprentice Utilization

(October 3, 2022)  
Use only on projects advertised by the Washington State Department of Transportation. Use in projects with an Engineer's estimate of \$2 million and greater.

**1-07.11.GR1**

**Requirements for Nondiscrimination**

**1-07.11.INST1.GR1**

(Section 1-07.11 is supplemented with the following)  
Must use once preceding any of the following:

**1-07.11.OPT1.GR1**

Requirement for Affirmative Action to Ensure Equal Employment Opportunity (October 3, 2022)  
Use in Federally funded projects exceeding \$10,000 in contract cost.

**1-07.11.OPT2.GR1**

Disadvantaged Business Enterprise (DBE) Participation (October 3, 2022)  
**REQUIREMENTS PERTAINING TO "No DBE Goals" DO NOT USE UNTIL FURTHER NOTICE.**

**1-07.11.OPT3.FR1**

Disadvantaged Business Enterprise (DBE) Participation (October 3, 2022)  
Requires a **CONDITION-OF-AWARD GOAL**  
Use in selected Federal Aid projects with DBE Condition of Award (COA) goals. The final COA DBE Goal is to be furnished or verified by the Office of Equity and Civil Rights.  
Use of **Disadvantaged Business Enterprise Utilization Certification** (DOT Form 272 056) and use of **Disadvantaged Business Enterprise Written Confirmation Document** (DOT Form 422-031) is required in the proposal.  
Must use with **1-02.6.OPT3.NEW.GR1 1-02.9.OPT1.GR1**, and **1-03.3.OPT2.GR1**  
(1 fill-in) The fill-in shall be one of the following formats:

\_\_\_ percent (\_\_\_ %) of the contract total; or  
\_\_\_ dollars for COA DBE goals

Do not use with **1-07.11.OPT7.GR1** or **1-07.11.OPT8.FR1**.

**1-07.11.OPT4.FR1**

Special Training Provisions (November 2, 2022)  
Use in all Federal Aid projects with more than 50 working days that contain Training (Obtain Training Decision & Fill-in from the Office of Equity and Civil Rights).  
(1 fill-in)

*Note: Fill-in is Total Hours.*

1	<a href="#">1-07.11.OPT6.FR1</a>	Small and Veteran-Owned Business Enterprises (SVBE)
2		and Minority and Women's Business Enterprise (MWBE)
3		Participation
4		(October 3, 2022)
5		Use in all State funded (100%) projects with an estimated
6		cost of \$250,000 or more. Contact the Office of Equity and
7		Civil Rights at GoalRequests@wsdot.wa.gov for
8		determination of goals.
9		(2 fill-ins)
10		Fill-in #1 is the enforceable COA Goal for Small Business
11		Enterprises
12		Fill-in #2 is the enforceable COA Goal for Veteran-Owned
13		Businesses
14		Must also include <b>1-02.6.OPT4.GR1 and 1-</b>
15		<b>02.9.OPT2.GR1.</b>
16		
17	<a href="#">1-07.11.OPT7.FR1</a>	Federal Small Business Enterprise (FSBE)
18		Participation
19		(October 3, 2022)
20		Use in selected Federal Aid projects with Federal Small
21		Business Enterprise (FSBE) goals. The FSBE Goal is to be
22		furnished or verified by the Office of Equity and Civil
23		Rights.
24		(1 fill-in) The fill-in shall be in the following format:
25		
26		___ percent (___ %) of the contract total for FSBE goals; or
27		___ dollars for FSBE goals
28		<b>Do not use with 1-07.11.OPT3.FR1.</b>
29		
30	<a href="#">1-07.11(2).GR1</a>	<b>Contractual Requirements</b>
31		
32	<a href="#">1-07.11(2).INST1.GR1</a>	(Section 1-07.11(2) is supplemented with the following)
33		Must use once preceding any of the following:
34		
35	<a href="#">1-07.11(2).OPT1.2025.GR1</a>	(January 24, 2024)
36		Use in all WSDOT projects. (Use of this GSP in Local
37		Agency projects is voluntary.)
38		
39	<a href="#">1-07.12.GR1</a>	<b>Federal Agency Inspection</b>
40		
41	<a href="#">1-07.12.INST1.GR1</a>	(Section 1-07.12 is supplemented with the following)
42		Must use once preceding any of the following:
43		
44	<a href="#">1-07.12.OPT1.GR1</a>	(October 3, 2023)
45		Use in all Federally funded projects.
46		
47	<a href="#">1-07.12.OPT2.FR1</a>	Indian Preference and Tribal Ordinances
48		(October 3, 2022)
49		Use in projects with any portion of the project on an Indian
50		reservation.
51		(3 fill-ins) (\$\$1\$\$ is the Tribe or Reservation; \$\$2\$\$ is the
52		Group(s) as shown on the Summary of Quantities where
53		Work is performed on Tribal Lands, \$\$3\$\$ is the Tribal
54		representative, telephone and address.)
55		



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

**1-07.15.GR1 Temporary Water Pollution Prevention**

**1-07.15(1).GR1 Spill Prevention, Control, and Countermeasures Plan**

1-07.15(1).INST1.GR1 (Section 1-07.15(1) is supplemented with the following)  
Must use once preceding any of the following:

1-07.15(1).OPT1.GR1 Notification Requirements  
(October 3, 2022)  
Use in all WSF projects.

**1-07.16.GR1 Protection and Restoration of Property**

**1-07.16(1).GR1 Private/Public Property**

**1-07.16(1)C.GR1 Private Property**

1-07.16(1)C.INST1.GR1 (Section 1-07.16(1)C is supplemented with the following)  
Must use once preceding any of the following:

1-07.16(1)C.OPT1.GR1 (October 3, 2022)  
Use on projects where the Contractor is expected to be accessing R/W from adjacent properties. This provision requires Contractor to obtain permission to use adjacent properties and submit a Working Drawing.

1-07.16(1)C.OPT2.GR1 (October 3, 2022)  
Use in all WSF projects. Requires the Contractor to obtain permission to use adjacent properties.

**1-07.16(2).GR1 Vegetation Protection and Restoration**

1-07.16(2).INST1.GR1 (Section 1-07.16(2) is supplemented with the following)  
Must use once preceding any of the following:

1-07.16(2).OPT1.GR1 (August 2, 2010)  
Use in projects to specify preservation of existing desirable vegetation.

**1-07.16(4).GR1 Archaeological and Historical Objects**

1-07.16(4).INST1.GR1 (Section 1-07.16(4) is supplemented with the following)  
Must use once preceding any of the following:

1-07.16(4).OPT1.GR1 (December 6, 2004)  
Use in projects when reconnaissance studies indicate that there is the probability of finding cultural remains within the project limits which will require monitoring the project area during clearing, grubbing or excavation operations. Requires a pay item.

**1-07.17.GR1 Utilities and Similar Facilities**

- 1            [1-07.17.INST1.GR1](#)            (Section 1-07.17 is supplemented with the following)
- 2    Must use once preceding any of the following:
- 3
- 4            [1-07.17.OPT1.FR1](#)            (April 2, 2007)
- 5    Use in projects where there are utilities within the R/W that
- 6    will not be adjusted, replaced or constructed by the utility
- 7    owner or its contractor during the prosecution of the work.
- 8    (1 fill-in)
- 9
- 10    (May use with **1-07.17.OPT2.FR1** if utilities other than
- 11    those described in this provision will be adjusted, replaced
- 12    or constructed by the utility owner during the prosecution of
- 13    the work.)
- 14
- 15            [1-07.17.OPT2.FR1](#)            (October 3, 2022)
- 16    Use in projects where there are utilities within the R/W and
- 17    those utilities will be adjusted, relocated or replaced by the
- 18    utility owner or its contractor during the performance of the
- 19    contract, or when the utility owner or its contractor will
- 20    construct new utilities within the R/W during the
- 21    performance of the contract.
- 22
- 23    (3 fill-ins) (\$\$1\$\$ is a description and location of the work
- 24    the each utility owner or its contractor will complete, and
- 25    the duration of that work or anticipated date of completion
- 26    by each utility or its contractor. \$\$2\$\$ is the name of the
- 27    utility company or companies, contact person, address,
- 28    telephone number and e-mail address or other contact
- 29    information as required to enable the Contractor to identify
- 30    and contact each utility performing work during the life of
- 31    the contract. \$\$3\$\$ is a description of any additional
- 32    requirements that the contractor must perform in order to
- 33    coordinate with the utility owner or its contractor, such as
- 34    advance notifications to be provided to the utility for staged
- 35    work.
- 36
- 37    (Use with **1-07.17.OPT1.FR1** if other utilities exist within
- 38    the R/W that will not be adjusted, relocated or replaced by
- 39    the utility owner.)
- 40

41            [1-07.18.GR1](#)                          **Public Liability and Property Damage Insurance**

42

43            [1-07.18\(5\).GR1](#)                      **Required Insurance Policies**

44

45            [1-07.18\(5\).INST1.GR1](#)            (The first sentence of Item No. 1 of Section 1-07.18(5) is

46    revised to read)

47    Must use once preceding any of the following:

48

49            [1-07.18\(5\).OPT2.2025.GR1](#)            (Owners and Contractors Protective Insurance)

50    (November 20, 2023)

51    Use in all projects unless an increased or reduced

52    insurance requirement is required.

53    This corrects an error in the standard specifications

54    regarding the insurance form number.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Do not use with **1-07.18(5).OPT1.FR1** or **1-07.18(5).OPT2.GR1**.

[1-07.18\(5\).OPT1.FR1](#)

(Increased Insurance Requirement – Owners and Contractors Protective Insurance)  
(November 20, 2023)  
Use in projects when the Engineer's estimate is in excess of \$10 million or in projects under \$10 million when in the Engineer's judgment the project involves higher than normal risk(s). The project office should contact the Risk Management & Legal Services Division, Administrative Risk Manager (Office: (360) 704-6376, Cell: (360) 742-8501) to discuss the project's risks. The Administrative Risk Manager will advise the region as to the need to require the additional insurance, and if so, will provide the fill in amount. This GSP should not be used if the fill-in amounts match the values listed in the Standard Specifications.  
(1 fill-in)

[1-07.18\(5\).OPT2.GR1](#)

(Reduced Insurance Requirement)  
(September 7, 2021)  
Use in projects when the Engineer's estimate is \$500,000 or less.  
**Do not use with 1-07.18(5).INST1.GR1** because this GSP deletes Item number 1 in Section 1-07.18(5).  
Must use with **1-07.18(5).OPT3.GR1**.

[1-07.18\(5\).INST2.GR1](#)

(The first sentence of Item No. 2 of Section 1-07.18(5) is revised to read)  
Must use once preceding any of the following:

[1-07.18\(5\).OPT3.GR1](#)

(Reduced Insurance Requirement)  
(September 7, 2021)  
Use in all projects when the Engineer's estimate is \$500,000 or less.  
Must use with **1-07.18(5).OPT2.GR1**.

[1-07.18\(5\).OPT4.FR1](#)

(Increased Insurance Requirement - Commercial General Liability (CGL))  
(September 7, 2021)  
Use in projects when the Engineer's estimate is in excess of \$10 million or in projects under \$10 million when in the Engineer's judgment the project involves higher than normal risk(s). The project office should contact the Risk Management & Legal Services Division, Administrative Risk Manager (Office: (360) 704-6376, Cell: (360) 742-8501) to discuss the project's risks. The Administrative Risk Manager will advise the region as to the need to require the additional insurance, and if so, will provide the fill in amounts. This GSP should not be used if the fill-in amounts match the values listed in the Standard Specifications.  
(1 fill-in)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

1-07.18(5).INST3.GR1 (Section 1-07.18.(5) is supplemented with the following)  
Must use once preceding any of the following:

1-07.18(5).OPT5.GR1 (Builders Risk Insurance)  
(October 3, 2022)  
Use in projects when in the Engineer's judgment the project facilities themselves may be exposed to significant damage. The Project Office should contact the Administrative Risk Manager (Office: (360) 704-6376, Cell: (360) 742-8501), at the Risk Management & Legal Services Division to discuss any high risk components of the project regarding damage to departmental owned/rented facilities or assets. The Administrative Risk Manager will advise the region as to the need to require the additional insurance.  
CAUTION: Using this provision will result in significantly higher project costs.

1-07.18(5).OPT6.FR1 (Pollution Liability Insurance)  
(October 3, 2022)  
Use in all projects where in the Engineer's judgment the Work involves remediation of Environmental hazards, the Contractor shall obtain Contractor's Pollution Liability Insurance. The Project Office should contact the Administrative Risk Manager (Office: (360) 704-6376, Cell: (360) 742-8501), at the Risk Management & Legal Services Division, to discuss the Projects Environmental risks to determine if Contractor's Pollution Liability Insurance (CPL) is needed. The Administrative Risk Manager will advise the region as to the need to require the additional insurance, and if so, provide the fill in amount.  
(1 fill-in)

1-07.23.GR1                      **Public Convenience and Safety**

1-07.23(1).GR1                      **Construction Under Traffic**

1-07.23(1).INST1.GR1 (Section 1-07.23(1) is supplemented with the following)  
Must use once preceding any of the following:

1-07.23(1).OPT1.FB1 (Traffic Restrictions)  
(March 13, 1995)  
Use in bridge painting projects.  
(1 fill-in)

1-07.23(1).OPT4.GR1 (Temporary Access Breaks)  
(December 6, 2004)  
Use to allow temporary access to the traveled way at locations other than those defined in **Standard Specifications 1-07.23(1)**. Consider for use on all limited access facilities, and on non-interstate limited access.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Requires Region Approval for all projects. Requires FHWA Approval for use on limited access interstate facilities (allow 30 days minimum for approval). Requires Headquarters State Design Engineer approval for use on non-interstate limited access facilities. Region Project Development shall insure that site conditions meet the criteria contained in the provision. Region Construction and Traffic Offices should concur with projects selected for use. Contact Headquarters Design, Access and Hearings Engineer for guidance.

[1-07.23\(1\).OPT5.FR1](#)

(Lane Closure Restrictions)  
(February 6, 2023)  
Use in projects where traffic volumes require lane closures restrictions. Includes additional information for general restrictions, access, delays, special events and advance notifications.  
(8 Fill-ins)  
Fill-in #1 describes the specific facility or location and the hours that closures are allowed.  
Fill-ins #2 and #3 designate the period of time over a holiday weekend when closures will not be allowed.  
Fill-in #4 list special events.  
Fill-in #5 describes the maximum delay at flagging or AFAD stations.  
Fill-in #6, #7, and #8 provide information on delays when the Contracting Agency needs to make adjustments due to actual traffic conditions.

[1-07.23\(1\).OPT6.GR1](#)

(Accommodating Oversized Loads through the Work Zone)  
(April 14, 2014)  
Use in projects on the following routes:  
  
I-5, I-405, I-90, I-82, I-182, SR 18, SR 167 and US 395 (Tri-Cities to Spokane)  
If there is the potential for the travelled way to be reduced to less than 16 feet  
  
The designer is authorized to modify this specification as necessary to coordinate with the rest of the contract provisions that may contradict, provided the intent of the GSP is maintained. The intent being; provide a clear width of at least 16 feet to accommodate a wide load, provide windows of time to accommodate a wide load (if possible) and/or provide notice as described. Changes in this specification should be coordinated with Commercial Vehicle Services.  
  
This specification requires that the Engineer must approve any proposed reduction of the travelled way to a single lane with a clear width of less than 16 feet for duration of 4 calendar days or more.

1	<a href="#">1-07.23(1).OPT7.FR1</a>	(Public Notification)
2		(October 3, 2022)
3		Use in projects where there are roadway, ramp, or
4		other closures.
5		(3 fill-ins)
6		Fill-in #1 is the number of working days signs are to be
7		installed for closures.
8		Fill-in #2 is the stakeholder(s) required to be notified.
9		Suggested notifications include Washington State
10		Patrol, Local fire/police/emergency services, city
11		engineering departments, affected school or transit, or
12		other stakeholder.
13		Fill-in #3 is the number of working days in advance that
14		notification is to occur.
15		
16	<a href="#">1-07.23(1).OPT8.FR1</a>	(Maintenance and Protection of Ferry Traffic)
17		(October 3, 2022)
18		Use in single-slip offshore WSF projects.
19		(1 fill-in)
20		Fill-in #1 is the name of the ferry terminal
21		
22	<a href="#">1-07.23(1).OPT9.GR1</a>	(Maintenance and Protection of Ferry Traffic)
23		(October 3, 2022)
24		Use in multi-slip offshore WSF projects.
25		
26	<a href="#">1-07.23(1).OPT10.GR1</a>	(Fourth of July Holiday)
27		(October 3, 2022)
28		Use in projects where holiday travel volumes will not
29		make it feasible to work on the day between the
30		weekend and the 4th of July holiday.
31		
32	<b><a href="#">1-07.24.GR1</a></b>	<b>Rights of Way</b>
33		
34	<a href="#">1-07.24.INST1.GR1</a>	(Section 1-07.24 is supplemented with the following)
35		Must use once preceding any of the following:
36		
37	<a href="#">1-07.24.OPT1.FR1</a>	(March 13, 1995)
38		Use in projects when it is possible that the right of way will
39		not be fully acquired at the time of award.
40		(2 fill-ins)
41		
42	<a href="#">1-07.24.OPT2.GR1</a>	(October 3, 2022)
43		Use in all WSF projects, or when the Sundry Site Plan is
44		being included in the Contract.
45		
46	<b><a href="#">1-07.28.GR1</a></b>	<b>Railroads</b>
47		
48	<a href="#">1-07.28.INST1.GR1</a>	(Section 1-07.28 is supplemented with the following)
49		Must use once preceding any of the following:
50		
51	<a href="#">1-07.28.OPT1.FR1</a>	(Additional Requirements for Working with the Railroad)
52		(October 3, 2022)
53		Use in projects when the Contracting Agency Work is
54		within 25 feet of the centerline of the tracks. Contact the
55		Development Division Design Office, Railroad Liaison

1		Engineer at (360) 705-7459 to determine if this GSP is
2		necessary, and to obtain the fill-in information.
3		(1 fill-in)
4		Fill-in #1 is the name of the railroad company
5		
6	<a href="#">1-07.28.OPT2.FR1</a>	(October 3, 2022)
7		Use in projects when the Contracting Agency has entered
8		into an agreement with the Railroad Company the Work is
9		within 25 feet of the centerline of the tracks. Contact the
10		Development Division Design Office, Railroad Liaison
11		Engineer at (360) 705-7459 to determine if this GSP is
12		necessary, and to obtain the fill-in information.
13		(1 fill-in)
14		Fill-in #1 is the appendix number of the agreement.
15		
16	<a href="#">1-07.28.OPT3.FR1</a>	(Construction Work by Railroad Company)
17		(October 3, 2022)
18		Use when the Railroad Company is to provide work with
19		the railroad company forces. Contact the Development
20		Division Design Office, Railroad Liaison Engineer at (360)
21		705-7459 to determine if this GSP is necessary, and to
22		obtain the fill-in information.
23		(1 fill-in)
24		Fill-in #1 is the work activities that will be provided by the
25		railroad company.
26		
27	<a href="#">1-07.28(1).GR1</a>	<b>General</b>
28		
29	<a href="#">1-07.28(1).INST1.GR1</a>	(Section 1-07.28(1) is supplemented with the following)
30		Must use once preceding any of the following:
31		
32	<a href="#">1-07.28(1).OPT1.FR1</a>	(Contractor's Right of Entry Agreement)
33		(October 3, 2022)
34		Use when the Contracting Agency has made a right of
35		entry agreement with the Railroad. Contact the
36		Development Division Design Office, Railroad Liaison
37		Engineer at (360) 705-7459 to determine if this GSP is
38		necessary, and to obtain the fill-in information.
39		(2 fill-ins)
40		Fill-in #1 is the Railroad Company's contact for the
41		Right of Entry Agreement.
42		Fill-in #2 is the appendix number for Contractor Right of
43		Entry "SAMPLE".
44		
45	<a href="#">1-07.28(2).GR1</a>	<b>Submittals and Working Drawings</b>
46		
47	<a href="#">1-07.28(2).INST1.GR1</a>	(Section 1-07.28(2) is supplemented with the following)
48		Must use once preceding any of the following:
49		
50	<a href="#">1-07.28(2).OPT1.FR1</a>	(October 3, 2022)
51		Use in projects that require submittal review by a
52		Railroad. Projects with work occurring below the bridge
53		deck, work adjacent to the tracks, or work requiring
54		containment systems, falsework, or formwork typically
55		require Railroad review. Deck planing, deck repair, and

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

overlays would typically not require Railroad review as the work is confined between the bridge rails and the deck surface. Contact the Development Division Design Office, Railroad Liaison Engineer at (360) 705-7459 to determine if this GSP is necessary, and to obtain the fill-in information.

(2 fill-ins)

Fill-in #1 is the number of calendar days expected for each working drawing.

Fill-in #2 is the number of calendar days expected for a re-review of a working drawing.

**1-07.28(6).GR1 Railroad Protective Services**

**1-07.28(6).INST1.GR1** (Section 1-07.28(6) is supplemented with the following)  
Must use once preceding any of the following:

**1-07.28(6).OPT1.FR1** (October 3, 2022)  
Use when the Contracting Agency has made an agreement with the railroad for Railroad Flagging or other protective services. Contact the Development Division Design Office, Railroad Liaison Engineer at (360) 705-7459 to determine if this GSP is necessary, and to obtain the fill-in information.  
(2 fill-ins)  
Fill-in #1 is the minimum notification to Railroad Company or work within 25' of centerline of tracks.  
Fill-in #2 is the Railroad Company contact for scheduling Railroad Flagging or other protective services.

**1-07.28(8).GR1 Measurement and Payment**

**1-07.28(8).INST1.GR1** (Section 1-07.28(8) is revised to read)  
Must use once preceding any of the following:

**1-07.28(8).OPT1.GR1** (Railroad flagging or protective services)  
(October 3, 2022)  
Use when railroad flagging or protective services are required for the project and the Contracting Agency has made an agreement with the railroad for Railroad Flagging or other protective services. Estimated Cost to be placed below the line in Ebase for the project office to make direct payments by invoice to the railroad. Contact the Development Division Design Office, Railroad Liaison Engineer at (360) 705-7459 to determine if this GSP is necessary.

**1-08.GR1 Prosecution and Progress**

**1-08.1.GR1 Subcontracting**

**1-08.1.INST1.GR1** (Section 1-08.1 is supplemented with the following)  
Must use once preceding any of the following:



1	<a href="#">1-08.1.OPT1.GR1</a>	(Subcontracting)
2		(October 3, 2022)
3		Use in all Federally funded projects.
4		
5	<a href="#">1-08.1.OPT3.GR1</a>	Qualifications Of Building Contractor
6		(March 13, 1995)
7		Use in road construction projects that also include building
8		construction.
9		
10	<a href="#">1-08.1(7).GR1</a>	<b>Payments to Subcontractors and Lower-Tier Subcontractors</b>
11		
12	<a href="#">1-08.1(7)C.GR1</a>	<b>Subcontractor Retainage</b>
13		
14	<a href="#">1-08.1(7)C.INST1.GR1</a>	(The first sentence in the last paragraph of Section 1-
15		08.1(7)C is revised to read)
16		Must use once preceding any of the following:
17		
18	<a href="#">1-08.1(7)C.OPT1.2025.GR1</a>	(February 13, 2024)
19		Use in all projects.
20		
21	<a href="#">1-08.1(9).GR1</a>	<b>Required Subcontract Clauses</b>
22		
23	<a href="#">1-08.1(9)B.GR1</a>	<b>Clauses Required in Subcontracts of All Tiers</b>
24		
25	<a href="#">1-08.1(9)B.INST1.GR1</a>	(The second paragraph of Section 1-08.1(9)B is
26		supplemented with the following)
27		Must use once preceding any of the following:
28		
29	<a href="#">1-08.1(9)B.OPT1.2025.GR1</a>	(January 24, 2024)
30		Use in all WSDOT projects. (Use of this GSP in
31		Local Agency projects is voluntary.)
32		
33	<a href="#">1-08.3.GR1</a>	<b>Progress Schedule</b>
34		
35	<a href="#">1-08.3(2).NEW.GR1</a>	<b>General Requirements</b>
36		
37	<a href="#">1-08.3(2)B.GR1</a>	<b>Type B Progress Schedules</b>
38		
39	<a href="#">1-08.3(2)B.INST1.GR1</a>	(Section 1-08.3(2) is supplemented with the following)
40		Must use once preceding any of the following:
41		
42	<a href="#">1-08.3(2)B.OPT1.FR1</a>	(Additional Required Activities on Progress Schedule)
43		(November 20, 2023)
44		Use in projects with milestones and/or activities that
45		need to be shown on the progress schedule for
46		successful schedule management. This may not be
47		Work items, but permits, procurement, or other
48		activities known to have risk or drive the length of the
49		schedule. Suggested items include Railroad Right of
50		Entry Agreements and materials requiring long
51		procurement or fabrication periods, such as signal or
52		light poles, structural elements, or mechanical items. If
53		you have a right of entry agreement with the railroad,
54		contact the Development Division Design Office,
55		Railroad Liaison Engineer at (360) 705-7459 to

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

determine if this GSP is necessary, and to obtain the fill-in information.  
(1 fill-in)  
Fill-in #1 is milestones and/or activities.

**1-08.4.GR1**

**Prosecution of Work**

**1-08.4.INST1.GR1**

(The first sentence of Section 1-08.4 is revised to read)  
Must use once preceding any of the following:

**1-08.4.OPT1.FR1**

(Establish starting date for roadway operations)  
(August 3, 2015)  
Must also use **1-08.5.OPT9.FR1**.  
At the discretion of the Region Administrator, use in short term projects when a delayed start is desirable to allow the Contractor some latitude in scheduling the work. Recommendation by the Region Construction Office is advised.  
(1 fill-in)

**1-08.4.OPT2.GR1**

(Variable start: State controls start)  
(August 7, 2006)  
Use in contracts where the contractor shall start work immediately after a happening or event to avoid high impacts to the public. At the time of issuance of the contract the date of that event or happening is not known. Region Construction Engineer, or equivalent, approval is required to use this provision. Must include **1-08.5.OPT1.FR1 and 1-08.5.OPT7.FR1**.

**1-08.4.OPT3.FR1**

(Fixed start: State controls start)  
(August 7, 2006)  
Use in contracts where the contractor shall start work immediately after a happening or event to avoid high impacts to the public. At the time of issuance of the contract the date of that event or happening is known. Region Construction Engineer, or equivalent, approval is required to use this provision. Must **include 1-08.5.OPT2.FR1 and 1-08.5.OPT7.FR1**.  
(1 fill-in)

**1-08.5.GR1**

**Time for Completion**

**1-08.5.INST1.GR1**

(The third paragraph of Section 1-08.5 is revised to read)  
Must use once preceding any of the following:

**1-08.5.OPT1.FR1**

(Variable start: State controls start)  
(August 7, 2006)  
Use in contracts where the contractor shall start work immediately after a happening or event to avoid high impacts to the public. At the time of issuance of the contract the date of that event or happening is not known. Region Construction Engineer, or equivalent, approval is required to use this provision. Must include **1-08.4.OPT2.GR1 and 1-08.5.OPT7.FR1**.

1		(2 fill-ins) Fill-ins are contract start times.
2		
3	<a href="#">1-08.5.OPT2.FR1</a>	(Fixed start: State controls start)
4		(August 7, 2006)
5		Use in contracts where the contractor shall start work
6		immediately after a happening or event to avoid high
7		impacts to the public. At the time of issuance of the
8		contract the date of that event or happening is known.
9		Region Construction Engineer, or equivalent, approval is
10		required to use this provision. Must include
11		<b>1-08.4.OPT3.FR1 and 1-08.5.OPT7.FR1.</b>
12		(1 fill-in) Fill-in is contract start time.
13		
14	<a href="#">1-08.5.INST2.GR1</a>	(Section 1-08.5 is supplemented with the following)
15		Must use once preceding any of the following:
16		
17	<a href="#">1-08.5.OPT7.FR1</a>	(Time for physical completion)
18		(March 13, 1995)
19		Use in all projects not requiring one of the following "TIME
20		FOR COMPLETION" GSP's.
21		(1 fill-in)
22		
23	<a href="#">1-08.5.OPT8.FR1</a>	(Time for physical completion)
24		(March 13, 1995)
25		Must also use <b>1-08.9.OPT2.NEW.FR1.</b>
26		Use in projects requiring an interim or temporary controller
27		for early use of a signal system and where an intermediate
28		physical completion time is required.
29		(2 fill-ins)
30		
31	<a href="#">1-08.5.OPT9.FR1</a>	(Time for physical completion)
32		(December 4, 2006)
33		Must also use <b>1-08.4.OPT1.FR1.</b>
34		(2 fill-ins)
35		Fill-in #2 is the same as fill-in #1 for <b>1-08.4.OPT1.FR1.</b>
36		
37	<a href="#">1-08.5.OPT10.FR1</a>	(Time for physical completion)
38		(March 13, 1995)
39		Use in projects with signal work and the Contracting
40		Agency furnishes the signal control equipment.
41		(1 fill-in)
42		
43	<a href="#">1-08.5.OPT11.FR1</a>	Incentive For Early Completion
44		(August 4, 2003)
45		Use in projects requiring an incentive for early completion.
46		Prior approval from the State Construction office is required
47		for the use of this GSP.
48		(4 fill-ins)
49		\$\$1\$\$, \$\$2\$\$ and \$\$4\$\$ are substantial or physical, \$\$3\$\$
50		is dollar value established by the Region, must be justified
51		by road user costs.
52		
53	<a href="#">1-08.6.GR1</a>	<b>Suspension of Work</b>
54		
55	<a href="#">1-08.6.INST1.GR1</a>	(Section 1-08.6 is supplemented with the following)

Must use once preceding any of the following:

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

[1-08.6.OPT1.FR1](#)

(Procurement Suspension)  
(January 3, 2017)  
Requires approval of HQ Construction. Use in projects requiring materials that have long lead times for procurement or fabrication, or proprietary/specialized materials, HMA Mix Design evaluation, and procurement of the materials or HMA Design evaluation is a controlling factor in the time for completion. Not recommended if material procurement or mix design approval are not critical path items. Use 1-08.6.OPT2.FR1 instead, if project does not include HMA paving.

Fill-in #1 identifies materials that are critical for timely completion and require fabrication or long lead times for procurement. Examples of critical materials may include Hot Mix Asphalt, landscaping (cultivated) items, permanent signing, steel guardrail posts, ITS equipment, modular expansion joints, bridge railing, hydraulic/electrical rehabilitation components, bridge girders, buried structures, steel jackets for seismic retrofits, castings, single-source drain pipe, signal controllers, light standards, or signal standards.

Fill-in #2 limits the duration of the suspension for acquisition of critical materials. The duration of the suspension should be appropriate for the work being performed and will vary according to the type of materials required.

The use of a short duration may be impossible to achieve or may raise the cost of the project.  
(2 fill-ins)

[1-08.6.OPT2.FR1](#)

(Procurement Suspension)  
(February 6, 2023)  
Use in projects requiring materials that have long lead times for procurement or fabrication, or proprietary/specialized materials, and procurement of the materials is a controlling factor in the time for completion. WSDOT's preliminary schedule for calculating working days should include the estimated suspension duration as non-working.  
(2 fill-ins)

Fill-in #1 identifies materials that are critical for timely completion and require fabrication or long lead times for procurement. Examples of critical materials may include: Landscaping (cultivated) items, permanent signing, steel guardrail posts, ITS equipment, modular expansion joints, bridge railing, hydraulic/electrical rehabilitation components, bridge girders, buried structures, steel jackets for seismic retrofits, castings, single source drain pipe, signal controllers, light standards, or signal standards.

1  
2 Fill-in #2 limits the duration of the suspension for  
3 acquisition of critical materials. The duration of the  
4 suspension should be appropriate for the work being  
5 performed and will vary according to the type of materials  
6 required.  
7

8 **1-08.9.GR1**                      **Liquidated Damages**

9  
10 **1-08.9.INST1.GR1**                      (Section 1-08.9 is supplemented with the following)  
11 Must use once preceding any of the following:  
12

13 **1-08.9.OPT1.NEW.FR1** (Liquidated Damages)  
14 (September 8, 2020)  
15 Use in all projects.  
16 (1 fill-in)  
17 Fill-in shall be the amount determined by the Design  
18 Liquidated Damages Calculation Sheet:  
19 <http://www.wsdot.wa.gov/publications/fulltext/ProjectDev/DesignLiquidatedDamagesCalculationSheet.xlsm>.  
20  
21

22 **1-08.9.OPT2.NEW.FR1** (Failure to complete temporary signal system)  
23 (March 13, 1995)  
24 Use in projects requiring an interim or temporary controller  
25 for early use of a signal system and where an intermediate  
26 physical completion time is required. The Region must  
27 determine the appropriate liquidated damages based on  
28 road user costs.  
29 Must also use **1-08.5.OPT8.FR1** and **1-**  
30 **08.9.OPT1.NEW.FR1**.  
31 (1 fill-in)  
32

33 **1-08.9.OPT3.NEW.FR1** (Interim Completion Liquidated Damages)  
34 (April 6, 2009)  
35 Use in projects where an interim completion time is desired  
36 (such as the completion of a stage of work, lane closure, or  
37 ITS disruption), and the Region determines that user costs  
38 for failure to complete the specified portion of work, as  
39 calculated by the Transportation Data Office, are significant  
40 enough to warrant liquidated damages. Determination of  
41 the liquidated damage amount must adhere to Chapter  
42 700.01 of the Plans Prep Manual.  
43 (6 fill-ins) \$\$1\$\$ describes the work to be completed;  
44 \$\$2\$\$ is the user cost; \$\$3\$\$ and \$\$4\$\$ is the unit of time  
45 (minutes, hours or days); \$\$5\$\$ is the smallest increment  
46 of time that will be measured; and \$\$6\$\$ is the contract  
47 provision that specifies the completion time.  
48 Must also use **1-08.9.OPT1.NEW.FR1**.  
49

50 **1-09.GR1**                                      **Measurement and Payment**

51  
52 **1-09.2.GR1**                                      **Weighing Equipment**

53  
54 **1-09.2(1).GR1**                                      **General Requirements for Weighing Equipment**  
55

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

**1-09.2(1)A.GR1                      Electronic Delivery Management System (E-Ticketing)**

**1-09.2(1)A.INST1.GR1** (Section 1-09.2(1)A is revised to read as follows)  
Must use once preceding any of the following:

**1-09.2(1)A.OPT1.GR1**                      (January 24, 2024)  
Use in all projects with HMA that do not require the use of 1-09.2(1)A.OPT2.GR1.

This GSP requires the use of the WSDOT Portal through HaulHub for HMA e-Tickets only.

*Do not use with 1-09.2(1)A.OPT2.GR1*  
*Must use with 1-09.2(6).OPT1.GR1.*

**1-09.2(1)A.OPT2.GR1**                      (January 24, 2024)  
Use on select projects with Region Construction Engineer approval when the WSDOT Portal through HaulHub will be used for all e-Tickets on the project.

*Do not use with 1-09.2(1)A.OPT1.GR1*  
*Must use with 1-09.2(6).OPT2.GR1.*

**1-09.2(6).GR1                      Payment**

**1-09.2(6).INST1.GR1** (Section 1-09.2(6) is supplemented with the following:)  
Must use once preceding any of the following:

**1-09.2(6).OPT1.GR1**                      (January 24, 2024)  
Use on projects when the WSDOT Portal through HaulHub will be required for HMA eTickets only.

*Do not use with 1-09.2(6).OPT2.GR1*  
*Must use with 1-09.2(1)A.OPT1.GR1.*

**1-09.2(6).OPT2.GR1**                      (January 24, 2024)  
Use on projects when the WSDOT Portal through HaulHub will be required for all eTickets.

*Do not use with 1-09.2(6).OPT1.GR1*  
*Must use with 1-09.2(1)A.OPT2.GR1.*

**1-09.3.GR1                      Scope of Payment**

**1-09.3.INST1.GR1** (Section 1-09.3 is supplemented with the following)  
Must use once preceding any of the following:

**1-09.3.OPT1.FR1**                      Fuel Cost Adjustment  
(August 7, 2017)  
Use requires Region Construction Manager Approval and concurrence from HQ Construction Office. At the Region's discretion, use in Design-Bid-Build projects with more than 100 working days or high fuel use projects with an anticipated substantial completion date more than 6

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

months beyond the bid opening date (for jobs with early bid dates) that include any of the bid items that are eligible for adjustment. Include an estimated amount for the bid item “Fuel Cost Adjustment” in the Engineers Estimate. Only the items described below are eligible for adjustment.

(2 or more fill-ins) Fill-ins are the bid items that are eligible for adjustment, and fuel usage factors for those bid items.

To determine which Bid Items are eligible for Adjustment: If the bid proposal contains items that fit the description of the items listed below, then those bid items are eligible for adjustment.

Eligible Bid Item	Fuel Usage Factor
____ Excavation Incl. Haul, per cubic yard	0.70 gal/cy
____ Excavation Incl. Haul – Area ____ per cubic yard	0.70 gal/cy
____ Borrow Incl. Haul, per cubic yard	0.68 gal/cy
____ Borrow Incl. Haul, per ton	0.45 gal/ton
Structure Excavation Class ____ Incl. Haul, per cubic yard	0.70 gal/cy
Crushed Surfacing ____, per ton	0.70 gal/ton
Crushed Surfacing ____, per cubic yard	1.20 gal/cy
Furnishing and Placing Crushed ____, per cubic yard	1.20 gal/cy
Furnishing and Placing Crushed ____ to No. 4, per square yard	0.02 gal/sy
Furnishing and Placing Crushed Screening No. 4 to 0, per square yard	0.002 gal/sy
Planing Bituminous Pavement, per square yard	0.09 gal/sy
HMA Cl. ____ PG ____, per ton	0.90 gal/ton
HMA for ____, per ton	0.90 gal/ton
Commercial HMA, per ton	0.90 gal/ton
Cement Concrete Pavement, per cubic yard	1.2 gal/cy
Cement Concrete Pavement - Including Dowels, per cubic yard	1.2 gal/cy
Concrete Class ____, per cubic yard	1.2 gal/cy
Commercial Concrete, per cubic yard	1.2 gal/cy
Superstructure ____, lump sum	0.005 gal/dollar
St. Reinf. Bar, per pound	0.004 gal/Lb
Epoxy-Coated St. Reinf. Bar, per pound	0.004 gal/Lb

Determine the Engineers Estimate for the bid item “Fuel Cost Adjustment”:

Base Fuel Cost and Estimated Monthly Fuel Cost:

Obtain the most current Monthly fuel price from the U.S. Energy Information Administration website. The website location and directions are as follows:

- <http://www.eia.gov/petroleum/gasdiesel/>

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

- On the web page, click on the **West Coast less California**, listed under the heading **U.S On-Highway Diesel Fuel Prices\*(dollar per gallon)** at the lower end of the web page.
- In the pull down box labeled **Period** pull down **Monthly**
- Click on the fuel price history found under the column heading **View History** for the line **Diesel (On-Highway) – All Types**.

Multiply the Base Fuel Cost by the appropriate Contract Duration Factor (below) to determine the Estimated Monthly Fuel Cost.

Contract Duration	Contract Duration Factor
Up to 1 year	1.10
1 to 2 years	1.25
2 to 3 years	1.37
3 to 4 years	1.49
4 to 5 years	1.62

Estimate the amount of the Adjustment:  
Use the formulas below.

$$\text{Adjustment} = (\text{Est. Monthly Fuel Cost} - (1.10 \times \text{Base Fuel Cost})) \times Q$$

Where Q = □ ((Fuel Usage Factor) x (Total Quantity of each Eligible Bid Item)) for all Eligible Bid Items.

Sample Calculation:  
My project is 300 working days. It contains 10,000 tons of HMA Cl. 1/2" PG 70-22, and 500 tons of CSBC.

HMA Cl. 1/2" PG 70-22 is Eligible for Adjustment.  
Crushed Surfacing Base Course is Eligible for Adjustment.

From U.S. Energy Information Administration website :  
most recent Monthly Fuel Price = 3.06 dollars per gallon. This monthly price becomes the Base Fuel Cost.

Therefore:  
Base Fuel Cost = 3.06 dollars/gal  
Est. Monthly Fuel Cost = Base Fuel Cost x Contract Duration Factor  
Est. Monthly Fuel Cost = 3.06 x 1.25 = 3.825 dollars/gal

$$Q = (0.70 \text{ gal/ton} \times 500 \text{ tons}) + (0.90 \text{ gal/ton} \times 10,000 \text{ tons})$$
$$Q = 9,350 \text{ gal}$$

$$\text{Adjustment} = (3.82 \text{ dollars/gal} - (1.10 \times 3.06 \text{ dollars/gal})) \times 9,350 \text{ gal}$$



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Adjustment = \$5,675.45= \$5,700

[1-09.3.OPT2.FR1](#)

Steel Cost Adjustments  
(August 6, 2018)  
Use in all projects that use quantities of steel in excess of 50,000 pounds, including non-proprietary walls, pedestrian bridges and vehicular bridges.

Fill-in #1 is the initial cost basis of steel and should use a value of \$0.40/lb. Any deviation from the default value of \$0.40/lb requires approval of the HQ Construction Office.

Fill-in #2 is a list of the bid items that are eligible for steel cost adjustment. This can include bid items that are entirely composed of steel (e.g., Steel Reinforcing Bar for Bridge) and can also include lump sum items that use significant quantities of steel (e.g., Superstructure, Lump Sum). Contact the HQ Strategic Analysis and Estimating Unit for assistance preparing the Engineer's Estimate for the bid item "Steel Cost Adjustment."  
(2 fill-ins)

[1-09.8.GR1](#)

**Payment for Material On Hand**

[1-09.8.INST1.GR1](#)

(The last paragraph of Section 1-09.8 is revised to read)  
Must use once preceding any of the following:

[1-09.8.OPT1.GR1](#)

(August 3, 2009)  
Use in projects that are over \$2 million and have more than 120 working days.

[1-09.9.GR1](#)

**Payments**

[1-09.9\(1\).GR1](#)

**Retainage**

[1-09.9\(1\).INST1.GR1](#)

(Section 1-09.9(1) including title is deleted and replaced with the following)  
Must use once preceding any of the following:

[1-09.9\(1\).OPT1.GR1](#)

(Vacant)  
(June 27, 2011)  
Use in all Federally funded projects.

[1-10.GR1](#)

**Temporary Traffic Control**

[1-10.1.GR1](#)

**General**

[1-10.1.INST1.GR1](#)

(Section 1-10.1 is supplemented with the following)  
Must use once preceding any of the following:

[1-10.1.OPT1.FR1](#)

(Agency-Provided Traffic Control Resources)  
(April 1, 2013)  
Use on projects where the Region will be providing some labor, equipment or material resource to the Contractor. Typically will include signs, posts, pilot car drivers, etc. The

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53

decision to provide resources and the use of this provision requires the approval of the Region Construction Manager.

The first fill-in is a detailed list of the resources to be provided. Include a description of the item, the quantity (if appropriate), its location and any special instructions to the Contractor for acquiring the item. Include a reference to the description of work provision where the resource is to be applied. The second fill-in is the number of working days you want the Contractor to notify the Engineer before each duration of use of the resources.

(2 fill-ins)

[1-10.1.OPT2.FR1](#)

(Agency-Arranged Law Enforcement)  
(May 20, 2020)

Use on projects where the use of WSP personnel is included in the Contract. The decision to use this provision requires the approval of the ARA for Construction or designee.

(2 fill-ins)

Fill-in #1 is a list of the specific duties the WSP personnel may perform during active work zones. Refer to the WSDOT Traffic Manual (M 51-02) Chapter 5-19.C for a list of specific recommended assignments. WSP should not be shown on the traffic control plans and the duties should be independent from the traffic control installation, operation and removal.

Fill-in #2 is the number of hours that the Contracting Agency will pay the full cost of these WSP duties. This number may be zero if allowing the contractor to request the WSP duties at a 50/50 cost-sharing option during the project is determined acceptable.

[1-10.1\(1\).GR1](#)

**Materials**

[1-10.1\(1\).INST1.GR1](#)

(Section 1-10.1(1) is supplemented with the following)  
Must use once preceding any of the following:

[1-10.1\(1\).OPT1.GR1](#)

(Automated Flagger Assistance Devices(AFAD))  
(January 10, 2022)  
Recommend using in projects utilizing one-way traffic control on two-lane routes with a posted speed of 55MPH or more, but may also be used on lower speed roadways. Near signalized intersections, flaggers should be used to control traffic.  
Must use with **1-10.3(3).OPT1.GR1**.

If AFAD is included in the lump sum cost for "Project Temporary Traffic Control," do not use **1-10.4(2).OPT2.GR1** and **1-10.5(2).OPT1.GR1**.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

If AFAD will be paid for by the hour use with **1-10.4(2).OPT2.GR1 and 1-10.5(2).OPT1.GR1**. Must also pay for flaggers by the hour.

If AFAD will be paid for by the hour and the project also contains "Project Temporary Traffic Control" also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

**1-10.2.GR1**                      **Traffic Control Management**

**1-10.2.INST1.GR1**                      (Section 1-10.2 is supplemented with the following)  
Must use one preceding any of the following:

**1-10.2.OPT1.GR1**                      (Work Zone Safety Contingency)  
(November 2, 2022)  
Use in all WSDOT projects with traffic control.

For projects with item bids, use with **1-10.5(2).OPT7.GR1**.

For projects with lump sum plus reinstated bid items, use with **1-10.4(3).OPT1.FR1 and 1-10.5(2).OPT7.GR1**.

**1-10.2(1).GR1**                      **General**

**1-10.2(1).INST1.GR1**                      (Section 1-10.2(1) is supplemented with the following)  
Must use once preceding any of the following:

**1-10.2(1).OPT1.GR1**                      (Acceptable TCS Training)  
(October 3, 2022)  
Include in all projects that include the bid item Traffic Control Supervisor, or include the bid item Project Temporary Traffic Control.

**1-10.2(1).OPT2.GR1**                      (Traffic Control Supervisor)  
(January 5, 2015)  
May be used on projects with temporary traffic control where a greater experience level is desired for the primary Traffic Control Supervisor. Typical projects where use of the GSP would be considered may have complex traffic control plans, increased risk of worker safety, or impacts to the public.

**1-10.2(9-35).GR1**                      (Temporary Traffic Control Materials)  
(Section 9-35 is supplemented with the following)  
Must use once preceding any of the following:

**1-10.2(9-35).OPT1.GR1** (Temporary Portable Transverse Rumble Strips)  
(October 3, 2022)  
Use on projects that have flagging operations and speeds are 45mph or higher. Consult region traffic engineer for assistance.

Must use with **1-10.3(3).OPT5.GR1**.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53

If temporary portable transverse rumble strips are included in the lump sum cost for “Project Temporary Traffic Control,” do not use **1-10.4(2).OPT8.GR1** and **1-10.5(2).OPT6.GR1**.

If temporary portable transverse rumble strips will be paid for by each use with **1-10.4(2).OPT8.GR1** and **1-10.5(2).OPT6.GR1**.

If temporary portable transverse rumble strips will be paid for by each and the project also contains “Project Temporary Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

**1-10.3.GR1**

**Traffic Control Labor, Procedures and Devices**

**1-10.3.INST1.GR1**

(Section 1-10.3 is supplemented with the following)  
Must use once preceding any of the following:

**1-10.3.OPT1.FR1**

(Contractor-Provided Uniformed Police Officers)  
(May 20, 2020)  
Use on projects where the traffic control plans show Uniformed Police Officers performing traffic control-related duties.

(1 fill-in)  
The fill-in should provide contact information for local law enforcement agencies that may be able to provide this service. The WSP district contact for the project location may also be provided.

Use with **1-10.4(2).OPT6.GR1** and **1-10.5(2).OPT5.GR1**.  
For use on WSDOT projects only.

**1-10.3(3).GR1**

**Traffic Control Devices**

**1-10.3(3).INST1.GR1**

(Section 1-10.3(3) is supplemented with the following)  
Must use once preceding any of the following:

**1-10.3(3).OPT1.GR1**

(Automated Flagger Assistance Devices)  
(January 10, 2022)  
Use in projects to include the Automated Flagger Assistance Devices (AFAD).  
Must use with **1-10.1(1).OPT1.GR1**.

If AFAD is included in the lump sum cost for “Project Temporary Traffic Control,” do not use with **1-10.4(2).OPT2.GR1** and **1-10.5(2).OPT1.GR1**.

If AFAD will be paid for by the hour use with **1-10.4(2).OPT2.GR1** and **1-10.5(2).OPT1.GR1**. Must also pay for flaggers by the hour.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

If AFAD will be paid for by the hour and the project also contains “Project Temporary Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

[1-10.3\(3\).OPT2.GR1](#)

(Radar Speed Display Signs)  
(January 2, 2018)

Consider use on freeway projects when traffic will be reduced to a single lane with temporary traffic control and workers will be present in close proximity behind channelization devices. Consider a regulatory speed limit reduction when the single lane of traffic will be shifted onto the shoulder away from the work area. The Region Traffic Engineer will need to approve the speed limit reduction.

Must use with **1-10.3(3)(9-35).OPT1.GR1**.

If radar speed display signs are included in the lump sum cost for “Project Temporary Traffic Control,” do not use with **1-10.4(2).OPT3.GR1** and **1-10.5(2).OPT2.GR1**.

If radar speed display signs will be paid for by the hour use with **1-10.4(2).OPT3.GR1** and **1-10.5(2).OPT2.GR1**.

If radar speed display signs will be paid for by the hour and the project also contains “Project Temporary Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

[1-10.3\(3\).OPT3.FR1](#)

(Smart Work Zone System)  
(April 15, 2024)

Consider including a smart work zone system (SWZS) for projects where long-term (4 or more days) temporary traffic control restrictions will cause regular or ongoing traffic congestion and delays in approximately the same location. This system is intended for queues up to 9 miles. Typical traffic control plans are available for 6-mile and 9-mile systems. Queue detection warning, dynamic lane merge, and travel delay offer work zone queue mitigation. Consult your region traffic engineer for assistance.

If the smart work zone system is included in the lump sum cost for “Project Temporary Traffic Control,” do not use with **1-10.4(2).OPT5.GR1** and **1-10.5(2).OPT3.GR1**.

If the smart work zone system will be paid for by the hour use with **1-10.4(2).OPT5.GR1** and **1-10.5(2).OPT3.GR1**.

If the smart work zone system will be paid for by the hour and the project also contains “Project Temporary

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

[1-10.3\(3\).OPT4.FR1](#)

(Queue Warning System)  
(April 15, 2024)

Consider including a queue warning system (QWS) for projects where daily, nightly, weekend, or durations up to one week where temporary traffic control restrictions will cause intermittent traffic congestion and delays in different locations as closures move with work operations (such as pavers) but also in the same location. This system is intended for queues of up to 3 miles. Freeway Typical Traffic Control Plans will soon be updated to include the Queue Warning System option (Sheet 1A). Queue detection warning and dynamic lane merge offer work zone queue mitigation. Consult region traffic engineer for assistance.

If the queue warning system is included in the lump sum cost for “Project Temporary Traffic Control,” do not use with **1-10.4(2).OPT7.GR1** and **1-10.5(2).OPT4.GR1**.

If the queue warning system will be paid for by the hour use with **1-10.4(2).OPT7.GR1** and **1-10.5(2).OPT4.GR1**.

If radar speed display signs will be paid for by the hour and the project also contains “Project Temporary Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

[1-10.3\(3\).OPT5.GR1](#)

(Temporary Portable Transverse Rumble Strips)  
(October 3, 2022)

Use when a project has flagging operations and speeds are 45mph or higher. Consult region traffic engineer for assistance.

Must use with **1-10.2(9-35).OPT1.GR1**.

If temporary portable transverse rumble strips are included in the lump sum cost for “Project Temporary Traffic Control,” do not use **1-10.4(2).OPT8.GR1** and **1-10.5(2).OPT6.GR1**.

If temporary portable transverse rumble strips will be paid for by each use with **1-10.4(2).OPT8.GR1** and **1-10.5(2).OPT6.GR1**.

If temporary portable transverse rumble strips will be paid for by each and the project also contains “Project Temporary Traffic Control” also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

[1-10.3\(3\)\(9-35.8\).GR1](#)

(Section 9-35.8 is revised to read)

Must use once preceding any of the following:

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

1-10.3(3)(9-35.8).OPT1.GR1 (Radar Speed Display Signs)

(April 1, 2019)

Use on projects that will be utilizing Radar Speed Display Signs. The Region Traffic Engineer will need to approve the speed limit reduction.

Must use with **1-10.3(3).OPT2.GR1**.

If radar speed display signs are included in the lump sum cost for "Project Temporary Traffic Control," do not use with **1-10.4(2).OPT3.GR1** and **1-10.5(2).OPT2.GR1**.

If radar speed display signs will be paid for by the hour use with **1-10.4(2).OPT3.GR1** and **1-10.5(2).OPT2.GR1**.

If radar speed display signs will be paid for by the hour and the project also contains "Project Temporary Traffic Control" also add to the reinstated items in **1-10.4(3).OPT1.FR1**.

1-10.3(3)A.GR1

**Construction Signs**

1-10.3(3)A.INST1.GR1

(The third paragraph of Section 1-10.3(3)A is revised to read)

Must use once preceding any of the following:

1-10.3(3)A.OPT1.2025.GR1

(Sign covering)

(February 13, 2024)

Use on projects where signs in conflict with the temporary traffic configuration will be covered for 7 calendar days or less.

1-10.3(3)B.GR1

**Sequential Arrow Signs (Arrow Boards)**

1-10.3(3)B(9-35.4).GR1

(Section 9-35.4 is supplemented with the following)

Must use once preceding any of the following:

1-10.3(3)B(9-35.4).OPT1.2025.GR1

(GPS and Remote

Communication Requirements)

(October 3, 2022)

Use on all Freeway projects where the traffic control plans show sequential arrow signs being used.

1-10.4.GR1

**Measurement**

One of these GSPs must be included in every project with traffic control: **1-10.4(2).OPT1.GR1** or **1-10.4(3).OPT1.FR1**.

1-10.4(2).GR1

**Item Bids With Lump Sum for Incidentals**

1-10.4(2).INST1.GR1

(Section 1-10.4(2) is supplemented with the following)

Must use once preceding any of the following:

1	<a href="#">1-10.4(2).OPT1.GR1</a>	(Standard Items)
2		(August 2, 2004)
3		Use on projects that will be utilizing the Traffic Control
4		Bid items referenced in the provisions. While there may
5		be lump sum Bid items within that list, this is not a total-
6		project lump sum bid.
7		
8		Must use with <b>1-10.5(2).OPT7.GR1</b> .
9		
10		Do not use with <b>1-10.4(3).OPT1.FR1</b> . If the bid item
11		“Project Temporary Traffic Control,” lump sum is
12		included in the project use <b>1-10.4(3).OPT1.FR1</b>
13		instead.
14		
15	<a href="#">1-10.4(2).OPT2.GR1</a>	(Automated Flagger Assistance Devices)
16		(January 10, 2022)
17		Use on projects that will be utilizing AFAD paid by the
18		hour. A separate flagger must operate each AFAD in
19		accordance with the MUTCD, so the bid item Flagger
20		must also be used if being paid by the hour.
21		
22		Do not use if the AFAD is part of the lump sum cost for
23		“Project Temporary Traffic Control,”
24		
25		Must use with <b>1-10.1(1).OPT1.GR1, 1-</b>
26		<b>10.3(3).OPT1.GR1, and 1-10.5(2).OPT1.GR1</b> .
27		
28	<a href="#">1-10.4(2).OPT3.GR1</a>	(Radar Speed Display Signs)
29		(January 2, 2018)
30		Use on projects that will be utilizing Radar Speed
31		Display Signs which will be paid by the hour. The
32		Region Traffic Engineer will need to approve the speed
33		limit reduction.
34		
35		Do not use if the radar speed display sign is part of the
36		lump sum cost for “Project Temporary Traffic Control,”
37		
38		Must use with <b>1-10.3(3).OPT2.GR1, 1-10.3(3)(9-</b>
39		<b>35).OPT1.GR1, and 1-10.5(2).OPT2.GR1</b> .
40		
41	<a href="#">1-10.4(2).OPT5.GR1</a>	(Smart Work Zone System)
42		(September 7, 2021)
43		Use on projects when a Smart Work Zone System will
44		be utilized which will be paid by the hour.
45		
46		Do not use if the smart work zone system is part of the
47		lump sum cost for “Project Temporary Traffic Control,”
48		
49		Use with <b>1-10.3(3).OPT3.FR1 and 1-</b>
50		<b>10.5(2).OPT3.GR1</b> .
51		
52	<a href="#">1-10.4(2).OPT6.GR1</a>	(Contractor Provided Uniformed Police Officer)
53		(May 20, 2020)



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

Use on projects where the traffic control plans show Uniformed Police Officers performing traffic control-related duties

Use with **1-10.3.OPT1.GR1** and **1-10.5(2).OPT5.GR1**.

[1-10.4\(2\).OPT7.GR1](#)

(Queue Warning System)  
(September 7, 2021)

Use on projects when a Queue Warning System will be utilized and will be paid by the hour.

Do not use if the queue warning system is part of the lump sum cost for "Project Temporary Traffic Control,"

Use with **1-10.3(3).OPT4.FR1** & **1-10.5(2).OPT4.GR1**.

[1-10.4\(2\).OPT8.GR1](#)

(Temporary Portable Transverse Rumble Strips)  
(October 3, 2022)

Use on projects with temporary portable transverse rumble strips that are paid per each.

Do not use if the temporary portable transverse rumble strips are part of the lump sum cost for "Project Temporary Traffic Control,"

Use with **1-10.2(9-35).OPT1.GR1**, **1-10.3(3).OPT5.GR1** and **1-10.5(2).OPT6.GR1**.

[1-10.4\(3\).GR1](#)

**Reinstating Unit Items With Lump Sum Traffic Control**

[1-10.4\(3\).INST1.GR1](#)

(Section 1-10.4(3) is supplemented with the following)  
Must use once preceding any of the following:

[1-10.4\(3\).OPT1.FR1](#)

(Project Lump Sum)  
(November 2, 2022)

Use on projects that will be total project lump sum with the required force account Work Zone Contingency item. Project may also include some other traffic control Bid items to be utilized on the project. Use of this provision requires the approval of the Region Construction Manager or designee.

This method of payment might be applied to a job that would be total project lump sum except that some part of the work is not readily predictable. The need for Flagger might be unclear or there could be an indeterminate future need for public information utilizing Portable Changeable Message Signs. Smart work zone and queue warning systems may not be included in the lump sum item, and must be listed in the fill-in for unit items. Must also include **1-10.2.OPT1.GR1** and **1-10.5(2).OPT7.GR1**.

The fill-in for this provision is a list of the traffic control Bid items that are included according to **Sections 1-10.4(3)** and **1-10.5(3)**. Do not use with **1-**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

**10.4(2).OPT1.GR1.** If the only additional bid item is the required force account item “Work Zone Contingency”, the fill-in will be blank.  
(1 fill-in)

**1-10.5.GR1                      Payment**

**1-10.5(2).GR1                      Item Bids with Lump Sum for Incidentals**

**1-10.5(2).INST1.GR1** (Section 1-10.5(2) is supplemented with the following)  
Must use once preceding any of the following:

**1-10.5(2).OPT1.GR1** (Automated Flagger Assistance Devices)  
(November 20, 2023)  
Use on projects that will be utilizing AFAD paid by the hour. A separate flagger must operate each AFAD in accordance with the MUTCD, so the bid item Flagger must also be used.

Do not use if the AFAD is part of the lump sum cost for “Project Temporary Traffic Control”.  
Must use with **1-10.1(1).OPT1.GR1, 1-10.3(3).OPT1.GR1, and 1-10.4(2).OPT2.GR1.**

**1-10.5(2).OPT2.GR1** (Radar Speed Display Signs)  
(January 2, 2018)  
Use on projects that will be utilizing Radar Speed Display Signs which will be paid by the hour. The Region Traffic Engineer will need to approve the speed limit reduction.

Do not use if the radar speed display sign is part of the lump sum cost for “Project Temporary Traffic Control,”  
Must use with **1-10.3(3).OPT2.GR1, 1-10.3(3)(9-35).OPT1.GR1, and 1-10.4(2).OPT3.GR1.**

**1-10.5(2).OPT3.GR1** (Smart Work Zone System)  
(September 7, 2021)  
Use in projects when a Smart Work Zone System will be utilized which will be paid by the hour.

Do not use if the Smart Work Zone System is part of the lump sum cost for “Project Temporary Traffic Control”  
Use with **1-10.3(3).OPT3.FR1 and 1-10.4(2).OPT5.GR1.**

**1-10.5(2).OPT4.GR1** (Queue Warning System)  
(September 7, 2021)  
Use on projects when a Queue Warning System will be utilized and will be paid by the hour.

Do not use if the queue warning system is part of the lump sum cost for “Project Temporary Traffic Control,”

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31

Use with **1-10.3(3).OPT4.FR1** and **1-10.4(2).OPT7.GR1**.

[1-10.5\(2\).OPT5.GR1](#)

(Contractor Provided Uniformed Police Officer)  
(May 20, 2020)  
Use on projects where the traffic control plans show Uniformed Police Officers performing traffic control-related duties.

Use with **1-10.3.OPT1.GR1** and **1-10.4(2).OPT6.GR1**.

[1-10.5\(2\).OPT6.GR1](#)

(Temporary Portable Rumble Strips)  
(October 3, 2022)  
Use when temporary portable rumble strips will be paid per each.

Do not use if the temporary portable transverse rumble strips are part of the lump sum cost for "Project Temporary Traffic Control,"

Use with **1-10.2(9-35).OPT1.GR1**, **1-10.3(3).OPT5.FR1** and **1-10.4(2).OPT8.GR1**.

[1-10.5\(2\).OPT7.GR1](#)

(Work Zone Safety Contingency)  
(November 2, 2022)  
Use in all WSDOT projects with traffic control.

For Work Zone Safety Contingency Estimate amount, use the following:

<b>Engineer's Estimate</b>	<b>Work Zone Safety Contingency</b>
Under \$3 million	5% of total WZTC item cost (max \$25,000)
\$3 million to \$5 million	\$25,000
\$5 million to \$10 million	\$50,000
Over \$10 million	\$75,000

32  
33

Must use with **1-10.2.OPT1.GR1**.