

# Pedestrian and Bicycle and Safe Routes to School Programs 2014 Grant Application Map Examples and Descriptions

Pedestrian and Bicycle Program applications are required to include:

- A vicinity map showing the project location and project limits
- Plan sheet(s) showing project design detail including a cross section, a plan view and zoning map.

Safe Routes to School Program applications are required to include:

- A vicinity map showing the project location and project limits
- Plan sheet(s) showing project design detail including a cross section, a plan view and a school walk route map.

The following are examples and descriptions of those maps.


## Example Vicinity Map



## Vicinity Maps shall include:

- The name of the city or county (if not within a city)
- Indication of the project's location
- North arrow
- Highways and Major Street Names. Do not clutter the vicinity map with too many details.
- In smaller cities, the vicinity map should show the entire city as shown left. If the project limits are visible in a city-scale map, it can be incorporated together with the zoning map.
- In larger cities or counties, it may be necessary to show both a regional-scale vicinity map and a close-in vicinity map to identify the project location as shown right.
- A regional-scale map may be thumbnail-sized.
- A lower-scale vicinity map (zoomed in) can be incorporated together with the zoning map.


## Example Zoning Map



### Land Use/ Zoning Maps shall include:

- Land uses and relevant pedestrian generators in the project vicinity (approx ½ mile radius is preferred).
- Zones are preferred in separate colors
- Include a map key / legend, a north arrow, city name, and label the project's location.
- Map shall be to a scale that zones are easily decipherable.

## Example Cross Section



### Cross Sections shall include either:

- Cross-section of the existing roadway (current widths) and a cross-section of the roadway with the planned improvements (proposed widths); existing above, planned below;


## Example Plan View



### The plan view diagram shall include:

- Superimpose an existing intersection or roadway, with dashed vs. solid lines or draw on top of an aerial with the proposed changes,
- Include a map key or legend, a north arrow, city name, and label the project's location.

## Example School Walk Route Map



### The school walk route map shall include:

- Recommended walk routes within a one-mile road distance of school, excluding areas outside the school attendance area.
- School(s)
- Crosswalks
- Traffic control devices
- Crossing guards or safety patrol posts
- Railroad tracks
- A map key or legend, a north arrow, and the city name.