



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47600 • Olympia, WA 98504-7600 • 360-407-6000

711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

November 18, 2015

John Gage
Environmental Manager
Kiewit/General/Manson A Joint
Venture
3015 112th Ave NE

Bellevue, WA 98004-8001

Site Name: SR520 Floating Bridge and
Landings Project
Location: SR 522 West of Evergreen Pt
Rd
Permit No: WAR125571
City: Medina
County: King

RE: Coverage under the Construction Stormwater General Permit

Dear John Gage:

The Washington Department of Ecology (Ecology) has reissued the Construction Stormwater General Permit (permit). A copy of your new permit is enclosed. **Retain this letter with your permit and Stormwater Pollution Prevention Plan. It is the official record of permit coverage for your site.** Ecology issued the final permit November 18, 2015 and it becomes effective January 1, 2016.

Permit Overview

The new permit has a number of changes that are summarized in the "Summary of Changes" table found on Ecology's website at:

<http://www.ecy.wa.gov/programs/wq/stormwater/construction/index.html>.

Electronic Discharge Monitoring Reports (WQWebDMR)

This permit requires that Permittees submit monthly discharge monitoring reports (DMRs) which must be reported electronically using Ecology's secure Water Quality Permitting Portal (WQWebDMR), unless a waiver from electronic reporting has been granted. You can find more information regarding WQWebDMR on our website at:

<http://www.ecy.wa.gov/programs/wq/permits/paris/webdmr.html>.

If you have technical questions regarding Ecology's Water Quality Permitting Portal, please contact the portal staff at (800) 633-6193/option 3 or email WQWebPortal@ecy.wa.gov.

Your Right to Appeal the Permit

You have a right to appeal the terms and conditions of this general permit, as they apply to an individual discharger, to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this permit issuance notice. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this notice:

- File your appeal and a copy of this notice with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours
- Serve a copy of your appeal and this notice on Ecology in paper form – by mail or in person. E-mail is not accepted.



Address and Location Information

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW, Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Additional Information or Assistance

Ecology is committed to providing assistance to you. For more information, please visit our web page at <http://www.ecy.wa.gov/programs/wq/stormwater/construction/index.html>. For questions about transfers, terminations, and other administrative issues, please contact: Clay Keown at ckeo461@ecy.wa.gov or (360) 407-6048.

If you have questions regarding stormwater management issues at your site, please contact: Greg Stegman at GSTe461@ecy.wa.gov or (425) 649-7019.

Questions

If you have questions regarding the permit, please contact Amy Moon at amy.moon@ecy.wa.gov or (360) 407-6467. You may request hardcopies of the permit, *Summary of Changes*, and other permit-related documents from Dena Jaskar at dena.jaskar@ecy.wa.gov or (360) 407-6401.

Sincerely,



Bill Moore, P.E., Manager
Program Development Services Section
Water Quality Program

Enclosure