

**NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION****January 16, 2018**

Bidding proposals may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specifications. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening. Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America, the offices of the Regional Administrators or the Headquarters of the Department of Transportation, and at www.wsdot.wa.gov/biz/contaa/ where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted. **ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.**

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited. **Bonds submitted on other than the bond form provided by the department may be subject to rejection. The right is reserved to reject any and all bids and to waive informalities in the bidding.** Sealed bids will be received in the Bid Room 2D20, located on the second floor of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below except where otherwise provided in the Plans and Specifications.

FEE: Project Documents will be furnished for the non-refundable fee Plus Sales Tax of:

Electronic – plans only \$10	Electronic – with proposal \$15	
Paper – one volume \$35	Paper – two volumes \$50	Paper – three volumes \$100

(Remittance may be made to the Department of Transportation Cash Receipts, Transportation Building, and P.O. Box 47305, Olympia, WA 98504-7305) TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835. To order by e-mail, the address is: CAA@wsdot.wa.gov.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Results, and Bid Tabulations are available on the Internet at: <http://www.wsdot.wa.gov/biz/contaa>

SMALL WORKS ROSTER: The Department of Transportation is soliciting contractors interested in qualifying for placement on the department's Small Works Roster. The small works roster process as authorized by RCW 39.04.155 and WAC 468-15 may be used to secure bids for the Agency's small works projects with a total cost less than \$300,000. Contractors that are currently Prequalified may be placed on the Small Works Roster by completing the Small Works Roster Supplement located on the Contract Ad & Award website. For contractors who are not currently prequalified, application for prequalification for small works roster shall be submitted on DOT Form 420-020 (Small Works Questionnaire). Both forms are available by emailing prequal@wsdot.wa.gov or can be printed from the WSDOT Contract Ad & Award website at: <http://www.wsdot.wa.gov/biz/contaa/prequal/default.htm> Applications for placement on the Department of Transportation Small Works Roster will be accepted by emailing prequal@wsdot.wa.gov

Title VI Notice to Public

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin or sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person who believes his/her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For additional information regarding Title VI complaint procedures and/or information regarding our non-discrimination obligations, please contact OEO's Title VI Coordinator Oscar Cerda at (360) 705-7082.

Americans with Disabilities Act (ADA) Information: This material can be made available in an alternate format by emailing the WSDOT Diversity/ADA Affairs team at wsdotada@wsdot.wa.gov or by calling toll free, 855-362-4ADA(4232). Persons who are deaf or hard of hearing may make a request by calling the Washington State Relay at 711.

BID OPENING THURSDAY, JANUARY 18, 2018

- *1. (BENTON) **KINGSGATE WAY – SIGNALIZE INTERSECTION** (CL 9, \$400,000 - \$500,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%**. A State Project on SR 240, MP 26.80 to MP 27.08. Requires: Installing a new traffic signal system, cement concrete curb, gutter and sidewalk, re-channelizing the intersection with new pavement markings and delineation, signing, traffic control and other work. 20 Working days. Involves 27 items. 170 T CSBC, 30 T commercial HMA, 382 LF cement conc traffic curb and gutter, 3400 LF paint line, 1026 LF plastic wide lane line, 736 SF plastic crosswalk line, 175 SY cement conc sidewalk. Lump Sum Bids for: Site restoration, perm signing, traffic signal sys, temp traffic control, ADA features surveying, SPCC plan. (XL-5755)(524003S)(17Y015)(9190)(4 of 4)
- *2. (ISLAND, SNOHOMISH, SKAGIT, WHATCOM) **MT BAKER AREA BST – 2018** (CL 3 or 4, \$7,500,000 - \$10,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 10%**. F.A. No. NHPP-STPF-9999(691), WFL-0005(424) on SR 9 ET AL. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Placing and planing bituminous pavement, removing existing overlay from bridge decks, performing bridge deck repair, applying waterproof membrane, pavement repair, HMA paving, crack sealing, pavement markings, flexible guideposts, erosion control, traffic control and other work. 86 Working days. Involves 74 items. 36609 SY pvmt repair excav incl haul, 407 SY waterproof membrane, 4250 T CSBC, 1258 T emulsified asph CRS-2P, 236 T asph, 294 T emulsified asph HFE-150, 116630 SY furnish and place crushed cover stone, 1087400 SY furnish & place crushed screen, 407 SY remove existing overlay from bridge deck, 1760 SY plane bit pvmt, 8840 T HMA CL 1/2 IN PG 64-22, 645 LF HMA sawcut and seal, 2442 EA flex guidepost, 684850 LF paint line, 56850 LF plastic line, 1260 LF plastic wide lane line, 1080 SF plastic crosswalk line, 218 EA plastic traffic letter, 1560 LF centerline rumble strip, 468 HUND raised pvmt marker, 471420 LF temp pvmt marking short duration, 3150 SF const signs CL A. Lump Sum Bids for: Traffic signal sys, temp video detect sys, traffic signal sys, temp traffic control, struct survey, rdwy survey, reference exist pvmt markings, SPCC plan. (XL-5317)(100012D)(17A034)(9193)(4 of 4)
- *3. (KING) **LANGLOIS CREEK FISH PASSAGE** (CL 1, \$750,000 - \$1,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 15%**. F.A. No. STPF-0203(022) on SR 203, MP 4.88 to MP 4.96. Requires: Placing a new box culvert, excavating and reconstructing the existing roadway and stream channel, temporary stream diversion, grading, hot mix asphalt paving, guardrail, planting, temporary erosion and sediment control, traffic control and other work. 26 Working days. Involves 77 items. 440 T streambed sediment, 86 LF ductile iron pipe, 46 LF st casing, 99 SY waterproof membrane, 220 T HMA CL 1/2 IN PG 64-22, 570 LF compost sock, 200 LF coir log, 113 EA slough sledge, 69 EA black twinberry, 85 EA douglas spirea, 97 EA rice cutgrass, 97 EA western manna grass, 127 EA wool grass, 1330 SY soil amend, 490 SY soil decompact, 5 EA large woody material, 376 LF beam guardrail, 820 SF shoring or extra excav trench, 65 LF cable fence, 255 LF wire fence. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Earthwork, precast reinf conc split box culvert, temp stream diversion, shoring or extra excav CL A, temp dewatering sys, temp traffic control, contractor provide uniform police officer, struct survey, rdwy survey, reference exist pvmt markings, SPCC plan. (XL-5160)(120304F)(17A029)(9192)(4 of 4)(2)
- *5. SPOKANE & STEVENS) **MEDICAL LAKE TO I-90 PAVING** (CL 4, \$2,000,000 - \$2,500,000) **CONTAINS CONDITON OF AWARD UDBE GOAL: 3%**. HSIP-9999(795) on SR 902. Requires: Planing bituminous pavement, paving with HMA, concrete curb, sidewalk and traffic islands, adjusting utilities, plastic and painted pavement markings, guide posts, illumination system, permanent signing, rumble strips, traffic control and other work. 35 Working days. Involves 73 items. 876 CY rdwy excav incl haul, 275 SY pvmt repair excav incl haul, 44 CY conc CL 4000, 635 T CSBC, 6 MI crack sealing, 75 CY cement conc pvmt, 106826 SY plane bit pvmt, 11228 T HMA CL 3/8 IN PG 64-28, 41340 LF jnt adhesive, 804 LF roundabout cement conc curb and gutter, 125 LF mountable cement conc traffic curb, 189 LF roundabout truck apron cement conc curb & gutter, 98900 LF paint line, 2340 LF grooved plastic line, 2210 LF painted wide lane line, 2624 SF painted crosswalk line, 2624 SF painted crosswalk line, 74 MI shoulder rumble strip, 9 MI edge line rumble strip, 67620 LF temp pvmt marking – short duration, 1076 SF const signs CL A. Lump Sum Bids for: Perm signing, illum sys, temp traffic control, rdwy survey, SPCC plan. (XL-5306)(690200N)(17Z021)(9189)(5 of 4)(5)(2)

- *6. (WALLA WALLA) **0.2 TO 1.8 MILES N OF OREGON BORDER – ROCKFALL PREVENTION** (CL 39 \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 3% F.A. No. STBG-0730(004) on US 730, MP 0.04 to MP 1.93. Requires: Constructing 16 slope fences for rock fall prevention, traffic control and other work. 140 Working days. Involves 10 items. 4914 LF flexible rockfall fence. Lump Sum Bids for: Temp traffic control, SPCC plan.(XL-5076)(573001D)(17Y020)(9199)(3 of 3)**
- *7. (SNOHOMISH) **LITTLE PILCHUCK CREEK FISH PASSAGE** (CL 1 or 6, \$4,000,000 - \$5,000,000)
 ** **CONTAINS VOLUNTARY MSVWBE GOAL: 26%. A State Project on SR 92, MP 2.63 to MP 2.83.**
 *** **CONTAINS APPRENTICE UTILIZATION REQ: 15%. Requires: Placing a precast reinforced concrete arch or three sided structure, excavating and reconstructing the existing roadway and stream channel, plugging existing culvert, installing walls, soil cement column ground improvement, grading, HMA paving, storm sewer, illumination, guardrail, pavement marking, temporary stream diversion, construction access roads and erosion and sediment control, traffic control and other work. 78 Working days. Involves 118 items. 1230 T select borrow incl haul, 2020 T streambed sediment, 2410 T streambed cobbles, 102 EA streambed boulder, 430 T CSBC, 1670 LF crack sealing, 1170 T HMA CL 1/2 IN PG 64-22, 1840 LF compost sock, 230 EA hookers willow, 235 EA stink currant, 225 EA lady fern, 309 EA slough sledge, 208 EA clustered rose, 233 EA salmonberry, 1227 EA snowberry, 334 EA thimbleberry, 111 EA vine maple, 440 LF fascines, 4950 SY bark or wood chip mulch, 5391 SY soil amend, 660 CY topsoil, 15 EA large woody material, 1078 LF beam guardrail, 2760 LF profiled plastic line, 3195 LF temp pvmt marking-short duration, 40 CY struct excav CL B incl haul, 280 SF shoring or extra excav CL B. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Temp stream diversion, erosion and water pollution control, environmental compliance lead, temp dewatering sys, perm signing, illum sys, temp traffic control, contractor provided uniformed police officer, struct survey, rdwy survey, reference exist pvmt markings, SPCC plan. ALTERNATES INCLUDE: Three sided struct, pretek struct sys, contech struct sys. (XL-5031)(109202K)(17A023)(9186)(6 of 5)(6)(5)**
- *8. (WAHAKIYAKUM) **COLUMBIA RIVER BR. AT PUGET ISLAND – PAINTING AND DECK REPLACEMENT** (CL 8, Under \$15,000,000) **CONTAINS CONDITION OF AWARD UDBE GOA: 6%. F.A. No. STPF-0409(005) on SR 409, MP 2.79 to MP 3.31. CONTAINS APPRENTICE UTILIZATION REQ: 15%. Requires: Cleaning and painting the steel portions, replacing and rehabilitating the deck and other work on bridge 409/10. 380 Working days. Involves 44 items. 171 MBM timber and lumber – salts treated, 1204 LF bridge rail mod, 2851 SY waterproofing, 6240 SF fiberglass skid resist surfacing, 264 LF clean, seal & caulk pack rust, 400 T HMA CL 3/8 IN PG 64-28, 76 day ESC lead, 1280 LF paint line, 1280 LF temp pvmt short duration. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Clean & paint, containment of abrasives, heat straightening, perm signing, temp traffic control, pedestrian traffic control, struct survey, field office bldg, wildlife inspect, ADA features survey, SPCC plan. (XL-5018)(440912P)(17X307)(9184)(8 of 6)(8)(3)**

BID OPENING WEDNESDAY, JANUARY 24, 2018

- *1. (ASOTIN & WHITMAN) **SNAKE RIVER RED WOLF BRIDGE – DECK REHABILITATION** (CL 6, \$2,000,000 - \$2,500,000) **CONTAINS VOLUNTARY SBE GOAL: 10%. F.A. No. STBG-0128(001) on SR 128, MP 0.22 to MP 0.50. Requires: Rehabilitating the existing bridge deck, scarifying concrete surfaces, performing deck preparation, placing, finishing, and curing modified concrete overlay, modifying manhole covers and frames, corrosion seal coating, paving with HMA, roadway excavation, performing expansion joint modification, replacing modular expansion joint systems, performing delineation, traffic control and other work. 36 Working Days. Involves 29 items. 6620 CF mod conc overlay, 5330 SY finish and cure mod conc overlay, 74 LF expansion jnt mod, 5330 SY scarify conc surface, 500 SF deck prep, 120 T HMA CL 1/2 IN PG 64-28, 4600 LF paint line, 340 SF CL A const signs. Lump Sum Bids for: Modular expansion jnt sys, corrosion seal coat, manhole access mod, temp traffic control, struct survey, SPCC plan. (XL-5329)(512801D)(17Y016) (9201)(4 of 4)**
- *2. (KING & PIERCE) **WHITE RIVER BRIDGE PAINTING** (CL 8, \$2,000,000 - \$2,500,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%. A State Project on SR 410, MP 21.93 to MP 22.11. Requires: Cleaning and painting the metal surfaces of the bridge, erosion and sediment control, traffic control and other work. 140 Working days. Involves 29 items. 4120 LF clean/seal/caulk pack rust, 50 EA replace vacant/damaged rivet with HS bolt, 300 LF temp barrier, 2000 LF plastic line, 3000 LF temp pvmt marking-short duration, 160 HR contractor provide uniform police officer. CONTAINS MINIMUM BID**

ITEM: TYPE C PROGRESS SCH & SCH UPDATES. Lump Sum Bids for: Clean and paint bridge, containment of abrasives, temp traffic control, reference exist pvmt marking, rdwy survey, SPCC plan. (XL-5207)(141001K)(17A027)(9200)(4 of 4)

- *3. (BENTON) QUEENSGATE DR – INTERCHANGE IMPROVEMENTS (CL 1&4 or 1&5, \$2,000,000 - \$2,500,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 3% F.A. No. REP-3437(002) on I-182, MP 2.82 to MP 3.15. Requires: Replacing existing traffic signal with a roundabout, realigning and adding second lanes to the EB on/off ramps that connect to/from the roundabout, constructing high-mast light standard foundations, installing new drainage structures, constructing a new shared use path, traffic control and other work. 60 Working days. Involves 69 items. 9276 CY rdwy excav incl haul, 10309 CY common borrow incl haul, 8963 embank compact, 3 EA grate inlet, 551 LF sch A storm sewer pipe, 112 LF PVC pipe, 7365 T CSBC, 662 CY cement conc pvmt, 4599 T HMA CL 1/2 IN PG 64-28, 1390 SY soil residual herbicide, 2 ACRE seed, fert, mulch, 2290 LF roundabout cement conc curb and gutter, 449 LF cement conc traffic curb and gutter, 297 LF cement conc pedestrian curb, 11018 LF paint line, 820 LF grooved plastic line, 240 SF grooved plastic crosswalk line, 490 CY struct excav CL B incl haul, 4264 SF shoring or extra excav CL B, 847 SY cement conc sidewalk, 8 EA cement conc curb ramp, 483 LF chain link fence. Lump Sum Bids for: Roundabout landscape, perm signing, illum sys, temp illum sys, ITS, temp traffic control, rdwy survey, ADA survey, SPCC plan. (MS-7673)(-)(17Y006)(9196)(4 of 4)
- *4. (LEWIS) S. FORK NEWAUKUM RIVER BRIDGE REPLACEMENT (CL 1 or 6, \$5,000,000 - \$7,000,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 5% F.A. No. STPF-0508(010) on SR 508, MP 13.51 to MP 13.87. CONTAINS APPRENTICE UTILIZATION REQ: 15%. Requires: Removing existing pony truss bridge, realigning the roadway, building a new two span concrete bridge, restoring multiple existing driveways, construction drainage systems and highway runoff facilities, paving with HMA, installing guardrail, pavement markings, signing, permanent and temporary conduits, roadside planting, temporary erosion and water pollution control, traffic control and other work. 250 Working Days. Involves 90 items. 4060 CY rdwy excav incl haul, 15040 T gravel borrow incl haul, 8130 CY embank compact, 263 LF sch A culv pipe, 970 LF media filter drain, 390 LF construct shaft, 169572 LB st rebar, 274 CY conc CL 4000, 59 CY conc CL 4000W, 1097 LF prestressed conc girder, 586 LF traffic barrier, 258 SY bridge approach slab, 2190 T CSBC, 1670 T HMA CL 3/8 IN PG 64-22, 38100 SY compost blanket, 910 EA tree mix, 23410 EA shrub, 4 ACRE bark or wood chip mulch, 4 EA fallen tree with rootwad, 462 LF beam guardrail, 4 EA beam guardrail trans section, 4350 LF paint line, 4350 LF temp pvmt marking-short duration, 1232 LF conduit pipe, 1425 LF wire fence, 1200 HR training. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Shoring or extra excav CL A, erosion control and water pollution prevent, environmental compliance lead, tree salvage and transport, perm signing, temp traffic control, field office building, watertight enclosure, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 100 SF bridge deck test slab, 53510 LB epoxy coated st rebar, 5787 LB st rebar, 172 CY conc CL 4000D, 63 CY conc CL 4000, 10 EA elastomeric bearing pads, 20 EA elastomeric girder stop pads.(XL-4643)(450816R)(16X311)(9197)(4 of 4)
- *5. (KING) SR 18 TO 17TH ST SE PAVING AND ADA COMPLIANCE (CL 4, \$2,000,000 - \$2,500,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 23% F.A. No. STPF-9999(744) on SR 164, MP 0.31 to MP 1.28. Requires: Planing bituminous pavement, HMA paving, pavement repair, curb ramp, curb and gutter and sidewalk installations, pavement markings, permanent signing, traffic signal systems, temporary erosion and water pollution control, traffic control and other work. 80 Working days. Involves 83 items. 975 SY pvmt repair excav incl haul, 240 T CSBC, 34770 SY plane bit pvmt, 4360 T HMA CL 1/2 IN PG 64-22, 1050 LF cement conc traffic curb & gutter, 533 LF cement conc pedestrian curb, 724 LF precast dual faced sloped mountable curb, 400 LF beam guardrail, 2390 LF plastic line, 21930 LF profiled plastic line, 2170 SF plastic crosswalk line, 60330 LF temp pvmt marking – short duration, 235 SY cement conc sidewalk, 81 SY asph conc sidewalk, 25 EA cement conc curb ramp, 100 SF detect warn sys. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm Signing, temp video detect, traffic signal sys, ITS traffic data accum and ramp meter sys, temp traffic control, pedestrian traffic control, contractor provided uniformed police officer, rdwy survey, ADA features survey, cement conc pedestrian traffic island, reference exist pvmt markings, SPCC plan. (XL-4985)(116401B)(17A001)(9182)(9 of 4)(9)(3)

*6. (SNOHOMISH) **I-5 I/C TO BICKFORD AVE VIC PAVING** (CL 4 or 25, \$5,000,000 - \$7,500,000)
** **CONTAINS CONDITION OF AWARD UDBE GOAL: 9%**. F.A. No. STBG-0002(853) on US 2, MP
*** 0.020 to MP 3.800. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Rehabilitating
the highway and nine ramps with planing, scraping and paving with HMA, lane marking, removing
existing overlay from bridge deck, bridge deck repair, applying waterproofing membrane for eight bridges,
expansion joint modification for six bridges, traffic data, ramp metering, erosion control, traffic and other
work. 112 Working days. Involves 69 items. 3028 SY pvmt repair excav incl haul, 2288 LF exp jnt mod
replace RSC, 527 LF exp jnt mod replace RCS & header, 2524 SF bridge deck repair, 49544 SY
waterproof membrane, 49544 SY remove exist overlay, 46696 SY plane bit pvmt, 10515 T HMA CL 3/8
IN PG 64-22, 108 EA HMA coir-bridge, 92 EA temp plug exist bridge drain, 18350 LF plastic line, 70320
LF profiled plastic line, 8100 LF plastic wide lane line, 14 HUND raised pvmt marker, 180900 LF temp
pvmt marking – short duration, 75 LF directional boring. **CONTAINS MINIMUM BID ITEM: TYPE B
PROGRESS SCH.** Lump Sum Bids for: Traffic data accum & ramp meter sys, temp traffic control, struct
survey, rdwy survey, reference exist pvmt marking, SPCC plan. (XL-5315) (100201P)(17A018)(9183)
(7 of 47)(4)

BID OPENING WEDNESDAY, JANUARY 31, 2018

- *1. (WHITMAN) **EASTERN REGION BRIDGE DECK REPAIRS** (CL 6, \$2,000,000 - \$2,500,000)
CONTAINS CONDITION OF AWARD UDBE GOAL: 2%. F.A. No. NHPP-0195(061) on US 195, MP
48.34 to MP 65.77. Requires: Removing bridge deck overlay, further deck preparation, scarifying concrete
surface, expansion joint modification, containment, bridge deck overlay, planing bituminous pavement,
roadway excavation, saw cutting HMA, inlet protection, paving with HMA, sealing joints, curb guardrail,
adjust catch basin, pavement marking, traffic control and other work. 65 Working days. Involves 50 items.
482 CY conc CL 4000D, 6396 SY scarifying conc surface, 300 SF further deck prep, 1971 SY remove
exist overlay from deck, 2246 SY plane bit pvmt, 416 T HMA CL 1/2 IN PG 64H-28, 17 DAY ESC lead,
220 LF extruded curb, 262 LF beam guardrail, 950 LF raise exist beam guardrail, 8250 LF temp barrier,
18380 LF paint line, 2870 LF temp pvmt marking, 2310 SF const signs CL A. Lump Sum Bids for:
Containment, portable temp traffic control sys, temp traffic control, SPCC plan. (XL-
5394)(619504F)(18Z008)(9204)(2 of 3)
- *2. (SNOHOMISH) **108TH I/S & 147TH AVE TO QUARRY RD I/S IMPROVEMENTS AND PAVING**
** (CL 4, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 22%**. F. A. No.
*** STPF-9999(806) on SR 9, MP 21.77 to MP 22.03 and SR 92, MP 3.95 to MP 7.15. Requires: Replacing the
un-signalized intersection at SR 9, and 108th St NE with a roundabout and by planing and inlaying 0.15 feet
of asphalt on SR 92, roadway excavation, grading, planing bituminous pavement, pavement repair, HMA
paving, Portland Cement Concrete, cement concrete curb and gutter, illumination, signal replacement,
ADA curb ramp installation, pavement markings, pedestrian signal work, temporary erosion control, minor
electrical work, pavement marking, permanent signing, roadside planting, traffic control and other work. 60
Working days. Involves 102 items. 3300 CY rdwy excav incl haul, 39 T streambed cobbles, 192 LF CL V
reinf conc culv pipe, 1860 T CSBC, 810 SY pigmented cement conc – patterned, 10000 LF crack seal,
56500 SY plane bit pvmt, 10150 T HMA CL 1/2 IN PG 34-22, 480 SY topsoil, 2767 SY fine compost, 65
EA mount Vernon laurel, 142 EA red-osier dogwood, 312 EA salal, 312 EA western sword fern, 1315 SY
soil amend, 1315 SY bark or wood chip mulch, 333 SY sod install, 1420 LF high vis fence, 2077 LF
roundabout cement conc curb & gutter, 247 LF roundabout truck apron cement conc curb & gutter, 20170
LF plastic line, 37940 LF profiled plastic line, 2720 LF profiled plastic wide lane line, 113550 LF temp
pvmt marking – short duration, 177 SF const sign CL A, 32 HR contractor provide uniform police officer,
36 SY cement conc sidewalk, 115 SF detect warn surface. **CONTAINS MINIMUM BID ITEM: TYPE B
PROGRESS SCH.** Lump Sum Bids for: Perm signing, temp illum sys, illum sys, temp traffic control, temp
traffic signal sys, traffic signal sys, rdwy survey, ADA feature survey, SPCC plan. (XL-5296)
(100924C)(17A031)(9195)(5 of 46)(1)
- *3. (SNOHOMISH) **I-5 INTERCHANGE VIC TO SR 9 VIC PAVING & ADA COMPLIANCE** (CL 4,
** \$5,000,000 - \$6,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 16%**. F.A. No. STPF-
*** 0096(005) on SR 96, MP 0.070 to MP 6.690. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**
Requires: Planing bituminous pavement and paving with HMA, overlay with HMA, and BST, retrofitting
curb ramps to be compliant with ADA guidelines, minor safety work, erosion control, traffic control and
other work. 120 Working Days. Involves 113 items. 1607 SY pvmt repair excav incl haul, 60 T emulsified

asph, 9 T asph, 57140 SY furnish and place crushed screen, 146595 SY plane bit pvmt, 2230 T HMA CL 3/8 IN PG 64-22, 15118 T HMA CL 1/2 PG 64-22, 500 T HMA CL 1/2 IN PG 70-22, 115 EA inlet protect, 1025 LF cement conc traffic curb and gutter, 291 LF cement conc traffic curb, 673 LF cement conc pedestrian curb, 1390 LF precast dual faced sloped mountable curb, 109350 LF paint line, 4860 LF plastic wide lane line, 4620 LF plastic crosswalk line, 177470 LF temp pvmt marking, 480 SY cement conc sidewalk, 34 EA cement conc curb ramp. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm signing, temp video detection sys, traffic signals sys, temp traffic control signal, temp traffic control, pedestrian traffic control, struct survey, rdwy survey, ADA features survey, ref exist pvmt markings, SPCC plan. (XL-5006)(109601B)(17A004)(9198)(4 of 45)(1)

BID OPENING WEDNESDAY, FEBRUARY 7, 2018

- *1. (YAKIMA) NACHES RIVER NELSON BRIDGES – BRIDGE PAINTING (CL 8, \$5,000,000 - \$6,000,000) CONTAINS VOLUNTARY MSVWBE GOAL: 26%. A State Project on US 12, MP 198.66 to MP 198.72. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Cleaning and painting all exposed metal surfaces, removing and replacing bird screens over all truss handholes, portal heat straightening repair and other work on Bridges 12/328S and 12/328N. 150 Working days. Involves 31 items. 8500 LF clean, seal and caulk pack rust, 150 EA replace vacant/damaged rivet with HS bolt, 34 DAY ESC lead, 3900 LF temp barrier, 457 SF const signs CL A. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Cleaning and painting, containment of abrasives, portal heat straighten repair, temp traffic control, SPCC plan. (XL-5330)(501205X)(17Y018)(9206)(2 of 4)

BID OPENING WEDNESDAY, FEBRUARY 14, 2018

- *1. A pre-bid conference and site walk-through will be held for this project at Northup Maintenance Facility 10833 Northup Way, Bellevue WA 98004 on January 31, 2018 at 11:00 AM. Bidder attendance is voluntary. Bidders wishing to visit the site in conjunction with bid preparation not noted above shall notify the following Contracting Agency contact a minimum of 48-hours prior to visiting the site: Jim McBride, Maintenance & Operations Superintendent WSDOT Northwest Region, (425) 739-3734 office, Email: McbridJ@wsdot.wa.gov
- (KING) NORTHUP MAINTENANCE FACILITY EQUIPMENT BUILDING (NO PREQUALIFICATION REQUIRED) CONTAINS VOLUNTARY MSVWBE GOAL: 26%. A State Project for Washington State Facilities Branch. Requires: selective site demolition and clearing, earthwork, asphalt and concrete paving, site utilities (storm sewer, sanitary sewer, water, power, phone, data), pile and concrete foundations, wood framing, metal siding & roofing, doors, painting, HVAC, plumbing, electrical, and lighting. 120 working days. Involves 1 item. Lump sum bid for: Construct Maint. Facility Equipment Bldg. (XL-5184)(852028P)(17W606)(9203)(2 of 5)
2. (BENTON) TRI-CITIES PAVING, ADA AND JOINT REPAIR (CL 4, \$2,000,000 - \$3,000,000) CONTAINS CONDITION OF AWARD UDDE GOAL: 6%. F.A. No. NHPP-1823(064) on I-82, MP 4.40 to MP 5.67 and US 395, MP 17.09 to MP 18.08. Requires: Rehabilitating the existing roadway, planing bituminous pavement, crack and fog sealing, paving with hot mix asphalt, striping, flexible guidepost, barrier strip, removing existing overlay from bridge deck, bridge deck repair, applying waterproof membrane, constructing and repairing traffic barrier, removing and reconstructing bridge approach slab, expansion joint modification, ADA work, traffic control and other work. 70 Working days. Involves 59 items. 89 LF traffic barrier, 638 LF exp jnt mod, 199 SF bridge deck repair, 4650 SY waterproof membrane, 314 SY bridge approach slab, 4650 SY remove exist overlay, 77344 SY plane bit pvmt, 8682 T HMA CL 1/2 IN PG 64H-28, 1578 LF temp barrier, 1650 LF remove & reset exist temp perm barrier, 419 EA barrier delineator strips, 80494 LF paint line, 11979 LF plastic wide lane line, 39861 LF temp pvmt marking – short duration, 13 EA cement conc curb ramp. Lump Sum Bids for: Traffic barrier repair, traffic signal sys, temp traffic control, rdwy survey, ADA features survey. (XL-5369)(518202J)(17Y014)(9207)(1 of 4)
3. (KITITAS) SWAUK CREEK CAMPGROUND – REMOVE FISH BARRIER (CL 1 or 6, \$3,000,000 - \$4,000,000) CONTAINS CONDITION OF AWARD UDDE GOAL: 3%. F.A. No. NHPP-0097(166) on US 97, MP 159.24 to MP 159.69. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Replacing existing CMP culverts with a precast reinforced concrete split box culvert and a cast-in-place

concrete bridge on drilled shaft foundations with HMA overlay, temporary road widening for staged bridge construction, temporary stream diversion, placing streambed aggregates and large woody material structures, surfacing and hot mix asphalt, erosion control and seeding, guardrail, contractor surveying, traffic control and other work. 135 Working days. Involves 105 items. 4215 T streambed material, 1000 CY rock CL B, 229 CY quarry spalls, 172 CY rock excav incl haul, 216 LF construct shaft, 60588 LB st rebar, 4 EA QA shaft test, 165 CY conc CL 4000, 11 CY conc CL UHPC, 586 LF prestressed conc girder, 300 LF bridge rail, 300 LF traffic barrier, 212 SY bridge approach slab, 1470 T CSBC, 755 T HMA CL 3/8 IN PG 64H-28, 300 T commercial HMA, 2 ACRE medium compost, 62 EA large log with rootwad, 110 EA LWM struct, 19 EA slash pile, 2225 LF AES tr beam guardrail, 4316 LF temp barrier, 10860 LF paint line, 12325 LF temp pvmt marking, 3631 SY const geotextile, 4450 SF temp geosynthetic retaining wall, 1850 CY gravel borrow. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Earthwork, precast reinf conc split box culvert, temp stream diversion, temp dewatering sys, temp dewatering plan, shoring or extra excav CL A, erosion control and water pollution prevent, perm signing, temp traffic control, struct survey, rdwy survey, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 254 LB epoxy-coated st rebar, 2410 LB st rebar, 27 CY conc CL 4000, 12 EA elastomeric bearing pads, 24 EA elastomeric girder stop pads. (XL-4630)(209702M)(18B0038)(9209)(1 of 4)

No projects awarded the week of January 8, 2018.

Roger Millar

Secretary of Transportation

*Previously Advertised **Extended *** Revised