

# InRoads – Updating Geometry to Revised Geometry Styles

## **Overview**

Sometimes it is necessary for WSDOT CAE to modify the names of standard data types in the CAE resource environment. Such modifications may be due to changes in terminology, changing requirements in one of the CAE applications, or just to correct mistakes.

When a standard data type name is changed, all of the attributes of the data type are affected. For instance when **PM\_MN\_Mounument** was corrected to **PM\_MN\_Monument**, the survey definition, named symbology, feature style, level name and cell name all needed to be updated in the resources.

All data that has the old incorrect standard data type name needs to be updated to reflect the corrected name. So geometry styles need to be re-assigned, MicroStation data needs to be moved to the corrected level and the old incorrect cell needs to be replaced with the new correct one. Most of this can be accomplished with a simple work flow.

Note that the basic integrity of the InRoads geometry remains intact. The only affect is how the geometry is displayed. Until they are updated, these geometry elements will display as solid white lines without their proper line styles, level, weight, and color.

### Workflow

Before editing project data, remember to create a backup copy of your files.

#### **Horizontal and Vertical Geometry**

1. Update project resources:

Project specific XIN files must be synched with the latest WSDOT standard XIN. The *Tools* > *Copy Preferences* command is used for this and detailed instructions are available by viewing the **Updating Project XIN** Tech Note, which is located on the <u>WSDOT CAE</u> website.

- 2. Activate a geometry project.
- 3. View all horizontal alignments.

Since any non-standard geometry will display on the **Default** level, use the MicroStation Level **Display** to turn off all other levels. Set the active level to **Default** then right-click in the <u>Levels</u> dialog and select **All Off**.

This will help isolate just the information that requires updating.

4. If information needs to be updated, assign the new styles.

Navigate to the C:\Users\Public\CAE\Standards\WSDOT\Standards folder and select either Changed Levels - By Old Level.pdf or Changed Levels - By Update Date. PDF.

This documentation is used to determine the new geometry style. These documents contain the same information; with one sorting alphabetically by **level** and the other sorting by **update date**.

#### Тесн Моте

InRoads alignment styles can be renamed using the *Geometry* > *Rename Geometry* command, but you can also rename horizontal geometry styles in bulk using the *Geometry* > *View Geometry* > *Horizontal Annotation* command.

1. Click in the **Include** box of the *Horizontal Alignments* field.

This will activate the *Filter* button. Use the <u>Filter</u> dialog to select the alignments to change.

- In the Apply Style section of the main dialog, check the Active and Overwrite options and select the new style.
- 3. Click **Apply**.

This displays the horizontal alignments as well as changes the style definition.

With large projects containing lots of alignments, use any combination of *Name*, *Description* or *Style* filter options to help select groups of alignments with similar styles to change.

Geometry	Selection Filter			×
Name:	Ignore	¥	E.	ок
Description:	Ignore	*		Cancel
Style:	Included		*RD_MK_LineEdgeNew	Freferences.
Fence <u>M</u> ode,	Ignore			
Available:			Selected	Пеір
			Age         Name         D           Sidewalk         sidewalk         closed           <- Swap ->         EBDetour         East           Alj         Stream_Exi, Exist         Exist           None         ROW Fenc, Fen         First Ave Ex, First           I-90         I-90         First           RAMP_BL         190         First           RAMP_BL         190         RAMP_BL           RAMP_BL         190         RAMP_BL	Style RD_ED_DrivewayEdgeN RW_PA_LotLine AL_HW_CLinePSENew DS_GE_GenericCyan RW_BD_HighwayRWBn RW_BD_HighwayRWBn AL_HW_CLinePSE AL_HW_CLinePSE AL_HW_CLinePSENew RD_MK_LineEdgeWbite

In this example, the **Style** filter option is used to isolate the **RD\_MK\_LineEdgeNew** feature for updating. The new style name is **RD\_MK\_LineEdgeWhiteNew**.

#### Тесн Моте

#### WSDOT CAE SUPPORT

ant repling sines	5		-
Apply Style Assigned 🛛 🌚	Active 🕼 Oven	write	Piler.
Horizontal Alignment:	RD_MK_LineEdgeW	Help	
Cogo Points:	Default	1.1.1.1	
Horizontal Alignments		Cogo Points	4
nclude:	+	nclude:	+
Selected:		Selected:	
EBDetour East., AL Stream_EExistDS RAMP_BFenRV ROW FeFenRV	_HW S_GE = V_B V_B		
EBDetour EastAL Stream_EBustDS RAMP_BFenRV ROW FeFenRV First AveFirstAL	_HW S_GE ≡ V_B V_B _HW		
EBDetour EastAL Stream_EBustDS RAMP_BFenRV ROW FeFenRV First AveFirstAL Lan Lan AL Display Points	_HW 5_GE V_B V_B HW	Annotate	
EBDetour EastAL Stream_EBdstDS RAMP_BFenRV ROW FeFenRV First AveFirstAL Lan Lan M Display Points (2) On-Alignment	_HW S_GE E V_B HW HW	Annotate Points Bements	
EBDetour EastAL Stream_EBdstDS RAMP_BFenRV ROW FeFenRV First AveFirstAL I an I an M Display Points On-Alignment Off-Alignment	HW S_GE E V_B HW HW	Annotate Points Bements s Duplicates	
EBDetour EastAL Stream_EBdstDS RAMP_BFenRV ROW FeFenRV First AveFirstAL Can con con Display Points On-Alignment Off-Alignment Elements	HW GE V_B HW HW HW Station Equation	Annotate Points Bements s Duplicates	isions
EBDetour EastAL Stream_EBustDS RAMP_BFenRV ROW FeFenRV First AveFirstAL Con I on Al Display Points On-Alignment Off-Alignment Elements Radials	HW GE V_B HW HW Station Equation Tangents	Annotate Points Bemerits s Duplicates Dual Dimer	nsions e Styles
EBDetour EastAL Stream_EBustDS RAMP_BFenRV ROW FeFenRV First AveFirstAL Con I on Al Display On-Alignment Coff-Alignment Elements Radials Chords	HW GE V_B HW HW Station Equation Tangents Subtangents	Annotate Points Bements Buplicates Dual Dimer Try Alternat	isions e Styles rond Element

- 4. **Vertical geometry** styles can only be changed using the *Geometry* > *Rename Geometry* command.
- 5. As a check, view all horizontals again and see if any are written to the **Default** level.
- 6. Save the geometry project.

For questions or comments on this tech note, contact your regional CAE Support Coordinator or the WSDOT CAE Help Desk at (360) 709-**8013**.