

- 300.01 Introduction
- 300.02 Standards Symbols and Conventions
- 300.03 Text Fonts and Sizes
- 300.04 Revision Process for Standard Symbols and Conventions
- 300.05 CAD Standard Process Conventions

**300.01 Introduction****(1) Purpose**

Right of Way (R/W) Plans are used to describe the land boundaries for which the Washington State Department of Transportation (WSDOT) is responsible. This division describes Standard Symbols and Conventions for the production of R/W Plan sheets described in Division 1.

- (a) The Standard Symbols and Conventions in this division are listed by two methods:
  1. The *Alphabetical Listing of Symbols* contains an alphabetical index by symbol, indicating the category and group each symbol is associated with.
  2. The *R/W Standard Symbols and Conventions* listing is organized by category and group and is comprised of three columns of symbology information.
    - The **left** column is the symbology name and level.
    - The **middle** column indicates the standard symbology attributes: line weight, line style, color, and whether it is a cell, line, or text element. If the symbology includes text, the font and text size are listed also.
    - The **right** column is a graphic representation of each symbol, with correct attributes available in the WSDOT Expanded Level environment.
- (b) Unless otherwise noted:
  - All measurements are in U.S. Survey Feet.
  - The symbols and their measurements are shown at the correct size for plans plotted on 22-inch x 34-inch sheets.

**(2) Drafting Standards**

R/W Plans are created using the following established drafting standards. The Symbols and Conventions listed in this division are intended to comprise all of the standard symbols necessary for the preparation of R/W Plans for WSDOT. These standards apply to manually drafted plans as well as those prepared on Computer-Aided Drafting (CAD) equipment. Adherence to these standards is essential to ensure the uniformity of R/W Plans produced throughout the state.

There will be cases when custom symbols will need to be used, but every effort should be made to use the symbols listed herein in order to maintain the consistency of R/W Plans developed for state projects. If you think custom symbols are needed, confirm that need and their use with your WSDOT CAD Coordinator or Region Plans Office.

Any CAD or R/W Plan development questions, including the use of the WAESTATE.CEL and WAEDetails.CEL libraries, should first be forwarded to your Region CAD Coordinator and/or Headquarters (HQ) CAE Section.

### 300.02 Standard Symbols and Conventions

The various geometric and design features commonly used in drafting R/W Plans have been assigned to the different CAD levels. These levels are arranged by category (or “parent” code), then by subcategory (or “child” code), then by Item. Included are the CAD symbology names, with associated applicable cell name, CAD level, color, line style, and line weight. These symbols and conventions are available to the CAD operator for review or download at the WSDOT CAE Support web page, under “Resources” ([www.wsdot.wa.gov/Design/CAE](http://www.wsdot.wa.gov/Design/CAE)).

These R/W CAD standards must be followed in the production of R/W Plan sheets, whether by internal WSDOT personnel or by external WSDOT consultants.

### 300.03 Text Fonts and Sizes

The text fonts and sizes assigned to WSDOT CAD elements are set for readability, clarity, and consistency. The text font sizes and styles called out in the *R/W Standard Symbols and Conventions* listing maintain readability through the final Ad and Award printing process and after numerous copies. The text sizes indicated in this manual represent standards that will produce readable plans and should be considered the minimum accepted sizes. If a plan sheet becomes too crowded to place text at the minimum text size, a smaller text may be used at the discretion of your WSDOT Plan Review representative.


### 300.04 Revision Process for Standard Symbols and Conventions

There is a R/W CAD standard revision process that provides the opportunity for department-wide participation in the development, review, and implementation of new symbology and standards to be used in R/W Plan preparation.

Although this division specifically references R/W CAD, this procedure may be used to share other ideas relating to all types of CAD plan preparation (see [Figure 300-1, CAD Standard Revision Process](#)).

#### (1) Resource Updates

The Standard Symbols and Conventions shown are current at the time of the final printing of each manual revision. The HQ CAE Section may update the resources to correct, expand, or improve the standards and procedures of R/W Plans between *Plans Preparation Manual* updates. For more information, visit the WSDOT CAE web page ([www.wsdot.wa.gov/Design/CAE](http://www.wsdot.wa.gov/Design/CAE)) and contact HQ CAE Support.



**CAD Standard Revision Process**  
Figure 300-1

### **300.05 CAD Standard Process Conventions**

Some CAD symbology requires additional steps to accommodate *Plans Preparation Manual* standards. This may be due to the need for user input to place the symbology correctly or that there are multiple states of the same symbology that require modification.

This section provides additional steps to specific symbology in specific situations. For more information, contact your Region CAD Coordinator.

#### **(1) Property Lines and Ownership Dots**

When drawing property lines and ownership dots to show ownership on a R/W Plan, draw as follows:

- Draw the initial property line.
- Offset parallel that line 2.5 feet on a 1"=50' scale or 25 feet on a 1"=500' scale (Vicinity Map) in the direction of the ownership.
- Then, change the level and line code of the offset line to:  
RW\_PA\_OwnershipDots.

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
SH	PR	Access Approach Sched Bottom
SH	PR	Access Approach Schedule Top
SH	PR	Access Notes Body Text
SH	PR	Access Notes Heading Text
SH	PR	Air Lease Schedule
SH	PR	Basis of Bearing
RW	SC	Bearings Text
SH	GI	Begin End Plan Arrow
SH	PR	Begin End Plan Text
RD	ED	Bike Path Edge
ST	BG	Bridge
ST	BG	Bridge New
ST	BG	Bridge Text
ST	BG	Bridge Text New
TP	MM	Building 2D
TP	MM	Canal
RW	SC	Center of Section
RW	SC	Center of Sections Text
RW	PA	City Names Text
RW	BD	City RW Bndry
RW	BD	City RW Bndry Sta Off Text
RW	PA	CLine Access Road
AL	RW	CLine Bike Path
AL	RW	CLine County Road
AL	RW	CLine Ped Path
AL	RW	CLine RW Cntrl
AL	RW	CLine RW Cntrl Bearings Text
AL	RW	CLine RW Cntrl Curve Pt Circle
AL	RW	CLine RW Cntrl Grade Int Text
AL	RW	CLine RW Cntrl Line Des Text
AL	RW	CLine RW Cntrl Major Sta Text
AL	RW	CLine RW Cntrl PCPIPT Text
AL	RW	CLine RW Cntrl PI to PI Line

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
AL	RW	CLine RW Cntrl SR No Text
AL	RW	CLine RW Cntrl Sta Equa Text
AL	RW	CLine RW Cntrl Sta Equation
AL	RW	CLine RW Cntrl Station Text
AL	RW	CLine RW Cntrl Tics
AL	RW	CLine RW Non Cntrl Ex Name Text
AL	RW	CLine RW Non Cntrl Pr Name Text
AL	RW	CLine RW NonCntrl Ex
AL	RW	CLine RW NonCntrl Pr
AL	RW	CLine Trail
RW	SC	Closing Corner Found
RW	SC	Closing Corner Not Found
UT	CM	Communication Util Text
RW	GB	Corp Limit Line
RW	GB	County Line
RW	BD	County RW Bndry
RW	BD	County RW Bndry Sta Off Text
SH	PR	Cross Ref Note Mon Map Text
SH	PR	Cross Ref Note RW Plan Text
DR	ST	Culvert
TP	MM	Dam
RW	SC	Descriptions Text
SH	GI	Destination Arrows Text
TP	MM	Dike
TP	MM	Distance Tie
TP	MM	Distance Tie Text
RW	SC	Donation Land Claim
RW	SC	Donation Land Claims Text
DR	ST	Drainage Structures Text
DR	ST	Drainfield
RD	ED	Driveway Gravel Edge
RD	ED	Driveway Paved Edge
RW	PA	ER ParcelNumber

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
RW	ES	Esmnt Line
RW	ES	Esmnt Line New
RW	ES	Esmnt Line RR
RW	ES	Esmnt Permit Line Sta Off Text
RW	ES	Esmnt Permits Text
RW	ES	Esmnt Permits Text New
SH	PR	Exhibit A Note
RD	BR	Fence RW Plan
RW	GB	Forest Bndry
RW	GB	Govt Bndry Text
RW	SC	Govt Lot ID Text
TP	NT	High Water Line
RW	BD	Highway RW Bndry
RW	BD	Highway RW Bndry Coincident
RW	BD	Highway RW Bndry New
RW	BD	Highway RW Bndry SO Text New
RW	BD	Highway RW Bndry Sta Off Text
RW	PA	Interchange Names Text
RW	BD	LAccess Coincident RW Lt
RW	BD	LAccess Coincident RW Rt
SH	PR	Laccess Designation Note
SH	PR	Laccess Establish Note
RW	BD	LAccess Floating Lt New
RW	BD	LAccess Floating Rt New
RW	BD	LAccess Proposed RW Lt
RW	BD	LAccess Proposed RW Rt
SH	PR	Laccess Tentative Note
TP	NT	Lake Edge
TP	NT	Large Body of Water Edge
SH	PR	Legend Block
SH	PR	Legend Block With LAccess
RW	PA	Lot Line
RW	PA	Lot Numbering

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
TP	MM	Manmade Topography Text
SH	GI	Match Line
SH	GI	Match Line Text
RW	SC	Meander Corner Found
RW	SC	Meander Corner Not Found
RW	SC	Meander Line
RW	SC	Meander Line Text
RW	BD	Metes And Bounds RW Text
RW	BD	Metes And Bounds Sundry Text
PM	MN	Monument New
PM	MN	Monument Text
PM	MN	Monument Text New
RW	PA	NCR Parcel Number
SH	GI	North Arrow
RW	PA	NWR Parcel Number
RW	PA	OR Parcel Number
TP	MM	Orchard Or Vineyard
SH	PR	Ownership Block Bottom
SH	PR	OwnerShip Block Top
RW	PA	Ownership Dots
RW	PA	Ownership Tie
RW	PA	Parcel No Text
RW	GB	Park Bndry
RD	ED	Ped Path Edge
RW	ES	Permit Line
RW	ES	Permit Line New
TP	NT	Pond Edge
PM	MN	Primary Control Point
RW	PA	Property Line
RW	SC	Quarter Corner Found EW
RW	SC	Quarter Corner Found NS
RW	SC	Quarter Corner Not Found EW
RW	SC	Quarter Corner Not Found NS



# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
RW	SC	Quarter Section Line
RW	SC	Range Line
RW	SC	Range Lines Text
RW	GB	Reservation Bndry
TP	MM	Reservoir
SH	PR	Revision Block
SH	GI	Revision Strike Through Line
TP	NT	River Edge
SH	PR	Road Approach Type A Note
SH	PR	Road Approach Type B Note
SH	PR	Road Approach Type C Note
SH	PR	Road Approach Type D Note
SH	PR	Road Approach Type E Note
RD	ED	Roadway ETW Gravel
RD	ED	Roadway ETW Paved
RD	MC	Roadway Names Text
TP	MM	RR Center Tracks
RW	BD	RR RW Bndry
RW	BD	RR RW Sta Off Text
ST	BG	RR Structure
ST	BG	RR Structure New
TP	MM	RR Text
SH	PR	RW Curve Data Block
SH	PR	RW PLS Stamp
SH	PR	RW Total CurveData Block
SH	GI	Scale Bar 1 to 100
SH	GI	Scale Bar 1 to 20
SH	GI	Scale Bar 1 to 50
SH	GI	Scale Bar 1 to 500
RW	PA	SCR Parcel Number
RW	SC	Section Corner Found
RW	SC	Section Corner Not Found
RW	SC	Section Corner Number Text

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

<b>CATEGORY</b>	<b>GROUP</b>	<b>SUBJECT</b>
RW	SC	Section ID
RW	SC	Section Line
RD	ED	Shoulder Gravel Edge
RD	ED	Shoulder Paved Edge
RW	BD	Site RW Bndry
RW	BD	Site RW Bndry Coincident
RW	BD	Site RW Bndry New
RW	BD	Site RW Name Text
RW	BD	Site RW Sta Off Text
RW	SC	Sixteenth Section Line
RW	GB	State Bndry
SH	PR	State Plane Coord System
UT	CM	Steel Transmission Tower
EV	WL	Storm Water Trtmnt RW Plan
EV	WL	Storm Water Trtmnt RW Plan New
TP	NT	Stream NonScalable
TP	NT	Stream Scaleable Edge
ST	BG	Structure
ST	BG	Structure New
RW	PA	Subdivision Bndry
RW	PA	Subdivisions Names Text
RW	ES	Subterranean Esmnt Line
RW	ES	Subterranean Esmnt Line New
SH	PR	Supplemental Access Note 1
SH	PR	Supplemental Access Note 2
SH	PR	Supplemental Access Note 21
SH	PR	Supplemental Access Note 3
SH	PR	Supplemental Access Note 4
SH	PR	Supplemental Access Note 5
SH	PR	Supplemental Access Note 9
RW	PA	SWR Parcel Number
RW	ES	Temp Constr Esmnt Line
RW	ES	Temp Constr Esmnt Line New

# R/W STANDARD SYMBOLS AND CONVENTIONS

## ALPHABETICAL LISTING OF SYMBOLS

CATEGORY	GROUP	SUBJECT
SH	PR	Title Block
SH	PR	Title Block Exhibit Map
SH	PR	Title Block Sundry Site
SH	PR	Title Block Vicinity Map
RW	SC	Township Line
RW	SC	Township Range Line Text
SH	GI	Township Range Top Sheet Text
SH	GI	Traffic Mvmnt Arrow Lt 1 Lane
SH	GI	Traffic Mvmnt Arrow Rt 1 Lane
ST	BG	Tunnel
ST	BG	Tunnel New
ST	BG	Tunnel Text
ST	BG	Tunnel Text New
RW	BD	Turnback Line
RW	BD	Turnback Relinquish Text
UT	PW	Utilities Text
RW	BD	Utility RW Bndry
RW	BD	Utility RW Bndry Coincident
RW	BD	Utility RW Bndry New
RW	BD	Utility RW Sta Off Text
SH	PR	Verification Notes
SH	PR	Vicinity Map Body Text
SH	PR	Vicinity Map Heading Text
TP	NT	Water Pond Lake Res Text
TP	NT	Water Tidal Shore Lg Body Text
TP	MM	Well
EV	WL	Wetland Mitigation RWP
EV	WL	Wetland Mitigation RWP New
EV	WL	Wetlands RW Text
UT	CM	Wooden Transmission Tower
RW	PA	WSDOT Parcel Number

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example
-----------------	---------------------------------	-----------------------------	---------

Sized for a 22" x 34" sheet

## AL RW Alignment - Right of Way

<p>CLine Bike Path (AL RW CLineBikePath)</p>		
--	--	--

<p>CLine County Road (AL RW CLineCountyRoad)</p>		
--	--	--

<p>CLine Ped Path (AL RW CLinePedPath)</p>		
--	--	--

<p>CLine RW Cntrl (AL RW CLineRWCntrl)</p>		
--	--	--

<p>CLine RW Cntrl Bearings Text (AL RW CLineRWCntrlBearingsText)</p>		<p>Font = 217 Text Size = 0.06</p> <p style="text-align: right;"><b>S 88°55'25" W</b></p>
--	--	---

<p>CLine RW Cntrl Curve Pt Circle (AL RW CLineRWCntrlCurvePtCircle)</p>		
---	--	--

<p>CLine RW Cntrl Grade Int Text (AL RW CLineRWCntrlGradeIntText)</p>		<p>Font = 200 Text Size = 0.06</p> <p style="text-align: right;"><b>GRADE INTERSECTION</b></p>
---	--	--

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## AL RW Alignment - Right of Way

<p>CLine RW Cntrl Line Des Text (AL RW CLineRWCntrlLineDesText)</p>		<p>Font = 217 Text Size = 0.08</p>	<p><b>L LINE</b></p>
---	--	--	----------------------

<p>CLine RW Cntrl Major Sta Text (AL RW CLineRWCntrlMajorStaText)</p>		<p>Font = 217 Text Size = 0.09</p>	<p><b>10</b></p>
---	--	--	------------------

<p>CLine RW Cntrl PCPIPT Text (AL RW CLineRWCntrlPCPIPTText)</p>		<p>Font = 200 Text Size = 0.06</p>	<p><b>B 10+68.42 P.C.</b></p>
--	--	--	-------------------------------

<p>CLine RW Cntrl PI to PI Line (AL RW CLineRWCntrlPItoPILine)</p>			<p>-----</p>
--	--	--	--------------

<p>CLine RW Cntrl SR No Text (AL RW CLineRWCntrlSRNoText)</p>		<p>Font = 217 Text Size = 0.09</p>	<p><b>SR 104</b></p>
---	--	--	----------------------

<p>CLine RW Cntrl Sta Equa Text (AL RW CLineRWCntrlStaEquaText)</p>		<p>Font = 200 Text Size = 0.06</p>	<p><b>B 10+68.42 P.O.T. BK. =</b></p>
---	--	--	---------------------------------------

<p>CLine RW Cntrl Sta Equation (AL RW CLineRWCntrlStaEquation)</p>			
--	--	--	--

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## AL RW Alignment - Right of Way

<p>CLine RW Cntrl Station Text (AL RW CLineRWCntrlStationText)</p>		<p>Font = 200 Text Size = 0.06</p>	<p>B 10+68.42 P.C.</p>
--	--	--	------------------------

<p>CLine RW Cntrl Tics (AL RW CLineRWCntrlTics)</p>			
---	--	--	--

<p>CLine RW NonCntrl Ex (AL RW CLineRWNonCntrlEx)</p>			
---	--	--	--

<p>CLine RW Non Cntrl Ex Name Text (AL RW CLineRWNonCntrlExNameText)</p>		<p>Font = 200 Text Size = 0.08</p>	<p>L LINE</p>
--	--	--	---------------

<p>CLine RW NonCntrl Pr (AL RW CLineRWNonCntrlPr)</p>			
---	--	--	--

<p>CLine RW Non Cntrl Pr Name Text (AL RW CLineRWNonCntrlPrNameText)</p>		<p>Font = 200 Text Size = 0.08</p>	<p>L LINE</p>
--	--	--	---------------

<p>CLine Trail (AL RW CLineTrail)</p>			
---	--	--	--


# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------


Sized for a 22" x 34" sheet

## DR ST Drainage - Structures

**Culvert**  
(DR ST Culvert)




**Drainage Structures Text**  
(DR ST DrainageStructuresText)



Font = 200  
Text Size = 0.05

CULVERT

**Drainfield**  
(DR ST Drainfield)



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example  Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## EV WL Environmental - Wetlands

Storm Water Trtmnt RW Plan (EV WL StormWaterTrtmntRWPlan)	<table border="0"> <tr> <td style="padding: 0 5px;">5</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">3</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 5px;">41</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">Line</td> </tr> </table>	5	3	41	Line	-----
5	3					
41	Line					

Storm Water Trtmnt RW Plan New (EV WL StormWaterTrtmntRWPlanNew)	<table border="0"> <tr> <td style="padding: 0 5px;">5</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">0</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 5px;">41</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">Line</td> </tr> </table>	5	0	41	Line	_____
5	0					
41	Line					

Wetland Mitigation RWP (EV WL WetlandMitigationRWP)	<table border="0"> <tr> <td style="padding: 0 5px;">5</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">3</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 5px;">41</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">Line</td> </tr> </table>	5	3	41	Line	-----
5	3					
41	Line					

Wetland Mitigation RWP New (EV WL WetlandMitigationRWPNew)	<table border="0"> <tr> <td style="padding: 0 5px;">5</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">0</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 5px;">41</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">Line</td> </tr> </table>	5	0	41	Line	_____
5	0					
41	Line					

Wetlands RW Text (EV WL WetlandsRWText)	<table border="0"> <tr> <td style="padding: 0 5px;">3</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">0</td> </tr> <tr> <td style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 0 5px;">55</td> <td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">Text</td> </tr> </table>	3	0	55	Text	Font = 217 Text Size = 0.1	<h1 style="margin: 0;">Wetlands</h1>
3	0						
55	Text						









# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## PM MN Photo Control and Monuments - Monuments


<p><b>Monument New</b> (PM MN MonumentNew)</p>		
<p><b>Monument Text</b> (PM MN MonumentText)</p>		<p>Font = 200 Text Size = 0.05</p> <p style="text-align: right;"><b>GP 11395-6</b></p>
<p><b>Monument Text New</b> (PM MN MonumentTextNew)</p>		<p>Font = 217 Text Size = 0.06</p> <p style="text-align: right;"><b>GP 11395-6</b></p>
<p><b>Primary Control Point</b> (PM MN PrimaryControlPoint)</p>		

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--

## RD BR Roadway Features - Barriers

Fence RW Plan  
(RD BR FenceRWPlan)



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## RD ED Roadway Features - Edges


<p><b>Bike Path Edge</b> (RD ED BikePathEdge)</p>		<p>-----</p>
<p><b>Driveway Gravel Edge</b> (RD ED DrivewayGravelEdge)</p>		<p>-----</p>
<p><b>Driveway Paved Edge</b> (RD ED DrivewayPavedEdge)</p>		<p>-----</p>
<p><b>Ped Path Edge</b> (RD ED PedPathEdge)</p>		<p>-----</p>
<p><b>Roadway ETW Gravel</b> (RD ED RoadwayETWGravel)</p>		<p>-----</p>
<p><b>Roadway ETW Paved</b> (RD ED RoadwayETWPaved)</p>		<p>-----</p>
<p><b>Shoulder Gravel Edge</b> (RD ED ShoulderGravelEdge)</p>		<p>-----</p>

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## RD ED Roadway Features - Edges

Shoulder Paved Edge  
(RD ED ShoulderPavedEdge)



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--








## RD MC Roadway Features - Miscellaneous

Roadway Names Text (RD MC RoadwayNamesText)		Font = 200 Text Size = 0.05	LAST CHANCE ROAD
--	---	--------------------------------	------------------

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## RW BD Right of Way - RW Boundaries

City RW Bndry (RW BD CityRWBndry)			-----
City RW Bndry Sta Off Text (RW BD CityRWBndryStaOffText)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' RT.)
County RW Bndry (RW BD CountyRWBndry)			-----
County RW Bndry Sta Off Text (RW BD CountyRWBndryStaOffText)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' RT.)
Highway RW Bndry (RW BD HighwayRWBndry)			-----
Highway RW Bndry Coincident (RW BD HighwayRWBndryCoincident)			-----
Highway RW Bndry New (RW BD HighwayRWBndryNew)			-----

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--

## RW BD Right of Way - RW Boundaries

Highway RW Bndry SO Text New (RW BD HighwayRWBndrySOTextNew)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' RT.)
---	--	--------------------------------	-----------------------

Highway RW Bndry Sta Off Text (RW BD HighwayRWBndryStaOffText)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' RT.)
---	--	--------------------------------	-----------------------

LAccess Coincident RW Lt (RW BD LAccessCoincidentRWLt)		
---	--	--

LAccess Coincident RW Rt (RW BD LAccessCoincidentRWRt)		
---	--	--

LAccess Floating Lt New (RW BD LAccessFloatingLtNew)		
---	--	--

LAccess Floating Rt New (RW BD LAccessFloatingRtNew)		
---	--	--



LAccess Proposed RW Lt (RW BD LAccessProposedRWLt)		
---	--	--

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example
-----------------	---------------------------------	-----------------------------	---------



Sized for a 22" x 34" sheet


## RW BD Right of Way - RW Boundaries



<p><b>LAccess Proposed RW Rt</b> (RW BD LAccessProposedRWRt)</p>		
--	---	---



<p><b>Metes And Bounds RW Text</b> (RW BD MetesAndBoundsRWText)</p>		<p>Font = 200 Text Size = 0.05</p>	<p>R=268.12' L=412.34'</p>
---	---	--	----------------------------

<p><b>Metes And Bounds Sundry Text</b> (RW BD MetesAndBoundsSundryText)</p>		<p>Font = 200 Text Size = 0.06</p>	<p>352.11' N 88°12'13" W</p>
---	--	--	------------------------------

<p><b>RR RW Bndry</b> (RW BD RRRWBndry)</p>		
---	---	---

<p><b>RR RW Sta Off Text</b> (RW BD RRRWStaOffText)</p>		<p>Font = 164 Text Size = 0.05</p>	<p>MR 10+88.03 (50'RT.)</p>
---	---	--	-----------------------------

<p><b>Site RW Bndry</b> (RW BD SiteRWBndry)</p>		
---	---	---

<p><b>Site RW Bndry Coincident</b> (RW BD SiteRWBndryCoincident)</p>		
--	---	---



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## RW BD Right of Way - RW Boundaries

Site RW Bndry New (RW BD SiteRWBndryNew)		
---	--	--

Site RW Name Text (RW BD SiteRWNameText)		Font = 217 Text Size = 0.1	<h3>Pit Site</h3>
---	--	-------------------------------	-------------------

Site RW Sta Off Text (RW BD SiteRWStaOffText)		Font = 200 Text Size = 0.06	<h3>352.11' N 88°12'13" W</h3>
--	--	--------------------------------	--------------------------------

Turnback Line (RW BD TurnbackLine)		
---------------------------------------	--	--

Turnback Relinquish Text (RW BD TurnbackRelinquishText)		Font = 200 Text Size = 0.06	<h3>TURNBACK LINE</h3>
--	--	--------------------------------	------------------------

Utility RW Bndry (RW BD UtilityRWBndry)		
--	--	--

Utility RW Bndry Coincident (RW BD UtilityRWBndryCoincident)		
---	--	--


# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## RW BD Right of Way - RW Boundaries

Utility RW Bndry New (RW BD UtilityRWBndryNew)		
---	---	---












Utility RW Sta Off Text (RW BD UtilityRWStaOffText)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' RT.)
--	---	--------------------------------	-----------------------

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet











## RW ES Right of Way - Easements & Permits

Esmnt Line (RW ES EsmntLine)			
Esmnt Line New (RW ES EsmntLineNew)			
Esmnt Line RR (RW ES EsmntLineRR)			
Esmnt Permit Line Sta Off Text (RW ES EsmntPermitLineStaOffText)		Font = 200 Text Size = 0.05	MR 10+88.03 (50' Rt.)
Esmnt Permits Text (RW ES EsmntPermitsText)		Font = 200 Text Size = 0.06	EASEMENT
Esmnt Permits Text New (RW ES EsmntPermitsTextNew)		Font = 200 Text Size = 0.06	SLOPE EASEMENT
Permit Line (RW ES PermitLine)			

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--














## RW ES Right of Way - Easements & Permits

<p>Permit Line New (RW ES PermitLineNew)</p>		
<p>Subterranean Esmnt Line (RW ES SubterraneanEsmntLine)</p>		
<p>Subterranean Esmnt Line New (RW ES SubterraneanEsmntLineNew)</p>		
<p>Temp Constr Esmnt Line (RW ES TempConstrEsmntLine)</p>		
<p>Temp Constr Esmnt Line New (RW ES TempConstrEsmntLineNew)</p>		

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## RW GB Right of Way - Government Boundaries

Corp Limit Line (RW GB CorpLimitLine)		
County Line (RW GB CountyLine)		
Forest Bndry (RW GB ForestBndry)		
Govt Bndry Text (RW GB GovtBndryText)		<p>Font = 217 Text Size = 0.1</p> <p><b>STATE PARK</b></p>
Park Bndry (RW GB ParkBndry)		
Reservation Bndry (RW GB ReservationBndry)		
State Bndry (RW GB StateBndry)		

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## RW PA Right of Way - Parcels

<p><b>City Names Text</b> (RW PA CityNamesText)</p>		<p>Font = 42 Text Size = 0.2</p>	
<p><b>CLine Access Road</b> (RW PA CLineAccessRoad)</p>			
<p><b>ER ParcelNumber</b> (RW PA ERParcelNumber)</p>			
<p><b>Interchange Names Text</b> (RW PA InterchangeNamesText)</p>		<p>Font = 42 Text Size = 0.15</p>	
<p><b>Lot Line</b> (RW PA LotLine)</p>			
<p><b>Lot Numbering</b> (RW PA LotNumbering)</p>		<p>Font = 200 Text Size = 0.05</p>	
<p><b>NCR Parcel Number</b> (RW PA NCRParcelNumber)</p>			

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------



Sized for a 22" x 34" sheet


## RW PA Right of Way - Parcels

<p><b>NWR Parcel Number</b> (RW PA NWRParcelNumber)</p>		
---	---	---



<p><b>OR Parcel Number</b> (RW PA ORParcelNumber)</p>		
---	---	---

<p><b>Ownership Dots</b> (RW PA OwnershipDots)</p>		
--	--	---

<p><b>Ownership Tie</b> (RW PA OwnershipTie)</p>		
--	---	---

<p><b>Parcel No Text</b> (RW PA ParcelNoText)</p>		<p>Font = 200 Text Size = 0.06</p>	
---	---	--	---

<p><b>Property Line</b> (RW PA PropertyLine)</p>		
--	---	---

<p><b>SCR Parcel Number</b> (RW PA SCRParcelNumber)</p>		
---	---	---



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------



Sized for a 22" x 34" sheet

## RW PA Right of Way - Parcels

<p>Subdivision Bndry (RW PA SubdivisionBndry)</p>		
---	---	---

<p>Subdivisions Names Text (RW PA SubdivisionsNamesText)</p>		<p>Font = 42 Text Size = 0.1</p>	
--	---	--------------------------------------	---

<p>SWR Parcel Number (RW PA SWRParcelNumber)</p>		
--	--	---

<p>WSDOT Parcel Number* (RW PA WSDOTParcelNumber) Sized for a 50 scale drawing.</p>		
---	---	---



# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## RW SC Right of Way - Section Information

<b>Bearings Text</b> (RW SC BearingsText)		Font = 200 Text Size = 0.06	N 77°14'25" E
--	--	--------------------------------	---------------

<b>Center of Section</b> (RW SC CenterofSection)			
---	--	--	--

<b>Center of Sections Text</b> (RW SC CenterofSectionsText)		Font = 200 Text Size = 0.09	12
--	--	--------------------------------	----

<b>Closing Corner Found</b> (RW SC ClosingCornerFound)			
---	--	--	--

<b>Closing Corner Not Found</b> (RW SC ClosingCornerNotFound)			
--	--	--	--


<b>Descriptions Text</b> (RW SC DescriptionsText)		Font = 200 Text Size = 0.05	1" DIA. IRON PIPE
--	--	--------------------------------	-------------------

<b>Donation Land Claim</b> (RW SC DonationLandClaim)			
---	--	--	--



# R/W STANDARD SYMBOLS AND CONVENTIONS



Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--



## RW SC Right of Way - Section Information

Donation Land Claims Text (RW SC DonationLandClaimsText)		Font = 217 Text Size = 0.09	<b>J. JAY D.L.C. NO. 4</b>
---	---	--------------------------------	----------------------------



Govt Lot ID Text (RW SC GovtLotIDText)		Font = 217 Text Size = 0.09	<b>GOV'T LOT 3</b>
---	---	--------------------------------	--------------------

Meander Corner Found (RW SC MeanderCornerFound)		
--	--	---

Meander Corner Not Found (RW SC MeanderCornerNotFound)		
---	---	---

Meander Line (RW SC MeanderLine)		
-------------------------------------	---	---

Meander Line Text (RW SC MeanderLineText)		Font = 200 Text Size = 0.06	<b>GOV'T MEANDER LINE</b>
--	---	--------------------------------	---------------------------

Quarter Corner Found EW (RW SC QuarterCornerFoundEW)		
---	---	---

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--



## RW SC Right of Way - Section Information


<p>Quarter Corner Found NS (RW SC QuarterCornerFoundNS)</p>		
<p>Quarter Corner Not Found EW (RW SC QuarterCornerNotFoundEW)</p>		
<p>Quarter Corner Not Found NS (RW SC QuarterCornerNotFoundNS)</p>		
<p>Quarter Section Line (RW SC QuarterSectionLine)</p>		
<p>Range Line (RW SC RangeLine)</p>		
<p>Range Lines Text (RW SC RangeLinesText)</p>		<p>Font = 217 Text Size = 0.125</p> <p><b>T.2N. R.1E. W.M.</b></p>
<p>Section Corner Found (RW SC SectionCornerFound)</p>		

# R/W STANDARD SYMBOLS AND CONVENTIONS


Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example  Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## RW SC Right of Way - Section Information

<p>Section Corner Not Found (RW SC SectionCornerNotFound)</p>		
---	---	---

<p>Section Corner Number Text (RW SC SectionCornerNumberText)</p>		<p>Font = 217 Text Size = 0.09</p> <p style="text-align: center; font-size: 24pt;"><b>24</b></p>
---	---	--

<p>Section ID (RW SC SectionID)</p>		<p>?? <sup>1</sup>/<sub>4</sub>    ?? <sup>1</sup>/<sub>4</sub> <b>SEC. ??</b></p>
---	--	--

<p>Section Line (RW SC SectionLine)</p>		
---	---	---

<p>Sixteenth Section Line (RW SC SixteenthSectionLine)</p>		
--	---	---

<p>Township Line (RW SC TownshipLine)</p>		
---	---	---


<p>Township Range Line Text (RW SC TownshipRangeLineText)</p>		<p>Font = 217 Text Size = 0.125</p> <p style="font-size: 24pt;"><b>T.2N. R.1E. W.M.</b></p>
---	---	---

# R/W STANDARD SYMBOLS AND CONVENTIONS


Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## SH GI Sheets - General Sheet Items

**Begin End Plan Arrow\***  
(SH GI BeginEndPlanArrow)  
Sized for a 50 scale drawing.




**Destination Arrows Text\***  
(SH GI DestinationArrowsText)  
Sized for a 50 scale drawing.




Font = 200  
Text Size = 0.05

TO YELM

**Match Line\***  
(SH GI MatchLine)  
Sized for a 50 scale drawing.




**Match Line Text\***  
(SH GI MatchLineText)  
Sized for a 50 scale drawing.




Font = 200  
Text Size = 0.07

Match Line See Sheet XX



**North Arrow\***  
(SH GI NorthArrow)  
Sized for a 100 scale drawing.



**Revision Strike Through Line**  
(SH GI RevisionStrikeThroughLine)



**Scale Bar 1 to 100\***  
(SH GI ScaleBar1to100)  
Sized for a 50 scale drawing.





# R/W STANDARD SYMBOLS AND CONVENTIONS



Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## SH GI Sheets - General Sheet Items



Scale Bar 1 to 20\*  
(SH GI ScaleBar1to20)  
Sized for a 50 scale drawing.




Scale Bar 1 to 50\*  
(SH GI ScaleBar1to50)  
Sized for a 50 scale drawing.



Scale Bar 1 to 500\*  
(SH GI ScaleBar1to500)  
Sized for a 50 scale drawing.




Township Range Top Sheet Text\*  
(SH GI TownshipRangeTopSheetText)  
Sized for a 50 scale drawing.




Font = 217  
Text Size = 0.175

**T. 2N. R. 1E. W.M.**

Traffic Mvmnt Arrow Lt 1 Lane  
(SH GI TrafficMvmntArrowLt1Lane)



Traffic Mvmnt Arrow Rt 1 Lane  
(SH GI TrafficMvmntArrowRt1Lane)




# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--


## SH PR Sheets - Plansheets RW

Access Approach Sched Bottom  
(SH PR AccessApproachSchedBottom)  
Example drawn at 25% actual size.




CENTERLINE OF APPROACH STATION	
TYPE	
ACCESS APPROACH SCHEDULE	

Access Approach Schedule Top  
(SH PR AccessApproachScheduleTop)  
Example drawn at 25% actual size.



ACCESS APPROACH SCHEDULE	
CENTERLINE OF APPROACH STATION	TYPE


Access Notes Body Text  
(SH PR AccessNotesBodyText)



Font = 200  
Text Size = 0.05

BODY OF TEXT


Access Notes Heading Text  
(SH PR AccessNotesHeadingText)



Font = 200  
Text Size = 0.07


ACCESS NOTES

Air Lease Schedule  
(SH PR AirLeaseSchedule)  
Example drawn at 25% actual size.



AIRSPACE LEASE SCHEDULE		
NUMBER	LESSEE	LOCATION

Basis of Bearing  
(SH PR BasisofBearing)  
Example drawn at 50% actual size.




THE BASIS OF BEARINGS AND DISTANCES ARE DETERMINED FROM WASHINGTON STATE PLANE COORDINATE SYSTEM \* ZONE (NAD 83/91\*).

THE DISTANCES SHOWN ARE GROUND DISTANCES.

FOR SURVEY INFORMATION SEE RECORD OF SURVEY SR \* RECORDED \* AFN \* .

Begin End Plan Text  
(SH PR BeginEndPlanText)



Font = 217  
Text Size = 0.125

**BEGIN PLAN**

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## SH PR Sheets - Plansheets RW

<p>Cross Ref Note Mon Map Text (SH PR CrossRefNoteMonMapText)</p>		<p>Font = 217 Text Size = 0.05</p>	<p><b>FOR R/W SEE SR 507</b></p>
---	---	--	----------------------------------


<p>Cross Ref Note RW Plan Text (SH PR CrossRefNoteRWPlanText)</p>		<p>Font = 217 Text Size = 0.05</p>	<p><b>FOR R/W SEE SR 507</b></p>
---	---	--	----------------------------------


<p>Exhibit A Note (SH PR ExhibitANote)</p>		<p><b>EXHIBIT A</b></p>
--	--	-------------------------

<p>Laccess Designation Note (SH PR LaccessDesignationNote)</p>		<p><b>Designated For Limited Access Control By Commission Resolution No.</b></p>
--	---	--

<p>Laccess Establish Note (SH PR LaccessEstablishNote) Example drawn at 50% actual size.</p>		<p>LIMITED ACCESS ESTABLISHED BY THE DIRECTOR OF ENVIRONMENTAL AND ENGINEERING PROGRAMS FINDINGS AND ORDER ADOPTED</p>
--	---	--

<p>Laccess Tentative Note (SH PR LaccessTentativeNote) Example drawn at 50% actual size.</p>		<p>LIMITED ACCESS FEATURES TENTATIVELY APPROVED BY STATE DESIGN ENGINEER</p>
--	---	--

<p>Legend Block (SH PR LegendBlock) Example drawn at 40% actual size.</p>	
---	---






# R/W STANDARD SYMBOLS AND CONVENTIONS

**Name**                      **ByLevel Weight** | **ByLevel Style**                      **Example**  
**(Level)**                      **byLevel Color** | **Cell/Model**                      **Sized for a 22" x 34" sheet**

## SH PR Sheets - Plansheets RW

**Legend Block With LAccess**  
 (SH PR LegendBlockWithLAccess)  
 Example drawn at 40% actual size.



**LEGEND**


ACCESS TO BE PROHIBITED SHOWN THUS

PROPERTY OWNERSHIP NUMBERS

PROPERTY LINES


0 100 200  
SCALE IN FEET

**Ownership Block Bottom**  
 (SH PR OwnershipBlockBottom)  
 Example drawn at 25% actual size.




PARCEL NO.	NAME	TOTAL AREA	R/W	LT. REMAINDER RT.	EASMT
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
TOTAL AREA IS FROM ARBITRATOR'S RECORDS UNLESS OTHERWISE NOTED.		<b>OWNERSHIPS</b>		ALL AREAS ARE SHOWN IN SQUARE FEET UNLESS OTHERWISE NOTED.	

**OwnerShip Block Top**  
 (SH PR OwnerShipBlockTop)  
 Example drawn at 25% actual size.




PARCEL NO.	NAME	TOTAL AREA	R/W	LT. REMAINDER RT.	EASMT
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
TOTAL AREA IS FROM ARBITRATOR'S RECORDS UNLESS OTHERWISE NOTED.		<b>OWNERSHIPS</b>		ALL AREAS ARE SHOWN IN SQUARE FEET UNLESS OTHERWISE NOTED.	

**Revision Block**  
 (SH PR RevisionBlock)  
 Example drawn at 25% actual size.




Reference	Approval	Revision Description	By

**Road Approach Type A Note**  
 (SH PR RoadApproachTypeANote)  
 Example drawn at 50% actual size.




TYPE A APPROACH IS AN OFF AND ON APPROACH IN LEGAL MANNER, NOT TO EXCEED 30 FEET IN WIDTH, FOR SOLE PURPOSE OF SERVING A SINGLE FAMILY RESIDENCE. IT MAY BE RESERVED BY ABUTTING OWNER FOR SPECIFIED USE AT A POINT SATISFACTORY TO THE STATE AT OR BETWEEN DESIGNATED HIGHWAY STATIONS.

**Road Approach Type B Note**  
 (SH PR RoadApproachTypeBNote)  
 Example drawn at 50% actual size.



TYPE B APPROACH IS AN OFF AND ON APPROACH IN LEGAL MANNER, NOT TO EXCEED 50 FEET IN WIDTH, FOR USE NECESSARY TO THE NORMAL OPERATION OF A FARM, BUT NOT FOR RETAIL MARKETING. IT MAY BE RESERVED BY ABUTTING OWNER FOR SPECIFIED USE AT A POINT SATISFACTORY TO THE STATE AT OR BETWEEN DESIGNATED HIGHWAY STATION.

**Road Approach Type C Note**  
 (SH PR RoadApproachTypeCNote)  
 Example drawn at 50% actual size.




TYPE C APPROACH IS AN OFF AND ON APPROACH IN LEGAL MANNER, FOR SPECIAL PURPOSE AND WIDTH TO BE AGREED UPON. IT MAY BE SPECIFIED AT A POINT SATISFACTORY TO THE STATE AT OR BETWEEN DESIGNATED HIGHWAY STATIONS.

# R/W STANDARD SYMBOLS AND CONVENTIONS

**Name**                      **ByLevel Weight** | **ByLevel Style**                      **Example**  
**(Level)**                      **byLevel Color** | **Cell/Model**                      **Sized for a 22" x 34" sheet**


## SH PR Sheets - Plansheets RW

**Road Approach Type D Note**  
 (SH PR RoadApproachTypeDNote)  
 Example drawn at 50% actual size.




TYPE D APPROACH IS AN OFF AND ON APPROACH IN A LEGAL MANNER NOT TO EXCEED 50 FEET IN WIDTH FOR USE NECESSARY TO THE NORMAL OPERATION OF A COMMERCIAL ESTABLISHMENT. IT MAY BE SPECIFIED AT A POINT SATISFACTORY TO THE STATE AT OR BETWEEN DESIGNATED HIGHWAY STATIONS.

**Road Approach Type E Note**  
 (SH PR RoadApproachTypeENote)  
 Example drawn at 50% actual size.




TYPE E APPROACH IS AN OFF AND ON APPROACH IN A LEGAL MANNER NOT TO EXCEED 30 FEET IN WIDTH FOR USE NECESSARY TO THE NORMAL OPERATION OF A COMMERCIAL ESTABLISHMENT. IT MAY BE SPECIFIED AT A POINT SATISFACTORY TO THE STATE AT OR BETWEEN DESIGNATED HIGHWAY STATIONS.

**RW Curve Data Block**  
 (SH PR RWCurveDataBlock)  
 Example drawn at 50% actual size.




CURVE DATA				
P.I. STATION	DELTA	RADIUS	TANGENT	LENGTH

**RW PLS Stamp**  
 (SH PR RWPLSStamp)  
 Example drawn at 50% actual size.




**RW Total CurveData Block**  
 (SH PR RWTotalCurveDataBlock)  
 Example drawn at 25% actual size.




TOTAL CURVE DATA			CURVE DATA			SPIRAL DATA		
P.I. STATION	DELTA	TANGENT	DELTA	RADIUS	LENGTH	a	b	La

**State Plane Coord System**  
 (SH PR StatePlaneCoordSystem)  
 Example drawn at 25% actual size.



WASHINGTON STATE PLANE COORD. SYSTEM [METERS]			
GPS NUMBER	NORTHING	EASTING	CONV. ANGLE
GP10021-1	189 437.873	859 814.883	1° 36' 58.0"
GP10021-2	189 774.984	859 808.289	1° 36' 58.1"

**Supplemental Access Note 1**  
 (SH PR SupplementalAccessNote1)  
 Example drawn at 50% actual size.




NO. 1. THIS APPROACH IS TO BE USED TO TRAVEL ON RIGHT OF WAY AND ENTER PROPERTY AS SPECIFIED.

# R/W STANDARD SYMBOLS AND CONVENTIONS

<b>Name</b> (Level)	<table border="0"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"><b>ByLevel Weight</b></td> <td style="padding: 0 5px;"><b>ByLevel Style</b></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"><b>byLevel Color</b></td> <td style="padding: 0 5px;"><b>Cell/Model</b></td> </tr> </table>	<b>ByLevel Weight</b>	<b>ByLevel Style</b>	<b>byLevel Color</b>	<b>Cell/Model</b>	<b>Example</b>  Sized for a 22" x 34" sheet
<b>ByLevel Weight</b>	<b>ByLevel Style</b>					
<b>byLevel Color</b>	<b>Cell/Model</b>					


## SH PR Sheets - Plansheets RW

**Supplemental Access Note 2**  
(SH PR SupplementalAccessNote2)  
Example drawn at 50% actual size.




NO. 2. THIS APPROACH IS TO BE USED TO SERVE MORE THAN ONE OWNER AND/OR UTILITY, FOR ONLY THOSE OWNERSHIPS LISTED ON THE ACCESS APPROACH SCHEDULE.

**Supplemental Access Note 21**  
(SH PR SupplementalAccessNote21)  
Example drawn at 50% actual size.




NO. 21. THE PRIVILEGE OF ACCESS TO AREAS WITHIN THE RIGHT OF WAY IS PERMITTED FROM OUTSIDE THE RIGHT OF WAY TO THE USER DESIGNATED, SOLELY FOR USE AUTHORIZED BY AND SUBJECT TO THE CONDITIONS OF THE FRANCHISE, PERMIT, OR AGREEMENT SPECIFIED. NO ACCESS WILL BE ALLOWED TO THE TRAVELED HIGHWAY LANES OR RAMPS.

**Supplemental Access Note 3**  
(SH PR SupplementalAccessNote3)  
Example drawn at 50% actual size.




NO. 3. THIS APPROACH MAY BE USED FOR ANY PURPOSE CONSISTENT WITH LOCAL ZONING. THE WIDTH IS TO BE DETERMINED BY WSDOT STANDARDS FOR THE TYPE OF USE INVOLVED.

**Supplemental Access Note 4**  
(SH PR SupplementalAccessNote4)  
Example drawn at 50% actual size.




NO. 4. THIS APPROACH MAY BE INCREASED IN WIDTH NOT TO EXCEED 80 FEET FOR USE BY SPECIAL FARM EQUIPMENT. DURING THE CROSSING OF THE HIGHWAY WITH FARM EQUIPMENT REQUIRING AN APPROACH EXCEEDING 50 FEET IN WIDTH, TRAFFIC ON THE HIGHWAY SHALL BE PROTECTED BY FLAGMEN PROVIDED BY THE OWNER AT HIS EXPENSE.

**Supplemental Access Note 5**  
(SH PR SupplementalAccessNote5)  
Example drawn at 50% actual size.




NO. 5. THIS APPROACH IS TO BE USED FOR THE OPERATION, MAINTENANCE, AND REPAIR OF THE UTILITY SPECIFIED. THE APPROACH SHALL NOT EXCEED 50 FEET IN WIDTH.

**Supplemental Access Note 9**  
(SH PR SupplementalAccessNote9)  
Example drawn at 50% actual size.



NO. 9. THIS APPROACH SHALL BE GATED AND LOCKED WHEN NOT IN USE.

**Title Block**  
(SH PR TitleBlock)  
Example drawn at 20% actual size.



SR

TITLE

COUNTY

RIGHT OF WAY PLAN  
UP TO SP  
STATION TO STATION

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION  
OLYMPIA, WASHINGTON

DATE

RIGHT OF WAY PLAN NUMBER


PROJECT NUMBER      SHEET OF SHEETS

# R/W STANDARD SYMBOLS AND CONVENTIONS



<b>Name</b> (Level)	<b>ByLevel Weight</b> <b>byLevel Color</b>	<b>ByLevel Style</b> <b>Cell/Model</b>	<b>Example</b> Sized for a 22" x 34" sheet
------------------------	---	---	---

## SH PR Sheets - Plansheets RW



**Title Block Exhibit Map**  
(SH PR TitleBlockExhibitMap)  
Example drawn at 20% actual size.




**Title Block Sundry Site**  
(SH PR TitleBlockSundrySite)  
Example drawn at 20% actual size.



**Title Block Vicinity Map**  
(SH PR TitleBlockVicinityMap)  
Example drawn at 20% actual size.




**Verification Notes**  
(SH PR VerificationNotes)



OWNERSHIP SHOULD BE VERIFIED.  
PROPERTY RIGHTS SHOWN MAY NOT  
HAVE BEEN ACQUIRED BY WSDOT.


**Vicinity Map Body Text**  
(SH PR VicinityMapBodyText)



Font = 217  
Text Size = 0.07

**TOTAL LENGTH OF PLAN**

**Vicinity Map Heading Text**  
(SH PR VicinityMapHeadingText)



Font = 217  
Text Size = 0.15

**Vic.**

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## ST BG Structures - Bridges

<p><b>Bridge</b> (ST BG Bridge)</p>		
---	--	--

<p><b>Bridge New</b> (ST BG BridgeNew)</p>		
--	--	--

<p><b>Bridge Text</b> (ST BG BridgeText)</p>		<p>Font = 200 Text Size = 0.05</p>	<p><b>OVERCROSSING</b></p>
--	--	--	----------------------------

<p><b>Bridge Text New</b> (ST BG BridgeTextNew)</p>		<p>Font = 217 Text Size = 0.05</p>	<p><b>OVERCROSSING</b></p>
---	--	--	----------------------------

<p><b>RR Structure</b> (ST BG RRStructure)</p>		
--	--	--

<p><b>RR Structure New</b> (ST BG RRStructureNew)</p>		
---	--	--

<p><b>Structure</b> (ST BG Structure)</p>		
---	--	--

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## ST BG Structures - Bridges

<p><b>Structure New</b> (ST BG StructureNew)</p>		
--	---	---

<p><b>Tunnel</b> (ST BG Tunnel)</p>		
---	---	---

<p><b>Tunnel New</b> (ST BG TunnelNew)</p>		
--	--	---

<p><b>Tunnel Text</b> (ST BG TunnelText)</p>		<p>Font = 164 Text Size = 0.05</p>	<p><b>OVERCROSSING</b></p>
--	---	--	----------------------------

<p><b>Tunnel Text New</b> (ST BG TunnelTextNew)</p>		<p>Font = 217 Text Size = 0.05</p>	<p><b>OVERCROSSING</b></p>
---	---	--	----------------------------

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------

Sized for a 22" x 34" sheet

## TP MM Topography - Manmade

<p><b>Building 2D</b> (TP MM Building2D)</p>		
--	---	---

<p><b>Canal</b> (TP MM Canal)</p>		
---------------------------------------	---	---

<p><b>Dam</b> (TP MM Dam)</p>		
-----------------------------------	--	---

<p><b>Dike</b> (TP MM Dike)</p>		
-------------------------------------	---	---

<p><b>Distance Tie</b> (TP MM DistanceTie)</p>		
--	---	---

<p><b>Distance Tie Text</b> (TP MM DistanceTieText)</p>		<p>Font = 200 Text Size = 0.05</p>	<p>48'</p>
---	---	--	------------

<p><b>Manmade Topography Text</b> (TP MM ManmadeTopographyText)</p>		<p>Font = 200 Text Size = 0.05</p>	<p>GABION WALL</p>
---	---	--	--------------------


# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example
-----------------	--	---------


Sized for a 22" x 34" sheet

## TP MM Topography - Manmade



Orchard Or Vineyard  
(TP MM OrchardOrVineyard)




Reservoir  
(TP MM Reservoir)



RR Center Tracks  
(TP MM RRCenterTracks)




RR Text  
(TP MM RRText)



Font = 200  
Text Size = 0.05

BNSF

Well  
(TP MM Well)





# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example  Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## TP NT Topography - Natural

<p><b>High Water Line</b> (TP NT HighWaterLine)</p>		<hr style="border: 1px solid black;"/>
---	--	--

<p><b>Lake Edge</b> (TP NT LakeEdge)</p>		<hr style="border: 1px solid black;"/>
--	--	--

<p><b>Large Body of Water Edge</b> (TP NT LargeBodyofWaterEdge)</p>		<hr style="border: 1px solid black;"/>
---	--	--

<p><b>Pond Edge</b> (TP NT PondEdge)</p>		<hr style="border: 1px solid black;"/>
--	--	--

<p><b>River Edge</b> (TP NT RiverEdge)</p>		<hr style="border: 1px solid black;"/>
--	--	--

<p><b>Stream NonScalable</b> (TP NT StreamNonScalable)</p>		<hr style="border: 1px solid black;"/>
--	--	--


<p><b>Stream Scaleable Edge</b> (TP NT StreamScaleableEdge)</p>		<hr style="border: 1px solid black;"/>
---	--	--

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight byLevel Color	ByLevel Style Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	---------------------------------	-----------------------------	--

## TP NT Topography - Natural


Water Pond Lake Res Text  
(TP NT WaterPondLakeResText)



Font = 200  
Text Size = 0.06

GREEN RIVER

Water Tidal Shore Lg Body Text  
(TP NT WaterTidalShoreLgBodyText)








Font = 200  
Text Size = 0.1

BUDD INLET

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--


## UT CM Utilities - Communications

<p>Communication Util Text (UT CM CommunicationUtilText)</p>		<p>Font = 164 Text Size = 0.05</p>	<p><i>UTILITIES</i></p>
<p>Steel Transmission Tower (UT CM SteelTransmissionTower)</p>			
<p>Wooden Transmission Tower (UT CM WoodenTransmissionTower)</p>			

# R/W STANDARD SYMBOLS AND CONVENTIONS

Name (Level)	ByLevel Weight   ByLevel Style byLevel Color   Cell/Model	Example Sized for a 22" x 34" sheet
-----------------	--	--

## UT PW Utilities - Power

Utilities Text (UT PW UtilitiesText)		Font = 164 Text Size = 0.05	<i>UTILITIES</i>
---	---	--------------------------------	------------------