



SIGN BRACKET NO.	Z° (CONTRACTOR TO VERIFY)			
	SUPPORT #1	SUPPORT #2	SUPPORT #3	SUPPORT #4
1	78°	72°	66°	60°

**NOTES TO DESIGNER:**  
 1. REMOVE DETAIL C IF BRACING ROD IS NOT USED. ALSO REMOVE CALL OUTS AND LINEWORK FROM OTHER DETAILS.




**DETAIL 2**




**VIEW G**


2 ~ 7/8" X 1 1/2" SLOTTED HOLES (BOT. PLATE)  
 2 ~ 7/8" HOLES (TOP PLATE)  
 2 ~ 3/4" BOLTS W/ WASHER (ASTM A325)  
 TOP AND 2 1/2" x 3/8" x 2 1/2" WASHER BOTTOM.  
 PLACE BOLT WITH NUT ON UNDERSIDE.




**DETAIL 11**



**DETAIL 13**



**DETAIL 3**



**DETAIL 7**

**KEY NOTES:**  
 1 CONTRACTOR TO FIELD VERIFY PRIOR TO FABRICATION

LAST REVISED: 03/19/2025

10.1-A6-4

FILE NAME	10.1-A6-4_Bridge Mounted Sign Bracket Details 2 of 3.dgn			
BRIDGE DES. ENG.				
BRIDGE PROJ. ENG.				
SUPERVISOR				
DESIGNED BY				
CHECKED BY				
ENTERED BY				
PRELIM. PLAN BY				
ARCH. / SPEC.				
	REVISION	DATE	BY	

REGION NO.	STATE
10	WASH
JOB NUMBER	
CONTRACT NO.	

**WSDOT**  
 PRELIMINARY PLAN  
 NOT FOR CONSTRUCTION

SEE CERTIFICATION SHEET DATE	SEE CERTIFICATION SHEET DATE
STAMP BOX	STAMP BOX

STANDARD DESIGN DRAWINGS BRIDGE MOUNTED SIGN BRACKET
BRIDGE MOUNTED SIGN BRACKET DETAILS 2 OF 3

PLAN REF NO
SHEET OF SHEETS