



Last revised on : 08/15/2019

SR JOB NO. SHEET

5.0-A6-12






END TYPE A



END TYPE B


* MEASURED NORMAL TO ϕ DIAPHRAGM

** 1 1/16" ϕ MIN. STRAND CHUCK OR ASTM A108 2 3/4" ϕ x 1 1/8" STRAND ANCHOR. ANCHOR STRAND WITH WEDGES BEFORE GIRDER ERECTION. WEDGES ARE SEATED TIGHTLY IMMEDIATELY BEFORE PLACING DIAPHRAGM CONCRETE.




SAWTEETH DETAIL


SAWTEETH SHALL BE FULL WIDTH OVER AREA SHOWN



VIEW E



JOINT DETAIL



BEARING RECESS AND BOTTOM FLANGE SPALL PROTECTION DETAIL

BEARING RECESS FORMS SHALL BE CONSTRUCTED AND FASTENED TO AVOID GIRDER DAMAGE DURING STRAND RELEASE. REINFORCEMENT NOT SHOWN FOR CLARITY

Bridge Design Engr.	M:\STANDARDS\Girders\WFDG\WFDG UHPC\WFDG UHPC GIRDER DETAILS 3 OF 5.MAN							
Supervisor				REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
Designed By				10	WASH.			
Checked By				JOB NUMBER				
Detailed By								
Bridge Projects Engr.								
Prelim. Plan By								
Architect/Specialist	DATE	REVISION	BY	APPD				

Wed Aug 28 12:55:39 2019

BRIDGE AND STRUCTURES OFFICE



WF DECK GIRDER (UHPC) DETAILS 3 OF 5

BRIDGE SHEET NO.
SHEET
OF
SHEETS