




GIRDER SERIES	H GIRDER HEIGHT
W35DG	2'-11"
W41DG	3'-5"
W53DG	4'-5"
W65DG	5'-5"




GIRDER SERIES DIMENSION TABLE

END TYPE B BLOCKOUT

DIMENSIONS ARE NORMAL TO DIAPHRAGM. OTHER REINFORCEMENT NOT SHOWN FOR CLARITY.



Last revised on : 04/14/2020



LEGEND:

▽ = EPOXY COATED

NOTES:

- 1 SEE GIRDER NOTE 9 ON GIRDER SCHEDULE SHEET.
- 2 B : 1 MAXIMUM SLOPE FOR EACH HARPED STRAND.
- 3 THICKEN FLANGE TO COMPENSATE FOR SUPERELEVATION.
- 4 SEE "GIRDER SERIES DIMENSION TABLE" ON THIS SHEET.
- 5 VARIES FOR SKEWED ENDS.
- 6 PAIRS OF G7 BARS, OR G9 AND G10 BARS, MAY BE USED INTERCHANGEABLY AS BOTTOM FLANGE TIES.
- 7 1 G11 MAY BE SUBSTITUTED FOR 2 G2 WITHIN THE V1 SPA. @ V2.

Bridge Design Engr.	M:\STANDARDS\Girders\Deck Bulb Tee\DBT DETAILS 1 OF 2.MAN	REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
Supervisor		10	WASH			
Designed By		JOB NUMBER				
Checked By						
Detailed By						
Bridge Projects Engr.						
Prelim. Plan By						
Architect/Specialist						
DATE	REVISION	BY	APPD			

BRIDGE AND STRUCTURES OFFICE



STANDARD PRESTRESSED CONCRETE GIRDERS

DECK BULB TEE GIRDER DETAILS 1 OF 2

5.6-A7-2