

Contents

| | | |
|------------------|--|------------|
| Chapter 1 | Design Policy | 1-1 |
| 1-1 | Introduction | 1-1 |
| 1-2 | Responsibility | 1-2 |
| 1-3 | Hydraulic Reports | 1-3 |
| 1-3.1 | Hydraulic Report Types | 1-3 |
| 1-3.2 | Preparing a Hydraulic Report | 1-5 |
| 1-3.3 | Hydraulic Report Submittal and Archiving | 1-6 |
| 1-3.4 | Hydraulic Report Revisions and Supplements | 1-8 |
| 1-3.5 | Hydraulic Reports and Design-Build Projects | 1-8 |
| 1-3.6 | Developers and Utility Agreements | 1-8 |
| 1-3.7 | Downstream Analysis | 1-8 |
| 1-4 | Storm Frequency Policy and Recommended Software/Design Tools | 1-10 |
| 1-5 | Hydraulic Report Review Schedule | 1-13 |
| 1-5.1 | Milestones and Scheduling | 1-13 |
| 1-6 | Appendices | 1-14 |
| | Appendix 1A Hydraulic Report Checklist | 1-15 |
| | Appendix 1B Hydraulic Report Outline | 1-16 |
| | | |
| Chapter 2 | Hydrology | 2-1 |
| 2-1 | Introduction | 2-1 |
| 2-2 | Selecting a Method | 2-2 |
| 2-3 | Drainage Basin | 2-5 |
| 2-3.1 | Off-Site Basins | 2-5 |
| 2-3.2 | On-Site Basins | 2-5 |
| 2-4 | Cold Climate Considerations | 2-5 |
| 2-4.1 | Calculating Snow Melt | 2-5 |
| 2-4.2 | Additional Considerations | 2-6 |
| 2-5 | Rational Method | 2-7 |
| 2-5.1 | General | 2-7 |
| 2-5.2 | Runoff Coefficients | 2-7 |
| 2-5.3 | Time of Concentration | 2-9 |
| 2-5.4 | Rainfall Intensity | 2-11 |
| 2-6 | Single-Event Hydrograph Method: Santa Barbara Urban Hydrograph | 2-13 |
| 2-6.1 | Design Storm Hyetograph | 2-13 |
| 2-6.2 | Runoff Parameters | 2-14 |
| 2-7 | Continuous Simulation Hydrologic Model (Western Washington Only) | 2-17 |
| 2-7.1 | Modeling Requirements | 2-17 |

| | | |
|------------------|--|------------|
| 2-8 | Published Flow Records | 2-22 |
| 2-9 | USGS Regression Equations | 2-22 |
| 2-10 | Flood Reports..... | 2-23 |
| 2-11 | Examples..... | 2-24 |
| 2-12 | Appendices | 2-24 |
| | Appendix 2A Isopluvial and MAP Web Links and Mean Annual Precipitation Data | 2-25 |
| | Appendix 2B USGS Regression Equation Zone Map | 2-26 |
| Chapter 3 | Culvert Design..... | 3-1 |
| 3-1 | Introduction | 3-1 |
| 3-2 | Culvert Design Documentation | 3-1 |
| | 3-2.1 Hydraulic Reports..... | 3-1 |
| | 3-2.2 Required Field Data | 3-2 |
| | 3-2.3 Engineering Analysis..... | 3-3 |
| 3-3 | Hydraulic Design of Culverts..... | 3-4 |
| | 3-3.1 Culvert Design Considerations..... | 3-4 |
| | 3-3.2 Allowable Headwater..... | 3-6 |
| | 3-3.3 Tailwater Conditions..... | 3-8 |
| | 3-3.4 Flow Type..... | 3-9 |
| | 3-3.5 Velocities in Culverts – General..... | 3-9 |
| | 3-3.6 Culvert Hydraulic Calculations Form..... | 3-10 |
| | 3-3.7 Computer Programs | 3-10 |
| | 3-3.8 Example | 3-10 |
| 3-4 | Culvert End Treatments | 3-10 |
| | 3-4.1 Projecting Ends..... | 3-10 |
| | 3-4.2 End Sections | 3-11 |
| | 3-4.3 Flared End Sections | 3-12 |
| | 3-4.4 Headwalls and Slope Collars..... | 3-13 |
| | 3-4.5 Wing Walls and Aprons | 3-14 |
| | 3-4.6 Improved Inlets | 3-14 |
| | 3-4.7 Energy Dissipators | 3-15 |
| | 3-4.8 Culvert Debris..... | 3-16 |
| 3-5 | Miscellaneous Culvert Design Considerations..... | 3-17 |
| | 3-5.1 Multiple Culvert Openings | 3-17 |
| | 3-5.2 Camber..... | 3-17 |
| | 3-5.3 Horizontal and Vertical Angle Points..... | 3-17 |
| | 3-5.4 Upstream Ponding | 3-18 |
| | 3-5.5 Miscellaneous Design Considerations – Siphons | 3-18 |

| | | |
|------------------|--|------------|
| Chapter 4 | Open-Channel Flow | 4-1 |
| 4-1 | Introduction | 4-1 |
| 4-2 | Determining Channel Velocities | 4-2 |
| 4-2.1 | Field Slope Measurements | 4-2 |
| 4-3 | Roadside Ditch Design Criteria | 4-3 |
| 4-4 | Critical Depth | 4-3 |
| 4-5 | River Backwater Analysis | 4-4 |
| 4-6 | River Stabilization | 4-4 |
| 4-6.1 | Streambank Protection | 4-5 |
| 4-6.2 | Riprap for Bank Stabilization | 4-6 |
| 4-6.3 | Channel Stabilization | 4-10 |
| 4-7 | Appendices | 4-11 |
| | Appendix 4A Manning's Roughness Coefficients (n) | 4-13 |
| | | |
| Chapter 5 | Drainage of Highway Pavements | 5-1 |
| 5-1 | Introduction | 5-1 |
| 5-2 | Hydrology | 5-1 |
| 5-3 | Highway Drainage | 5-2 |
| 5-3.1 | Downstream End of Bridge Drainage | 5-2 |
| 5-3.2 | Slotted Drains and Trench Systems | 5-2 |
| 5-3.3 | Drop Inlets | 5-2 |
| 5-4 | Gutter Flow and Inlet Spacing | 5-2 |
| 5-4.1 | Capacity of Inlets on a Continuous Grade | 5-4 |
| 5-4.2 | Capacity of Inlets at Sag Locations | 5-4 |
| 5-5 | Drainage Structures | 5-7 |
| 5-5.1 | Inlet Structure Types | 5-8 |
| 5-5.2 | Grate Types | 5-10 |
| 5-6 | Hydroplaning and Hydrodynamic Drag | 5-14 |
| | | |
| Chapter 6 | Storm Sewer | 6-1 |
| 6-1 | Introduction | 6-1 |
| 6-2 | Design Criteria | 6-3 |
| 6-3 | Data for Hydraulic Reports | 6-5 |
| 6-4 | Storm Sewer Design - Manual Calculations | 6-5 |
| 6-5 | Storm Sewer Design - Computer Analysis | 6-5 |
| 6-6 | Hydraulic Grade Line | 6-5 |
| 6-7 | Drywells | 6-7 |
| 6-8 | Pipe Materials for Storm Sewers | 6-7 |
| 6-9 | Subsurface Drainage | 6-7 |

| | | |
|------------------|---|------------|
| Chapter 7 | Fish Passage | 7-1 |
| 7-1 | Introduction | 7-1 |
| 7-2 | Existing Conditions | 7-2 |
| 7-2.1 | Reference Reach | 7-2 |
| 7-2.2 | Bankfull Width | 7-5 |
| 7-2.3 | Watershed and Land Cover | 7-5 |
| 7-2.4 | Geology and Soils | 7-5 |
| 7-2.5 | Fluvial Geomorphology | 7-6 |
| 7-2.6 | Hydrology | 7-8 |
| 7-3 | Hydraulic Analysis | 7-8 |
| 7-3.1 | Manning's n | 7-8 |
| 7-3.2 | Boundary Conditions | 7-8 |
| 7-4 | Design | 7-8 |
| 7-4.1 | Constraints | 7-9 |
| 7-4.2 | Channel Alignment | 7-10 |
| 7-4.3 | Channel Cross Section | 7-11 |
| 7-4.4 | Hydraulic Opening | 7-11 |
| 7-4.5 | Freeboard | 7-14 |
| 7-4.6 | Buried Structures | 7-15 |
| 7-4.7 | Sediment | 7-16 |
| 7-4.8 | Total Scour | 7-18 |
| 7-4.9 | Lateral Migration | 7-18 |
| 7-4.10 | Channel Complexity | 7-18 |
| 7-4.11 | Preventative Countermeasures | 7-19 |
| 7-4.12 | Landscaping/Planting | 7-19 |
| 7-4.13 | Determining Crossing Design Methodology for Documentation | 7-20 |
| 7-5 | Other Design Methods | 7-20 |
| 7-5.1 | No-Slope Design | 7-20 |
| 7-5.2 | Fish Improvement Structures | 7-20 |
| 7-6 | Temporary Stream Diversions | 7-21 |
| 7-7 | Monitoring | 7-22 |
| 7-8 | Additional Resources | 7-22 |
| 7-9 | Appendices | 7-22 |
| Appendix 7A | Streambed Material Decision Tree | 7-23 |
| Appendix 7B | Design Methodology Requirements for Bridges and Stream Simulation Culverts | 7-25 |

| | | |
|------------------|---|------------|
| Chapter 8 | Pipe Classifications and Materials | 8-1 |
| 8-1 | Introduction | 8-1 |
| 8-2 | Pipe Classifications | 8-1 |
| 8-2.1 | Drain Pipe | 8-1 |
| 8-2.2 | Underdrain Pipe | 8-2 |
| 8-2.3 | Culvert Pipe | 8-2 |
| 8-2.4 | Storm Sewer Pipe | 8-6 |
| 8-2.5 | Sanitary Sewer Pipe | 8-6 |
| 8-3 | Pipe Materials | 8-7 |
| 8-3.1 | Concrete Pipe | 8-7 |
| 8-3.2 | Metal Pipe – General | 8-8 |
| 8-3.3 | Thermoplastic Pipe – General | 8-11 |
| 8-4 | Pipe Corrosion Zones and Pipe Alternate Selection | 8-14 |
| 8-4.1 | Corrosion Zone I | 8-15 |
| 8-4.2 | Corrosion Zone II | 8-15 |
| 8-4.3 | Corrosion Zone III | 8-15 |
| 8-5 | Corrosion | 8-22 |
| 8-5.1 | pH | 8-22 |
| 8-5.2 | Resistivity | 8-23 |
| 8-5.3 | Corrosion Control Methods | 8-23 |
| 8-6 | Abrasion | 8-24 |
| 8-7 | Pipe Joints | 8-26 |
| 8-8 | Pipe Anchors | 8-26 |
| 8-8.1 | Thrust Blocks | 8-26 |
| 8-9 | Pipe Rehabilitation – Trenchless Technology | 8-27 |
| 8-9.1 | Trenchless Techniques for Pipe Replacement | 8-28 |
| 8-10 | Pipe Design | 8-29 |
| 8-10.1 | Categories of Structural Materials: Rigid or Flexible | 8-29 |
| 8-10.2 | Structural Behavior of Flexible Pipes | 8-29 |
| 8-10.3 | Structural Behavior of Rigid Pipes | 8-30 |
| 8-10.4 | Foundations, Bedding, and Backfill | 8-31 |
| 8-11 | Abandoned Pipe Guidelines | 8-31 |
| 8-12 | Structural Analysis and Fill Height Tables | 8-32 |
| 8-12.1 | Pipe Cover | 8-32 |
| 8-12.2 | Shallow Cover Installation | 8-32 |
| 8-12.3 | Fill Height Tables | 8-33 |

| | | |
|-------------------------------------|---|-------------|
| Chapter 9 | Highway Rest Areas | 9-1 |
| 9-1 | Introduction | 9-1 |
| Chapter 10 | Large Woody Material | 10-1 |
| 10-1 | Introduction | 10-1 |
| 10-1.1 | Purpose and Need | 10-2 |
| 10-1.2 | Guidance for Emergency Large Woody Material Placement | 10-2 |
| 10-1.3 | Design Oversight | 10-2 |
| 10-2 | Design Process | 10-3 |
| 10-3 | Reach Assessments | 10-4 |
| 10-4 | Recreational Waters Safety Assessment | 10-4 |
| 10-5 | Project Objectives | 10-5 |
| 10-6 | General Design Criteria | 10-6 |
| 10-6.1 | Design Life | 10-6 |
| 10-6.2 | Wood Selection | 10-7 |
| 10-6.3 | Design Flow | 10-9 |
| 10-6.4 | Stability and Anchoring | 10-10 |
| 10-6.5 | Scour | 10-12 |
| 10-6.6 | FEMA Floodplain and Floodways | 10-13 |
| 10-6.7 | Recreational Safety | 10-13 |
| 10-7 | Project-Specific Design Criteria | 10-14 |
| 10-7.1 | Bridge Scour and Bank Stabilization | 10-14 |
| 10-7.2 | Stream Habitat Restoration | 10-16 |
| 10-7.3 | Habitat Design Process | 10-17 |
| 10-8 | Mobile Woody Material | 10-22 |
| 10-8.1 | Introduction | 10-22 |
| 10-8.2 | Design Criteria | 10-23 |
| 10-9 | Inspection and Maintenance | 10-24 |
| 10-10 | Appendices | 10-24 |
| Appendix 10A | LWM Design Process Examples for Fish Passage Projects in Washing | 10-25 |
| Appendix 10B | LWM Structure Examples | 10-31 |
| Appendix 10C | Typical LWM Installations for Stream Habitat Restoration .. | 10-36 |
| Glossary & Sources | | G-1 |