

SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, April 26, 2021** to **Sunday, May 2, 2021**

PUBLISHED MAY 5, 2021

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: Friday, August 16, 2019


MPPCNV days to date: 626

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	5
Project related non-compliance this week	1
Nighttime noise issue comments to the project	2
Non-project-related noise exceedances this week	25

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	252
Total Project related non-compliance	57
Total noise issue comments to the project	57
Total non-project related exceedances	2504

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, April 26, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.9	54.8	50.8	48.0	47.8	48.9	52.0	58.0	60.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.4	59.4	57.3	55.9	55.8	56.5	58.7	62.9	62.9	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	48.9	47.4	44.4	43.0	40.9	38.6	45.1	55.3	53.9	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.7	62.1	59.5	56.8	56.9	57.9	63.6	68.2	69.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.4	58.0	55.1	53.5	53.5	54.0	56.5	60.9	61.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.0	53.1	47.7	43.4	45.2	49.1	51.9	56.8	57.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.1	54.6	52.2	50.0	51.5	51.8	51.8	61.1	62.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.6	54.1	50.7	48.1	49.3	49.7	52.6	57.4	58.1	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.2	58.1	54.9	53.2	52.5	54.8	57.0	64.4	66.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.0	59.5	55.7	53.7	52.8	54.7	57.9	64.5	67.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid to set form deck soffit, run wire on pier/pad 2 median area, install rebar at the Montlake lid, assemble rebar cages, and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, April 27, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.4	52.3	51.0	48.6	48.0	49.5	52.2	58.7	61.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	62.7	58.6	56.9	55.6	55.8	57.0	58.8	61.9	63.1	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.2	46.5	45.0	42.6	41.1	42.4	45.0	55.2	52.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	68.0	62.1	59.9	58.1	58.1	57.5	64.8	68.3	70.0	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.3	56.4	55.0	53.4	53.6	55.0	56.9	59.9	61.1	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.9	46.4	47.7	44.9	44.7	46.7	56.5	58.3	57.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	56.3	52.6	52.8	51.0	52.4	52.9	53.0	56.5	59.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.9	50.6	51.4	51.4	51.2	49.9	52.0	57.9	58.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.9	57.2	56.4	52.7	52.9	56.8	60.0	63.9	64.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.4	58.8	57.0	53.4	52.6	55.4	58.3	64.8	67.0	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid to set form deck soffit, run wire on pier 2 pad 4 median area, install rebar at the Montlake lid, assemble rebar cages, and set up for day work.

Public Comments:

1:34 a.m April 28th - A call to the hotline was made from a resident that lives on E Hamlin Street, resident "reported hearing a revving sound that stopped around 2:30 a.m. The sound was similar to what she heard when we had concrete pumps working in the area. She also said there was hammering coming from the lid area to ask about noise he was hearing". The call required a follow-up. **See Public Notice Log for additional details.**

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise Level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021
10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Site	Site limit*	Wednesday, April 28, 2021										
		10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. LK WA Blvd	67	52.9	50.6	48.4	46.2	47.4	47.3	51.2	57.4	60.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.5	59.2	56.7	55.6	55.5	56.2	58.0	62.2	63.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.5	47.0	45.5	43.3	43.6	43.9	46.4	54.8	54.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.3	62.0	59.3	58.0	57.4	58.9	63.0	68.0	69.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	60.3	57.3	54.5	53.5	53.5	54.0	55.7	60.3	61.6	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	49.1	47.1	45.3	42.3	46.0	45.5	48.7	54.2	55.0	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	59.8	53.7	52.8	50.8	53.0	52.4	53.5	55.1	60.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	63.3	53.7	49.1	47.0	50.5	53.0	51.0	54.5	57.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.0	57.4	55.0	52.5	55.1	53.6	58.0	63.7	66.4	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.3	59.1	55.1	53.9	55.6	53.5	58.8	64.7	67.6	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid to set form deck soffit, run wire on pier 2 pad 4 median area, install rebar at the Montlake lid, assemble rebar cages, and set up for day work.

Public Comments:

10:55 p.m April 28th - A call to the hotline was received from a resident that lives on E Hamlin Street to "to report noise that sounded like a saw cutting metal or wood. She said the noise had been going since 6 or 7 p.m., but now that she was trying to fall asleep it was really distracting and grating". The call required a follow-up. **See Public Notice Log for additional details.**

Exceedances:

Site(s) 4, 8, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, April 29, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.5	51.8	50.0	48.9	48.2	45.7	49.8	54.6	57.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.3	60.8	59.1	59.0	57.5	56.5	58.0	61.0	62.0	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.2	47.6	47.0	45.5	44.7	43.6	46.9	52.5	53.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.3	63.5	60.3	61.8	59.1	59.7	63.0	67.9	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.9	59.7	57.7	58.2	56.5	55.6	56.7	59.5	60.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	54.3	53.9	51.0	51.0	50.5	48.8	52.3	57.5	60.0	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	66.5	58.9	57.6	60.0	57.0	55.0	53.5	54.6	57.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	60.8	62.0	60.5	61.4	59.5	57.8	56.5	55.4	59.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	65.6	60.5	57.7	58.1	56.3	55.5	58.2	62.0	63.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	63.9	59.2	56.9	54.6	53.7	54.2	58.1	63.2	65.7	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to work on the Montlake lid deck pour and install deck soffit, install boxes at the south treatment area, install rebar at the Montlake lid, assemble rebar cages, and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.
Site 7 exceedance for 10pm - 11pm is work related. Design-Builder was operating near noise monitor #7.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, April 30, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.8	53.9	53.3	51.5	48.9	47.2	48.3	50.6	52.6	54.2	56.1
Site 2 - 2015 E. Roanoke St	78	61.6	60.2	58.9	57.1	55.3	52.2	52.9	57.2	60.0	60.9	61.2
Site 3A - 3810 E. McGilvra St	62	51.8	49.5	50.1	51.2	47.9	47.7	44.9	47.6	49.0	48.4	50.8
Site 4 - 2800 Montlake Blvd E	66	65.5	64.3	62.5	60.8	58.1	56.2	58.5	63.8	67.8	67.3	67.2
Site 5 - 2565 22nd Av E.	65	60.0	58.6	57.2	54.8	52.9	50.3	50.8	55.1	57.7	59.4	59.6
Site 6 - 2160 E. Hamlin St	63	51.7	49.2	47.8	47.6	46.2	45.2	48.7	52.7	52.4	53.7	55.1
Site 7 - 2209 E. Lake Wa Blvd	66	56.1	54.4	52.0	50.1	46.9	45.0	46.6	49.5	51.9	55.7	57.5
Site 8 - Portable Between Sites 4 and 6	63	54.4	52.6	50.3	49.7	47.5	46.1	47.5	51.1	53.8	53.9	55.2
Site 9 - Portable Between Sites 1 and 7	66	61.9	59.1	60.1	61.7	52.3	49.2	52.0	55.1	56.7	61.3	63.1
Site 10 - Portable Between Sites 1 and 7	66	63.3	61.5	60.2	58.4	54.1	52.8	53.8	57.1	59.0	63.7	66.2

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 9:00am to work at the south pit to install scaffolding, north pit to install pipe support, install pumps at the old canal and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, May 1, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.4	53.9	52.8	50.7	49.7	50.4	47.7	51.0	53.4	54.2	55.9
Site 2 - 2015 E. Roanoke St	78	62.2	59.6	58.0	55.6	55.0	53.7	52.2	56.2	59.5	59.9	60.9
Site 3A - 3810 E. McGilvra St	62	52.1	48.7	48.8	48.3	47.8	46.0	44.0	47.4	48.7	48.8	51.9
Site 4 - 2800 Montlake Blvd E	66	66.0	63.9	61.9	60.1	58.3	57.8	59.3	62.1	66.6	65.9	66.2
Site 5 - 2565 22nd Av E.	65	60.5	57.8	56.2	53.5	53.3	52.4	49.9	54.2	57.5	58.1	59.2
Site 6 - 2160 E. Hamlin St	63	55.0	51.9	53.3	51.5	50.5	51.0	50.6	52.9	53.3	52.9	52.9
Site 7 - 2209 E. Lake Wa Blvd	66	56.6	53.2	51.9	49.6	48.9	49.0	46.0	49.0	52.1	52.7	55.3
Site 8 - Portable Between Sites 4 and 6	63	62.3	51.3	52.4	50.5	50.4	51.8	47.7	51.9	54.3	53.7	54.0
Site 9 - Portable Between Sites 1 and 7	66	62.5	59.6	56.9	54.2	52.8	54.0	50.8	54.2	57.4	59.3	62.0
Site 10 - Portable Between Sites 1 and 7	66	64.8	61.9	59.5	56.6	53.8	56.0	53.7	56.9	59.7	61.7	64.2

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 26, 2021 to Sunday, May 2, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, May 2, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	52.8	51.5	49.8	49.3	46.9	45.8	48.6	55.4	57.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.7	58.6	55.2	55.2	52.8	54.1	55.6	60.4	62.7	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.9	46.4	49.0	44.4	42.2	40.3	41.5	51.5	51.3	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	64.8	63.2	59.5	58.4	56.4	58.7	63.4	67.8	69.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.9	56.8	53.3	53.3	50.7	52.4	53.3	58.4	60.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.5	48.5	49.4	50.6	46.0	43.2	56.6	54.9	55.8	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.3	49.8	48.6	48.1	44.7	44.4	46.8	54.5	57.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	50.9	51.8	50.4	49.9	47.1	44.7	50.1	55.7	56.1	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.1	55.0	55.0	54.4	48.6	48.7	52.5	61.9	64.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.7	58.5	56.2	53.3	51.2	51.5	55.3	63.4	66.2	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, April 26, 2021 to Sunday, May 2, 2021

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution
04/28/2021 - 1:34 a.m	To: Hotline From: Residents on E Hamlin St	During the MPPCNV Monitoring: Resident on Hamlin Street called the hotline, the call wasn't answered and resident didn't leave a message so the call wasn't returned until the morning. She reported hearing a revving sound that stopped around 2:30 a.m. The sound was similar to what she heard when we had concrete pumps working in the area. She also said there was hammering coming from the lid area.	Bob Derry(Public Information Manager) called the resident at 9 a.m. and told her that the project team investigated the sounds but couldn't find evidence of any of our machines working overnight on the project. However, the hammering sound likely came from the overnight work on the lid.
04/28/2021 - 10:55 p.m	To: Hotline From: Residents on E Hamlin St	During the MPPCNV Monitoring: Resident on E Hamlin Street called the hotline, "to report noise that sounded like a saw cutting metal or wood. She said the noise had been going since 6 or 7 p.m., but now that she was trying to fall asleep it was really distracting and grating. She said she tried to use a white noise machine but it was not helping. She asked if there was any way crews could stop making noise. During the call, resident said the noise stopped."	Hayley Nolan (Senior Project Coordinator) "said she would report this to the team and asked if resident wanted a call back, which she did. Hayley called Gary Stensland(ECM), who did not answer. She also sent texts to Gary, Chris, and Cheryl to notify them of the complaint. Hayley called resident back at 11:17 p.m. to say she could not reach a team member but messages had gone out to several people so they would be aware there was a complaint. Resident said the noise had stopped but she would call the hotline back if it started again."