
## How To: Perform an Audit.

1. Assuming that you have logged successfully into the system and you're on the home page of the CATS system. Navigate to the 'Prepare Audit Page' by using the menu item as shown below.



2. Perform Audit' page looks like as shown below

*Work Order# *Section		
Audit # Audited By Audit Date Status Select a value	Show Work Location Details	
Scheduled Activity # Scheduled Activity Description		
*Work Location 1 WL1 # Work Location 2 WL2# Work Location 3 WL3#		
Location Description From Station		
Discipline	Sub Category	
Save Send To Contractor	Send Back To Auditor Accept & File	Preview

3. Select a Contract/Work order (if it is not already pre-selected).

*Work Order#		*Section
007100	-	EVERETT HOV DESIGN BUILT

4. Upon Contract Number selection the Audit# drop down list box is populated with all the previously created Audits

*Work Order#	*Section		
007100 💽	EVERETT HOV DESIGN BUILT	Г	
Audit #	Audited By Audit Date	Status	
Select a value 💌	Select a value 🔽	Select a value	-
Select a value 007100-00032 007100-00033	y # Scheduled Activity Descrip	ption	

5. Select an Audit# (in the Audit# drop down list box) which you want to perform an audit for. '007100-0033' in this case. Upon selection the location information and all the Audit Items are populated as shown below.

Audited By Select a va		Audi	t Created	•	Show Work Location Details		
side Drainage 1 WL1 #	Work Location	▼ 1-NB I In 2 WL2# UE ▼	<i>,</i>				
Discipline					Sub Category		
				GRAVEL BASE			
<u>Item #</u>	<u>Spec ID</u>	<u>Title</u>	Spec Require	<u>ments</u>	<u>Comments</u>	Accepted ?	
001	4-02.3	Subgrade Preparation	The subgrade shall be prepared as specified in Section 2-06 and shall be approved by the Engineer before placing ballast or surfacing materials.			O Yes	
002 4-02.3 Shaping		Each layer of surfacing material shall be spread by equipment that is approved by the Engineer. A paving machine or motor grader may be used.			O Yes		
	ity # side Drainage 1 WL1 # wition From Sta	side Drainage       WL1 # Work Locatic       Select a val       stion From Station       To Stati       Image: Item # Spec ID       001       4-02.3	ity # Schedu side Drainage y [-NB I ] WL1 # Work Location 2 Select a value y thion From Station To Station Discipline Item # Spec ID Title 001 4-02.3 Subgrade Preparation	It # Scheduled Activity Description side Drainage   it /* I-NB Inside Drainage   I -NB Inside Drainage I-NB Inside Drainage   WL1 # Work Location 2   Select a value WL2#   Select a value Select a value   Discipline     Discipline   001 4-02.3   Subgrade Preparation   Data   D02 4-02.3     Subgrade Preparation     Each layer of surfacing mat by equipment that is approx	Discipline   Discipline   Old 4-02.3   Subgrade   Preparation   The subgrade shall be prepared as specified in Section 2-06 and shall be approved by the Engineer before placing ballast or surfacing materials.	Discipline Sub Category   001 4-02.3   002 4-02.3   Shaping	

- 6. At this point 'location' information is not editable (if you want to edit the location information, refer to 'How To: Edit an existing Audit'). Only 'Comments' and 'Accepted' columns are editable. You can input your 'Audit Observations/Comments' and select whether the Audit Item is 'Accepted/Not Accepted/NA'
- 7. In this case Audit Item# 001 is 'Accepted' and Item# 002 is 'Not Accepted' and appropriate comments are recorded. Once the Audit observations are recorded, Click on Save button to save the Audit observations.

		are saved s	uccessfully.						
Work O 007100		*Section EVERETT H	OV DESIGN I	BUILT					
udit # 07100-	00033 💌	Audited By NimmaM 💌	Audit Date 8/3/2005	Status Audit Crea	ited	🗾 🗹 sh	ow Work Location Details		
	led Activit 1-NB Insi	<b>y #</b> de Drainage			led Activity Description				
*Work   D12-1	Location 1	WL1 #	Work Locatio		Work Location 3 WL3#				
.ocatior	n Descripti	ion From Sta	tion To Stati	n					
				Discipline			Sub Category		
-1	BASES	BASES					RAVEL BASE		
		Item # Spec ID Title			Spec Require	ments	Comments Accepte		
		001	4-02.3	Subgrade Preparation	The subgrade shall be prepared as specified in Section 2-06 and shall be approved by the Engineer before placing ballast or surfacing materials.		ok. Accepted	© Yes ONo ON/A	
		002	4-02.3	Shaping	Each layer of surfacing mate by equipment that is approv A paving machine or motor used.	ed by the Engineer.	No. Not accepted, Please submit following documents 1. abc 2. dbe	OYes ◉No ON/A	

- 8. If you have one or more Audit Items 'Not Accepted' you need to send this Audit to Contractor for resolution by clicking on the 'Send To Contractor' button.
- Upon sending the Audit to Contractor, the system generates an NCI (Non Compliance Issue) number for each and every 'Un-Accepted' Audit items.
- 10. If you have all the Audit Items 'Accepted' then you can 'Accept & file' the audit, by clicking on 'Accept & File' button.