

SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, April 5, 2021** to **Sunday, April 11, 2021**

PUBLISHED APRIL 14, 2021

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non -project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: **Friday, August 16, 2019**


MPPCNV days to date: **605**

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	5
Project related non-compliance this week	1
Nighttime noise issue comments to the project	2
Non-project-related noise exceedances this week	32

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	236
Total Project related non-compliance	54
Total noise issue comments to the project	55
Total non-project related exceedances	2421

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, April 5, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.5	55.1	53.9	52.4	51.6	53.5	52.2	56.5	61.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.4	63.2	63.6	61.9	59.3	57.4	58.5	60.4	63.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.4	51.5	48.3	45.5	45.6	42.7	45.3	47.8	59.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.3	63.7	62.3	60.3	60.2	59.8	63.9	68.2	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.6	61.0	60.9	59.7	57.7	55.2	56.2	58.2	61.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.9	56.0	53.1	52.8	52.1	52.5	53.4	56.9	59.6	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	58.2	58.1	57.4	56.4	55.6	54.5	53.9	55.2	61.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	59.9	60.6	61.5	60.6	59.9	59.4	56.2	56.5	59.9	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	63.0	62.1	60.0	59.2	57.2	57.6	58.2	62.0	70.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.5	60.6	58.1	58.0	55.4	58.4	58.2	63.9	67.2	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 6:00am to set pier/platforms on the old West Approach Bridge South, unload delivered casing, backfill/compact pad 4 pier 2 area, and concrete pour the Montlake lid deck.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

4:33am, Graham had an equipment(Concrete pump truck) with a pure backup tonal alarm. Cameron with PBS was notified. Graham representative was present when the vehicle backed up twice as it was leaving the construction site.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, April 6, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.2	53.9	52.3	50.9	48.8	49.1	50.7	55.1	59.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.4	59.2	57.2	56.3	54.6	55.6	57.1	60.4	62.1	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.4	51.1	46.9	43.5	41.1	42.8	45.0	48.1	51.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.2	62.3	60.5	58.4	58.2	59.2	63.0	68.1	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	62.1	58.6	55.6	54.9	53.4	54.1	55.4	58.6	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.7	51.6	50.7	50.3	47.8	46.0	50.0	54.3	57.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.7	53.0	52.7	50.5	50.8	51.3	51.8	52.9	58.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.9	52.8	51.8	51.1	49.4	49.8	50.8	54.2	56.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.2	57.4	56.6	54.7	53.2	55.7	57.8	60.6	74.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.4	59.9	57.7	55.9	53.5	55.9	57.5	62.9	67.6	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to set pier/platforms on the old West Approach Bridge South, unload delivered casing, backfill/compact pad 4 pier 2 area, crane delivery to the old canal and work on the Montlake lid deck.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, April 7, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.0	52.2	50.4	49.5	52.1	50.2	51.6	56.6	61.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.1	59.2	57.3	56.0	57.6	55.5	57.4	61.2	63.2	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	53.0	53.9	49.8	50.0	49.0	46.3	46.0	48.9	53.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.0	64.7	62.2	59.5	61.0	59.8	62.4	68.8	70.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.6	58.1	55.7	54.5	57.2	54.3	55.6	59.0	61.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.6	51.6	49.0	45.5	49.5	48.8	50.9	55.6	59.1	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.0	52.0	51.1	48.8	54.4	54.2	54.6	55.4	59.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.5	53.2	51.5	49.7	51.9	50.9	51.4	55.8	58.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.5	58.6	55.8	54.9	55.6	55.2	60.3	64.3	66.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.9	58.4	56.3	55.9	56.9	56.0	59.4	64.5	68.4	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 5:00am to set pier/platforms on the old West Approach Bridge South, unload delivered casing, backfill/compact pad 4 pier 2 area, and work on the montlake lid.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4, 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, April 8, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.6	53.9	57.0	52.1	52.0	51.3	52.9	57.3	61.6	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.3	58.9	60.8	55.7	55.4	55.6	57.3	61.0	62.7	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	53.7	52.9	50.3	44.6	43.9	44.6	45.7	48.5	51.8	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.4	62.8	67.6	60.2	58.3	59.5	63.2	68.0	70.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.3	57.4	59.4	54.4	54.1	54.3	55.6	58.9	60.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	49.7	51.8	57.0	50.4	52.2	51.0	53.8	56.6	59.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	55.0	52.8	55.9	51.7	56.6	55.0	55.0	54.9	58.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.2	53.9	59.8	52.4	51.8	52.6	54.1	56.0	59.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.2	59.8	61.2	57.5	58.9	56.9	58.3	64.3	65.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.5	60.1	60.9	59.1	56.0	56.1	58.9	64.4	67.7	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 5:00am to set pier/platforms on the old West Approach Bridge South, unload delivered casing, concrete pour the pad 4 pier 2 area, and work on the montlake lid to set form deck soffit.

Public Comments:

6:30 a.m April 9th - A call to the hotline was received from a resident that lives on Lake Washington Blvd to ask about noise he was hearing. He said he saw a crane out near his house, and there was lots of banging and rattling, and he wondered if it was going to continue, and why crews were working before 7 a.m. The call required a follow-up. **See Public Notice Log for additional details.**

10:40 a.m April 9th - A call to the hotline was received from a resident that lives on Lake Washington Blvd to "report she'd heard a steady banging or clanking sound from the 520 project from 4 to 4:30 a.m.". The call required a follow-up. **See Public Notice Log for additional details.**

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, April 9, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.7	54.9	59.3	50.1	50.2	48.9	52.1	54.0	56.1	58.5	59.9
Site 2 - 2015 E. Roanoke St	78	60.3	59.7	58.2	57.7	54.4	54.1	55.9	59.0	62.2	62.5	63.6
Site 3A - 3810 E. McGilvra St	62	49.7	53.7	55.6	53.3	49.8	47.1	46.1	53.4	51.9	54.1	54.7
Site 4 - 2800 Montlake Blvd E	66	66.2	65.7	64.3	61.2	59.1	57.8	60.5	63.5	67.5	68.0	68.8
Site 5 - 2565 22nd Av E.	65	59.0	58.7	56.8	55.5	52.5	52.1	53.6	57.3	60.1	60.7	61.8
Site 6 - 2160 E. Hamlin St	63	55.9	56.3	55.3	50.8	49.5	46.6	45.2	51.8	52.8	55.2	56.4
Site 7 - 2209 E. Lake Wa Blvd	66	54.3	54.6	52.3	48.9	47.4	46.0	49.5	55.4	56.1	57.1	61.3
Site 8 - Portable Between Sites 4 and 6	63	55.9	57.0	55.6	50.9	50.5	47.6	46.7	52.0	53.9	56.1	57.0
Site 9 - Portable Between Sites 1 and 7	66	61.0	60.0	59.5	53.9	53.6	52.0	59.8	58.9	62.4	62.6	64.5
Site 10 - Portable Between Sites 1 and 7	66	62.2	60.7	66.1	55.0	54.4	53.9	60.9	60.2	64.0	64.8	66.7

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 9:00am to work on the montlake lid to set form deck soffit, move crane from the old canal to the south pit, assemble rebar cages, and set up for drive piles on the old West Approach Bridge South.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, April 10, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.4	55.1	55.1	51.7	52.2	49.0	50.1	52.5	53.7	55.5	57.9
Site 2 - 2015 E. Roanoke St	78	61.9	63.1	62.0	56.9	56.0	55.8	55.3	56.2	59.6	60.5	61.0
Site 3A - 3810 E. McGilvra St	62	51.4	48.0	47.5	44.6	46.5	42.1	40.4	44.0	48.4	50.3	52.0
Site 4 - 2800 Montlake Blvd E	66	65.5	67.2	62.4	59.4	58.7	59.4	59.5	63.0	66.6	67.8	67.2
Site 5 - 2565 22nd Av E.	65	59.9	62.6	58.4	54.9	53.7	53.5	53.2	53.9	57.5	58.3	58.9
Site 6 - 2160 E. Hamlin St	63	49.9	51.4	51.4	50.9	50.5	45.4	51.2	50.1	51.1	51.3	52.7
Site 7 - 2209 E. Lake Wa Blvd	66	54.4	53.8	52.7	49.4	53.2	47.9	49.6	48.8	52.0	55.0	55.3
Site 8 - Portable Between Sites 4 and 6	63	51.9	53.2	52.8	51.4	51.4	51.5	51.1	52.0	52.5	52.5	52.7
Site 9 - Portable Between Sites 1 and 7	66	60.6	59.5	60.1	54.8	56.5	53.6	54.5	56.6	56.2	59.6	62.0
Site 10 - Portable Between Sites 1 and 7	66	62.5	61.4	62.7	56.6	56.6	53.6	55.5	57.7	59.0	62.0	65.0

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, April 11, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.6	53.0	51.3	49.5	48.6	49.8	52.4	58.4	61.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.4	58.4	56.2	55.5	54.5	54.6	58.4	62.6	64.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.8	47.3	44.6	42.2	41.6	43.4	47.3	51.8	55.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.1	62.8	59.8	58.7	57.5	58.0	67.0	68.2	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	59.1	56.5	54.3	53.6	52.4	52.8	56.3	60.7	62.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.8	49.6	50.7	50.7	48.7	48.2	49.2	53.0	55.1	55.8	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.3	51.2	50.3	48.1	46.1	47.5	50.0	55.9	59.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.2	51.7	51.4	49.7	48.5	49.6	52.4	57.0	56.4	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.7	56.9	54.3	55.5	50.7	51.9	55.5	63.1	65.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.4	58.9	56.2	54.6	52.8	53.6	56.6	64.7	67.6	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 4 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, April 5, 2021 to Sunday, April 11, 2021 **10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)**

Public Comment Log			
Date / Time	To/From	Issue	Resolution
04/07/2021 - 9:00 a.m	To: Hotline From: Residents on Hamlin St	Outside the MPPCNV Monitoring: Resident on Hamlin St called the hotline to ask not to make noise at the 54" water line's north pit between 2 p.m -3:30 p.m.	Bob Derry (Public Information Manager) answered the call and he told her that couldn't guarantee that. She did not call between 2 - 3:30
04/09/2021 - 6:30 a.m	To: Hotline From: Residents on Lake Washington Blvd	During the MPPCNV Monitoring: Resident on Lake Washington Blvd near site #1 called the hotline to "ask about noise he was hearing. He said he saw a crane out near his house, and there was lots of banging and rattling, and he wondered if it was going to continue, and why crews were working before 7 a.m."	Holly Wyrwich (Associates Communications) answered the call and "explained that crews are allowed to work 24/7 but that there is a limit to how noisy they can be before 7 a.m. weekdays. Holly offered to find out how much longer this type of work would be going on, and resident said that would be nice. Holly said she would call him back. After speaking with Gary Stensland (Environmental Compliance Manager) about the work and the schedule, Holly called resident back around 7:15 a.m. and explained that what he was hearing was most likely the delivery and preparation of rebar for the eastbound bridge supports. She explained that crews would be starting around 6 a.m. and that this would continue for the next month and a half. She also let resident know that there would be a weekend of 24/7 work coming up in that same area, April 16-18."
04/09/2021 - 10:40 a.m	To: Hotline From: Residents on Lake Washington Blvd	During the MPPCNV Monitoring: Resident on Lake Washington Blvd near site #1 called the hotline to "report she'd heard a steady banging or clanking sound from the 520 project from 4 to 4:30 a.m."	Bob Derry (Public Information Manager) answered the call and "said it was likely from the crew working on the lid preparing it for paving."