

SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for Monday, August 9, 2021 to Sunday, August 15, 2021

PUBLISHED AUGUST 18, 2021

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

How to use this report: This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

MPPCNV start date: Friday, August 16, 2019

MPPCNV days to date: 731


There were 2 MPPCNV non-compliances from Seattle City Light which is counted towards the non-compliance count

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	6
Project related non-compliance this week	2
Nighttime noise issue comments to the project	1
Non-project-related noise exceedances this week	6

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	335
Total Project related non-compliance	68
Total noise issue comments to the project	65
Total non-project related exceedances	2845

Noise Monitoring Locations: the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS



SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Monday, August 9, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.5	51.5	50.1	48.1	48.2	52.3	50.9	57.2	58.3	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.0	55.7	52.4	55.0	55.3	54.8	54.2	58.2	61.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.8	48.9	45.7	42.6	42.1	44.8	46.0	51.9	53.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	51.9	50.1	49.8	56.1	57.6	51.8	50.0	53.4	56.0	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.0	53.5	50.6	53.2	54.2	53.4	52.0	56.0	59.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	47.8	47.1	44.6	47.8	50.0	52.4	45.9	50.0	51.9	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	50.8	47.6	46.4	46.0	48.4	51.9	47.0	50.9	56.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	50.0	49.9	48.4	53.7	53.9	52.8	48.4	52.5	52.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.4	56.1	55.1	54.2	53.7	56.8	58.3	60.9	68.0	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	59.7	57.9	57.1	53.6	52.8	57.1	~	~	~	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to install hangers and conduit under the Montlake lid, run wire on Pad 4 and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 9 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Tuesday, August 10, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.3	57.4	51.6	49.8	50.6	48.8	50.8	57.1	59.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.0	57.3	54.4	53.8	49.9	51.8	54.1	58.5	60.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.5	48.0	49.1	52.1	52.3	52.3	52.3	52.4	53.1	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	52.0	52.9	55.8	63.3	46.6	46.0	50.3	54.7	55.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.3	55.9	53.0	51.9	49.0	50.1	52.3	56.9	58.9	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	48.5	50.8	50.3	45.5	47.2	44.6	44.1	52.1	54.0	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	50.8	51.9	50.6	45.1	45.9	42.8	45.6	52.7	57.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	50.0	51.4	50.6	48.7	50.0	46.5	47.0	54.7	53.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.5	57.9	69.2	52.5	52.7	51.0	55.8	62.8	65.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.4	60.0	55.0	53.9	53.7	52.1	56.4	63.3	66.5	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to install hangers and conduit under the Montlake lid, run wire on Pad 4 and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 9 and 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None.

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Wednesday, August 11, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.6	53.8	52.4	50.7	49.9	50.4	52.2	58.3	59.1	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	61.9	62.8	60.3	62.6	52.0	52.8	54.4	64.8	65.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.3	49.2	47.3	44.5	42.7	43.3	46.4	51.8	54.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	53.9	53.5	52.7	51.1	47.8	48.0	49.2	53.5	55.4	N/A	N/A
Site 5 - 2565 22nd Av E.	65	62.0	64.3	60.9	63.3	50.3	51.2	52.7	63.6	64.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.0	49.0	50.1	48.8	44.9	42.9	46.1	52.0	52.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.1	50.3	50.2	46.6	44.8	44.8	46.8	53.1	55.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.0	50.4	51.9	49.5	47.8	47.9	49.4	53.5	53.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.8	57.2	55.8	53.2	52.3	52.9	56.5	62.0	64.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.5	58.9	56.4	53.3	53.9	53.1	57.6	66.2	65.8	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 10:00pm and 7:00am to install hangers and conduit under the Montlake lid, Seattle City Light work at the market to install post and run wire and set up for day work.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

10:02pm - Seattle City Light vehicle was observed with a pure tonal backup alarm. PBS and SDCI was notified. No action was taken. Non-compliance towards the MPPCNV.

10:11pm - Seattle City Light was observed using a jackhammer. PBS and SDCI was notified. No action was taken. Non-compliance towards the MPPCNV.

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Thursday, August 12, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.0	54.9	52.8	50.2	49.6	50.1	51.5	57.6	59.0	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	60.2	58.6	56.3	54.0	55.3	54.4	54.0	58.4	63.0	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	52.0	49.3	49.0	52.1	52.3	52.3	52.2	53.0	58.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	54.7	52.8	51.1	49.9	48.1	51.0	49.3	58.4	57.1	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.4	57.5	54.5	52.3	53.7	52.9	52.0	56.5	61.6	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.6	54.0	54.1	49.3	46.2	45.1	47.8	53.7	54.3	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.9	52.3	50.6	48.0	47.1	47.4	48.2	53.4	55.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.7	54.0	52.6	49.2	48.6	49.1	50.0	54.7	55.5	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.6	58.8	56.3	52.9	51.8	53.4	56.2	62.4	70.8	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.0	59.0	56.6	53.0	51.8	54.6	56.6	64.5	65.2	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:
 Design-Builder worked between 10:00pm and 7:00am to install hangers and conduit under the Montlake lid and set up for day work.

Public Comments:
 No public comments received related to nighttime noise.

Exceedances:
 Site(s) 9 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:
 None

Legend
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.
 N/A = Time Period not applicable to MPPCNV
 Red = Noise Level Exceedance, project related
 Blue = Noise level exceedance, not project related
 ~ = No Data Available
 # = No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Friday, August 13, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.6	54.2	52.5	50.6	50.2	48.8	47.5	49.4	52.6	54.8	56.9
Site 2 - 2015 E. Roanoke St	78	60.0	58.9	55.9	53.9	51.6	49.9	50.9	54.9	62.3	65.1	68.2
Site 3A - 3810 E. McGilvra St	62	51.9	50.6	46.9	44.2	44.4	41.6	41.8	44.8	48.7	49.0	52.0
Site 4 - 2800 Montlake Blvd E	66	55.3	53.8	51.2	49.4	49.1	47.8	49.4	52.5	55.3	56.8	60.4
Site 5 - 2565 22nd Av E.	65	58.0	56.9	53.8	51.7	49.6	48.0	48.8	52.8	60.0	62.9	65.7
Site 6 - 2160 E. Hamlin St	63	51.2	49.5	47.8	47.0	47.1	44.2	43.4	47.6	50.9	52.2	54.7
Site 7 - 2209 E. Lake Wa Blvd	66	50.6	49.4	47.5	45.2	44.6	41.9	44.3	46.3	48.8	55.6	54.2
Site 8 - Portable Between Sites 4 and 6	63	53.5	51.6	50.3	48.7	48.9	46.5	46.9	50.7	51.9	53.2	56.4
Site 9 - Portable Between Sites 1 and 7	66	59.4	58.0	55.0	52.5	51.9	49.6	53.0	54.2	58.4	60.5	62.1
Site 10 - Portable Between Sites 1 and 7	66	61.0	58.9	55.3	53.5	52.3	51.3	54.7	54.6	59.2	61.0	63.0

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 6:30am and 9:00am to excavate at the market and spread backfill at the south treatment area.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

Site(s) 5 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Saturday, August 14, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	58.5	58.3	53.6	51.5	49.8	49.6	50.5	51.3	53.7	52.7	53.6
Site 2 - 2015 E. Roanoke St	78	61.1	59.8	57.3	55.2	52.9	52.0	54.2	55.2	56.8	57.9	64.9
Site 3A - 3810 E. McGilvra St	62	52.5	51.2	50.1	53.0	53.0	52.5	51.5	44.8	48.3	47.1	51.5
Site 4 - 2800 Montlake Blvd E	66	57.7	55.8	52.6	50.7	48.3	48.6	53.0	54.4	54.0	53.8	56.9
Site 5 - 2565 22nd Av E.	65	59.5	57.9	55.5	53.3	51.1	50.7	53.3	55.0	55.1	55.8	62.8
Site 6 - 2160 E. Hamlin St	63	52.0	51.5	49.3	47.4	45.1	44.6	52.1	51.1	51.5	48.9	52.7
Site 7 - 2209 E. Lake Wa Blvd	66	51.5	51.3	47.9	46.5	44.7	43.3	48.3	49.4	51.7	48.7	51.6
Site 8 - Portable Between Sites 4 and 6	63	54.0	53.2	51.1	49.6	47.5	47.5	54.2	54.2	53.9	51.1	55.2
Site 9 - Portable Between Sites 1 and 7	66	61.0	60.5	56.0	53.8	50.9	50.9	54.7	55.5	58.7	57.2	59.5
Site 10 - Portable Between Sites 1 and 7	66	61.6	61.8	57.3	54.6	51.2	52.3	52.5	56.1	59.4	61.2	60.2

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

No nighttime construction work performed.

Public Comments:

No public comments received related to nighttime noise.

Exceedances:

None.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT
Monday, August 9, 2021 to Sunday, August 15, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

Sunday, August 15, 2021												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	53.5	53.9	48.6	46.6	45.7	48.4	52.8	56.3	56.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.1	57.3	53.1	50.7	49.2	49.8	53.8	57.0	61.5	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.1	49.0	47.1	51.9	52.0	52.0	51.7	50.5	51.2	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	53.5	56.2	50.1	46.4	44.0	47.9	49.2	52.0	56.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	56.1	55.9	52.0	48.9	47.4	48.4	51.9	54.6	60.3	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	47.3	51.2	46.7	43.2	38.4	44.2	47.2	49.2	53.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	48.8	49.2	45.6	42.2	39.1	41.9	46.7	50.6	55.3	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	50.5	53.8	49.5	46.2	44.0	47.3	49.4	50.4	54.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	58.4	57.2	54.9	49.9	46.9	48.8	54.2	62.1	64.5	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.1	57.3	54.0	50.9	47.6	48.5	56.8	63.3	65.2	N/A	N/A

*Hourly-Average Leq (dBA)

Notes recorded by the on-site Independent Noise Monitor

Work:

Design-Builder worked between 1:30am and 7:00am to deliver pier caps and set up for day work.

Public Comments:

8:00 a.m August 16th - A resident that lives on E Montlake Place E texted the project hotline to "complain about construction noise coming from the market and gas station remediation area that started at 6:30 a.m.". The text message required a follow-up. See **Public Notice Log** for additional details.

Exceedances:

None.

Non-Compliance:

None

Legend

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

= No contract work . Portable monitors are not being used (not needed).

SR 520 Montlake Project
Major Public Project Construction Noise Variance
NOISE MONITORING - WEEKLY REPORT

Monday, August 9, 2021 to Sunday, August 15, 2021

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

Public Comment Log			
Date / Time	To/From	Issue	Resolution
08/16/2021 - 8:00 a.m	To: Project Hotline From: Resident near site #7	During the MPPCNV Monitoring: Resident texted the hotline to complain and stated "I thought loud work wasn't supposed to start until seven, but we were awoken at 6:30 by a very loud series of noises happening at the gas station property."	Bob Derry (Public Information Manager) called resident back and apologized for the early morning start. He said that "the crew was expected to mobilize around 6 a.m. but that excavation wasn't supposed to start until 7 a.m. The crew has been reminded of this schedule and we hope they won't start early in the future."