

## SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, August 30, 2021** to **Sunday, September 5, 2021**

**PUBLISHED SEPTEMBER 8, 2021**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date:** Friday, August 16, 2019

**MPPCNV days to date:** 752


**There 4 were MPPCNV noise exceedance but are not counted under the non-compliance due to Emergency Work, SDCI did not issue a TNV and exempt exceedances all together.**

WEEKLY TOTALS	
Nights worked this week (under the MPPCNV)	4
Project related non-compliance this week	0
Nighttime noise issue comments to the project	0
Non-project-related noise exceedances this week	5

PROJECT TOTALS TO DATE	
Total Nights Worked (under the MPPCNV)	350
Total Project related non-compliance	101
Total noise issue comments to the project	71
Total non-project related exceedances	2854

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, August 30, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.4	53.7	48.9	45.6	45.5	45.6	49.9	55.3	56.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.1	57.9	54.8	54.7	54.1	53.5	52.7	55.1	58.9	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	49.3	47.2	45.8	44.3	42.4	43.2	44.5	49.4	51.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	53.7	52.4	49.9	49.0	48.9	45.3	49.5	52.5	56.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.0	57.2	54.4	53.0	51.6	51.5	52.3	53.8	57.1	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	50.1	57.2	47.4	44.6	44.6	45.4	50.5	56.6	57.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	52.1	57.5	52.1	51.2	51.5	51.3	49.5	52.6	54.9	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.1	54.8	49.0	47.2	46.6	46.4	49.8	54.6	55.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.0	61.0	54.0	50.9	51.5	52.9	56.4	60.3	65.2	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.3	59.1	54.4	51.5	51.2	53.6	57.0	62.1	65.1	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to install hangers and conduit under the Montlake lid, run wires at the Montlake and Lake Washington Blvd, strip forms under the Montlake lid and set up for day work.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

None.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, August 31, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.9	54.3	52.2	48.3	49.3	49.4	51.5	56.6	59.8	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.6	58.7	57.5	57.0	57.2	58.7	58.4	63.2	63.4	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.2	47.6	48.0	52.4	52.6	52.9	52.6	51.5	54.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	54.8	52.3	49.5	50.2	48.0	49.8	51.3	53.5	56.3	N/A	N/A
Site 5 - 2565 22nd Av E.	65	58.3	57.9	56.1	55.7	56.5	59.3	57.4	63.2	62.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	53.8	53.3	52.0	48.3	48.4	47.5	49.6	54.7	54.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	54.6	53.4	52.4	52.0	62.5	64.5	68.8	64.8	61.0	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	54.0	53.5	51.6	49.3	49.6	50.7	52.1	55.8	55.3	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.3	59.2	57.3	53.5	66.2	68.7	70.6	62.6	67.7	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.4	59.6	56.3	53.7	54.6	55.0	57.8	62.3	66.4	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to run wire on Montlake Blvd and lake Washington blvd, strip forms under the montlake lid, install conduit under the montlake lid, emergency paving work on Montlake/lake Washington blvd to complete paving work not completed over the weekend and set up for day work.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 7, 9 and 10 before 5am exceedances are project related. Exceedances will not be considered non-compliance per SDCI emergency paving work exempts exceedances all together. After 5am exceedances for site(s) 9 and 10 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, September 1, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.6	53.7	52.5	48.6	51.9	49.9	51.7	57.7	59.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.7	57.5	56.5	55.1	56.1	56.0	55.8	58.9	62.0	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.7	48.1	48.9	44.8	45.4	44.7	47.5	52.4	54.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	53.0	50.6	49.5	48.2	53.8	49.7	51.8	55.5	56.9	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.9	55.6	54.5	53.4	54.4	54.3	54.4	57.4	60.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	51.9	54.4	52.2	49.4	51.3	48.9	51.9	55.6	55.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	58.2	57.6	59.2	50.3	51.1	52.5	51.0	54.5	56.8	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	52.5	53.8	52.7	49.7	52.1	50.0	51.5	57.8	56.8	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	59.6	58.6	57.9	53.3	57.3	57.3	57.3	62.0	69.1	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	60.4	57.7	56.7	53.2	56.9	57.3	57.4	63.1	66.2	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to run wire on Montlake Blvd and lake Washington blvd, strip forms under the montlake lid, install conduit under the montlake lid and set up for day work.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 9 and 10 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, September 2, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.1	53.4	50.8	49.8	48.6	47.7	51.0	57.0	59.5	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.2	57.5	54.8	53.3	53.0	52.1	55.4	59.1	66.2	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	51.9	49.0	48.2	52.7	52.9	52.8	52.7	52.9	54.2	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	57.9	53.2	51.4	50.9	50.0	48.5	53.3	60.0	64.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.5	55.6	52.8	51.3	50.9	50.0	53.7	57.4	64.5	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.5	54.2	53.6	50.8	49.9	48.7	52.9	56.5	56.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	53.6	54.1	53.2	52.6	49.1	50.1	51.1	54.9	57.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	55.0	53.5	52.3	50.9	49.6	49.1	51.9	56.7	57.0	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	71.1	59.6	57.7	58.0	56.0	52.9	56.1	61.7	64.9	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	61.8	59.5	56.0	56.5	56.4	54.0	56.3	62.4	65.7	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Design-Builder worked between 10:00pm and 7:00am to program signal heads on Montlake Blvd and lake Washington blvd, strip forms under the montlake lid, install conduit under the montlake lid and set up for day work.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site(s) 9 exceedances are not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, September 3, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 -2449 E. Lk WA Blvd	67	57.5	55.9	53.5	51.7	50.6	47.0	47.0	49.6	54.1	55.3	56.9
Site 2 - 2015 E. Roanoke St	78	60.5	60.1	57.5	56.4	54.6	51.7	51.8	54.5	56.6	57.5	59.4
Site 3A - 3810 E. McGilvra St	62	51.8	51.5	50.4	47.3	46.3	43.0	43.3	44.9	48.2	48.3	52.0
Site 4 - 2800 Montlake Blvd E	66	62.2	61.2	58.5	55.6	54.1	54.2	55.8	59.1	63.1	62.9	63.9
Site 5 - 2565 22nd Av E.	65	58.7	58.8	55.6	54.6	53.5	50.0	50.0	52.5	55.0	56.0	58.5
Site 6 - 2160 E. Hamlin St	63	56.6	55.8	55.7	50.0	53.3	49.5	48.6	51.1	54.6	54.4	55.5
Site 7 - 2209 E. Lake Wa Blvd	66	54.6	54.6	50.5	48.6	49.2	46.0	45.9	48.0	51.5	52.6	53.3
Site 8 - Portable Between Sites 4 and 6	63	56.1	58.1	53.7	50.7	52.1	49.4	49.4	50.8	54.8	53.7	56.9
Site 9 - Portable Between Sites 1 and 7	66	62.7	61.1	57.6	56.1	56.0	51.3	51.2	55.2	58.7	60.8	61.6
Site 10 - Portable Between Sites 1 and 7	66	62.7	60.6	58.3	56.2	54.8	51.2	50.7	55.2	59.5	62.2	63.0

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

None.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, September 4, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	54.9	53.2	50.3	48.7	48.7	48.4	48.3	48.9	50.5	52.2	55.1
Site 2 - 2015 E. Roanoke St	78	59.4	58.2	55.7	52.6	51.3	51.6	50.3	53.1	55.6	57.0	58.5
Site 3A - 3810 E. McGilvra St	62	51.2	49.7	48.9	52.6	52.5	52.5	51.6	41.1	45.4	46.4	50.6
Site 4 - 2800 Montlake Blvd E	66	62.7	61.0	58.2	54.7	53.6	55.3	57.2	58.7	62.8	62.2	63.4
Site 5 - 2565 22nd Av E.	65	57.7	56.7	54.0	50.9	49.5	50.3	48.7	51.7	54.0	55.3	57.2
Site 6 - 2160 E. Hamlin St	63	50.4	50.1	45.6	46.6	48.1	46.6	45.7	47.1	48.3	49.0	53.6
Site 7 - 2209 E. Lake Wa Blvd	66	51.4	50.0	46.6	45.8	45.3	45.1	44.2	45.4	47.5	48.6	52.1
Site 8 - Portable Between Sites 4 and 6	63	55.4	55.2	48.6	48.7	49.0	49.1	47.8	49.1	51.8	50.7	55.4
Site 9 - Portable Between Sites 1 and 7	66	60.5	58.5	54.2	53.3	52.8	52.3	51.0	53.2	55.5	57.6	60.5
Site 10 - Portable Between Sites 1 and 7	66	61.7	59.6	55.4	54.2	53.1	53.0	57.0	56.3	56.4	59.9	62.0

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

None.

**Non-Compliance:**

None

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).



**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
**Monday, August 30, 2021 to Sunday, September 5, 2021 10 pm to 7 am (weekdays) / 9am (weekends)**

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, September 5, 2021</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	55.9	51.7	50.8	47.8	46.0	44.9	47.4	47.4	51.2	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	58.3	55.9	53.6	51.7	50.4	48.2	49.8	52.0	54.3	N/A	N/A
Site 3A - 3810 E. McGilvra St	62	50.7	49.6	51.1	53.4	52.3	52.3	51.7	42.7	46.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	62.1	61.8	57.2	53.6	53.0	53.3	55.3	59.2	63.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.2	54.0	51.5	50.0	48.8	46.7	48.7	50.0	52.8	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	49.0	46.9	46.5	46.1	45.5	45.0	47.1	48.1	51.2	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	51.8	48.7	47.3	44.8	43.3	42.2	44.4	45.9	49.4	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	49.9	48.7	49.1	47.6	47.8	47.4	49.6	48.5	50.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	60.7	58.0	55.5	52.8	50.4	49.1	51.4	53.0	56.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.5	59.2	57.3	53.3	51.2	50.1	52.7	53.8	57.8	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No nighttime construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

None.

**Non-Compliance:**

None.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, August 30, 2021 to Sunday, September 5, 2021

10 p.m. to 7 a.m. (weekdays)/9a.m. (weekends)

<b>Public Comment Log</b>			
<b>Date / Time</b>	<b>To/From</b>	<b>Issue</b>	<b>Resolution</b>
09/01/2021 - 2:45pm	To: Project Hotline From: Resident near site #5	Outside the MPPCNV Monitoring: Resident called the hotline around 2:45 p.m. "He asked some questions about what was going on around the project in the coming weeks... He then said there is something noisy/vibratory happening outside his house, and he smells asphalt... He said that is "old news" and isn't what's impacting him. Then he went outside and came back in and said whatever it was had stopped... He asked about accommodations the coming weekend (Sept. 3-5)... He said he would call back if he needed anything else."	Holly Wyrwich (Communications Staff) shared "some information about the work happening Sept. 10-13. He did not find Holly's explanation of the work to be detailed enough, but he did not accept a request for her to get more information and call him back... Holly asked if it looks to be work at the former gas station property, because crews are busy with excavation there... Holly told him there is not work planned so there are no hotel offers planned... Holly called Gary Stensland to ask what the work might have been that resident was referring to. Gary said the work in that area today has been the continued excavation. He said paving near there was completed around 6 a.m. today, and resident could have been smelling asphalt from that."
09/02/2021 - 8:15pm	To: Project Hotline From: Resident near site #8	Outside the MPPCNV Monitoring: Resident "called the hotline around 8:15 p.m. Sept. 2 to complain about noise that she had been hearing since about 5:30 or 6 p.m. that evening. She said she heard the noise this morning as well, and almost called this morning but it stopped after 30 minutes... resident said she saw a machine in the Old Canal Reserve area earlier in the evening, and that's what's making the noise... She asked that in the future the project be more proactive in offering hotel rooms to their household, as they are really close to the construction action. She said their bedroom looks right out over the construction, and the noise is very disruptive. Her husband and child have to be ready for school and she is interviewing for jobs, and she said it's really important for them to get rest... resident asked when the work would stop... asked if she should call back if she hears the noise past 10 p.m"	Holly Wyrwich (Communications Staff) said "she would look into what the noise is and how long it's expected to last, and call resident back... Holly called resident back around 8:30 and explained that there is a lot of work going on in the area with the Montlake Bridge reopening scheduled for the morning, but that we're not exactly sure what she's hearing, as most of the project's work is happening under the Montlake lid at this time... Holly offered resident a hotel room, which she declined because her child is already asleep at home... Holly said that without knowing exactly what is causing the noise, that's hard to tell, but that the project does not have a TNV for tonight, so there are stricter noise limits after 10 p.m. Holly emphasized that work can continue past 10 p.m."
09/03/2021 - 1:15pm	To: Project Hotline From: Resident near site #5	Outside the MPPCNV Monitoring: Resident the hotline around 1:15 p.m. Sept. 3 to ask whether more could be done to maintain the trucks and machinery used on the project so that they are not as squeaky. He said that, for example, he has noticed a big bulldozer at the excavation of the former market site that rotates into the ground and makes a "giant squealing noise" on a regular interval. He said it seems unnecessary and that if the project is renting equipment, it can make requests of the owners to oil the machinery so it's less noisy.	Holly Wyrwich (Communications Staff) said that "she would pass this along; resident said he did not require follow-up. She also confirmed resident email address so that he could receive hotel offers and other important communications from the project."