

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](http://www.wa.gov)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
2	2/6N	EB & WB	0.75	EBEY ISLAND VIADUCT	54000
2	2/6W-N	EB & WB	2.04	W-EBEY RAMP DL RAMP	53000
2	2/7N	EB & WB	2.06	EBEY SLOUGH BRIDGE	51000
2	2/22	EB & WB	15.37	WOODS CREEK	54000
2	2/26	EB & WB	22.04	SULTAN RIVER	49000
2	2/28	EB & WB	23.07	WAGLEYS CREEK	46000
2	2/30	EB & WB	26.51	WALLACE RIVER	44000
2	2/35	EB & WB	30.28	SKYKOMISH R	56000
2	2/37	EB & WB	31.07	PROCTOR CREEK	52000
2	2/45	EB & WB	38.61	US 2 OVER RAILROAD	48000
2	2/109	EB & WB	46.31	STREAM	43000
2	2/110	EB & WB	46.49	STREAM	43000
2	2/111	EB & WB	46.76	STREAM	43000
2	2/113	EB & WB	47.71	STREAM	43000
2	2/114	EB & WB	47.91	STREAM	43000
2	2/115A	EB & WB	48.7	JOHN GLICK HENRY MEM BR	53000
2	2/116	EB & WB	49.65	S FK SKYKOMISH RIVER	59000
2	2/119	EB & WB	51.02	S FORK SKYKOMISH RIVER	58000
2	2/125	EB & WB	56.74	DECEPTION CR	48000
2	2/127	EB & WB	58.77	TYE R 1ST CROSSING	49000
2	2/226N	WB	105.78	WENATCHEE RIVER	41000
2	2/227S	EB	106.17	WENATCHEE RIVER	58000
2	2/508	EB & WB	221.93	GOOSE CREEK	43000
2	2/604	EB & WB	270.9	US 2 OVER RAILROAD	41000
2	2/606	EB & WB	272.41	DEEP CREEK	43000
3	3/2	NB & SB	0.92	MILL CREEK	45000
3	3/3	NB & SB	2.45	GOLDSBOROUGH CREEK	50000
3	3/10	NB & SB	8.56	CRANBERRY CREEK	55000
3	3/11	NB & SB	8.92	DEER CREEK	55000
4	4/108	EB & WB	17.36	HULL CREEK	43000
4	4/111	EB & WB	19.39	GRAYS RIVER OVERFLOW	43000
4	4/112	EB & WB	19.45	SR4 OVER SATTERLUND RD	43000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
4	4/113	EB & WB	19.52	SLOUGH	43000
4	4/120	EB & WB	28.92	SKAMOKAWA CREEK	43000
4	4/125	EB & WB	33.71	ELOCHOMAN RIVER	51000
4	4/126C	EB & WB	34.08	TIDE GATE CULVERT	58000
4	4/208	EB & WB	49.75	HALF BR W OF BUNKER HILL	53000
4	4/209	EB & WB	49.8	HALF BR W OF BUNKER HILL	46000
4	4/215	EB & WB	54.98	COAL CR SL	47000
4	4/230	EB & WB	61.08	COWLITZ RIVER - P CRAWFORD	52000
5	5/36E	NB	18.21	E FORK LEWIS RIVER	44000
5	5/40W	SB	19.83	LEWIS RIVER	48000
5	5/206	NB & SB	61.31	LACAMAS REEK	44000
5	5/316	EB & WB	103.98	Custer Way	46000
<b>5</b>	<b>5/526.1</b>	<b>EB &amp; WB</b>	<b>156.48</b>	<b>ARCHIE CODIGA</b>	<b>POSTED</b>
5	5/325S-W	S-W	105.46	I-5 S-W RAMP	50000
5	5/537W-W	W-W	163	W-6TH RAMP	56000
5	5/562E	NB	166.91	NB LANES VIADUCT	52000
5	5/707	EB & WB	225.64	BLACKBURN ST OVER I-5	40000
5	5/626E	NB	191.52	LOWELL ROAD OC	50000
5	5/629A	EB	192.31	BROADWAY AVE OVER RAMPS	46000
5	5/649W	SB	198.27	SR 529 OC	54000
5	5/670W	SB	209.35	STILLAGUAMISH RIVER	54000
6	6/13	EB & WB	14.02	WILLAPA RIVER	56000
6	6/14	EB & WB	14.5	HALF MOON CREEK	43000
6	6/22	EB & WB	23.21	ROCK CREEK	53000
6	6/101	EB & WB	25	SR 6 OVER ROCK CR/OLD RR	45000
6	6/105	EB & WB	27.99	CHEHALIS RIVER	43000
6	6/119	EB & WB	47.81	MILL CREEK	56000
6	6/123	EB & WB	50.94	CHEHALIS R RIVERSIDE	46000
7	7/9	NB & SB	2.47	SR 7 OVER ABANDONED RAILROAD	46000
7	7/10	NB & SB	3.26	E FK TILTON RIVER	58000
7	7/107	NB & SB	30.36	OHOP SL NO 2	56000
7	7/119	NB & SB	51.09	CLOVER CREEK	43000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
8	8/18A	EB & WB	10.1	MOX CHEHALIS CREEK	56000
9	9/122	NB & SB	10.87	BICKFORD AVE OVER SR 9	44000
9	9/204	NB & SB	42.86	LAKE CREEK	43000
9	9/205	NB & SB	43.7	LAKE CREEK	55000
9	9/222	NB & SB	63.5	THUNDER CREEK	45000
9	9/223	NB & SB	63.64	SAMISH RIVER	69000
9	9/315	NB & SB	78.87	N FK NOOKSACK R U S	58000
9	9/352	NB & SB	84.46	SMITH CREEK	57000
10	10/151	EB & WB	104.07	HAND DRAIN DITCH	43000
11	11/8	NB & SB	10.79	OYSTER CREEK	50000
11	11/10	NB & SB	13.12	HALF BRIDGE	43000
11	11/11	NB & SB	13.32	HALF BRIDGE	43000
11	11/102	NB & SB	19.83	PADDEN CREEK	42000
12	12/12N	EB & WB	0.5	WISHKAH RIVER BRIDGE	45000
12	12/12S	EB & WB	0.08	HERON STREET BRIDGE	43000
12	12/15	EB & WB	1.09	ABERDEEN VIADUCT	54000
12	12/53N	EB & WB	16.87	NEWMAN CREEK	56000
12	12/53S	EB & WB	16.87	NEWMAN CREEK	56000
12	12/61	EB & WB	21.37	CLOQUALLUM CREEK	49000
12	12/76	EB & WB	37.59	BLACK RIVER	52000
12	12/232C	EB & WB	81.23	SILVER CREEK CULVERT	45000
12	12/240	EB & WB	89.24	CORN CREEK	58000
12	12/264	EB & WB	121.8	DAVIS CREEK	56000
12	12/266	EB & WB	123.09	COWLITZ R OVERFLOW	58000
12	12/271	EB & WB	127.86	SMITH CR	43000
12	12/273	EB & WB	128.96	HALL CREEK	48000
12	12/304	EB & WB	153.44	N FK CLEAR CREEK	43000
12	12/306	EB & WB	159.01	INDIAN CREEK	41000
12	12/323N	EB & WB	193.04	PACIFIC P L TAILRACE	42000
12	12/512N	EB & WB	294.51	SNAKE RIVER VAUGHN HUBBARD	40000
12	12/660	EB & WB	347.86	DRY CREEK	43000
12	12/915	EB & WB	434.1	SNAKE RIVER CLARKSTON	45000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
14	14/107	EB & WB	32.87	DUNCAN CR	41000
14	14/109	EB & WB	34.24	WOODARD CREEK	57000
14	14/118	EB & WB	43.9	ROCK CR	29000
14	14/131	EB & WB	59.03	GULCH	51000
14	14/132	EB & WB	59.44	SR 14 OVER RAILROAD	59000
14	14/137	EB & WB	61.62	SR 14 OVER RAILROAD	56000
14	14/212	EB & WB	75.76	KLICKITAT RIVER	48000
14	14/222	EB & WB	86.12	HORSETHIEF CANYON	40000
16	16/130E	EB & WB	12.76	SR 16 OVER ROSEDALE ST	58000
17	17/203	NB & SB	42.83	LIND COULEE	55000
17	17/207	NB & SB	48.09	EL 29 LATERAL	55000
17	17/215	NB & SB	54.24	PARKER HORN	49000
17	17/306	NB & SB	127.23	E FOSTER CREEK	48000
17	17/309	NB & SB	133.53	W FOSTER CREEK	51000
18	18/24N	EB & WB	10.87	SOOS CREEK	57000
19	19/5	NB & SB	9.37	CHIMACUM	45000
20	20/7	EB & WB	0.05	SNOW CREEK	43000
20	20/11	EB & WB	2.23	EAGLEMOUNT HALF BRIDGE	43000
20	20/116	EB & WB	41.58	SR 20 OVER STATE PARK RD	43000
20	20/204	EB & WB	41.81	DECEPTION PASS	48000
20	20/207	EB & WB	42.04	CANOE PASS	48000
20	20/220N	EB & WB	56.21	HIGGINS SLOUGH	57000
20	20/253	EB & WB	79.36	ALDER CREEK	58000
20	20/265	EB & WB	93.13	GULCH	43000
20	20/268	EB & WB	99.67	SWIFT CREEK	57000
20	20/277	EB & WB	108.56	DIOPSUD CREEK	52000
20	20/606	EB & WB	170.59	EARLY WINTERS CREEK	55000
20	20/624	EB & WB	193.37	METHOW RIVER	48000
20	20/627	EB & WB	200.27	H W CHANNEL METHOW R	43000
20	20/651	EB & WB	262.83	BONAPARTE CREEK	43000
20	20/905	EB & WB	395.8	LOST CREEK	43000
20	20/924	EB & WB	423.75	DAVIS CREEK	43000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
21	21/2	NB & SB	1.29	SAND HILLS COULEE # 1	58000
21	21/3C	NB & SB	1.91	SAND HILLS COULEE # 2	43000
21	21/4	NB & SB	2.72	SAND HILLS COULEE # 3	45000
21	21/5	NB & SB	3.62	SAND HILLS COULEE # 5	45000
21	21/211C	NB & SB	67.2	MARLIN HOLLOW CULVERT	43000
21	21/229	NB & SB	91.72	GOOSE CR	58000
22	22/22	EB & WB	9.73	MARION DRAIN CANAL	51000
22	22/28	EB & WB	13.41	DRAIN CANAL	45000
22	22/29	EB & WB	14.13	DRAIN CANAL	46000
22	22/30	EB & WB	14.34	SATUS CREEK	45000
22	22/31	EB & WB	15.1	WASTEWATER SL	47000
22	22/32	EB & WB	15.81	DRAIN CANAL	45000
22	22/104	EB & WB	34.16	SR 22 OVER KINNY WAY	55000
23	23/6	NB & SB	8.29	PLEASANT VALLEY CR	57000
23	23/12	NB & SB	17.95	COTTONWOOD CREEK	59000
23	23/16	NB & SB	23.28	ROCK CREEK	57000
23	23/102	NB & SB	40	SR 23 OVER RAILROAD	52000
23	23/110	NB & SB	46.42	DRY RUN	48000
23	23/114	NB & SB	52.82	CRAB CREEK	54000
25	25/6	NB & SB	23.35	SPOKANE RIVER	47000
25	25/112	NB & SB	78.39	COLVILLE RIVER	50000
25	25/124	NB & SB	110.51	SR 25 OVER QUARRY RD	43000
25	25/130	NB & SB	113.92	COLUMBIA RIVER @ NORTHPORT	49000
26	26/106	EB & WB	31.31	CRAB CREEK	48000
26	26/110	EB & WB	40.44	SR 26 OVER RAILROAD	51000
26	26/275	EB & WB	124.94	UNION FLAT CREEK	58000
26	26/285	EB & WB	132.94	PALOUSE RIVER BRIDGE	43000
27	27/4C	NB & SB	5.12	ROSE CREEK CULVERT	43000
27	27/16	NB & SB	20.27	CEDAR CREEK	53000
27	27/18	NB & SB	23.76	SILVER CREEK	55000
27	27/102	NB & SB	55.11	COVE CREEK	56000
28	28/6	EB & WB	10.21	ROCK ISLAND CR	50000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](http://www.wa.gov)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
28	28/108	EB & WB	30.64	WEST CANAL	50000
28	28/121	EB & WB	63.39	CRAB CREEK	49000
31	31/42	NB & SB	21.04	SLATE CREEK	47000
82	82/114N	WB	30.78	YAKIMA RIVER	58000
82	82/115N	WB	30.9	NACHES RIVER	58000
90	90/43N	WB	9.24	MERCER SLOUGH	44000
90	90/50N	WB	10.17	I-90 OVER RICHARDS RD	52000
90	90/94	NB & SB	42.32	TINKHAM ROAD OVER I-90	48000
90	90/216	NB & SB	174.6	HANSEN RD	38000
90	90/579W	EB & WB	287.83	ARGONNE RD OVER I-90	50000
96	96/10	EB & WB	5.4	FARM STORAGE	58000
97	97/118	NB & SB	58.25	DRAIN CANAL	56000
97	97/120	NB & SB	60.83	CANAL DRAIN DITCH	43000
97	97/142A	NB & SB	76	MAIN ST OVER RAMP & RR	50000
97	97/144A	NB & SB	0	WIDE HOLLOW CREEK	58000
97	97/540	NB & SB	310.61	US 97 OVER OKANOGAN & RR	55000
97	97/544	NB & SB	314.72	BONAPARTE CR	54000
99	99/422	NB & SB	1.05	HYLEBOS CREEK	53000
99	99/508S-S	S-S	22.94	S-S RAMP OVER S 116TH WY	48000
99	99/508W	SB	22.94	SR 99 OVER TUKWILA INT'L	58000
99	99/538	NB & SB	28.67	SR 99 OVER SPOKANE ST	54000
99	99/538E-N	E-N	28.86	E-N RAMP	48000
99	99/560	NB & SB	34.17	AURORA AVE-G WASH MEM BR	50000
99	99/567	NB & SB	34.82	SR 99 OVER N 38TH ST	53000
99	99/569	NB & SB	35.46	SR 99 OVER N 46TH ST	53000
99	99/570	NB & SB	35.69	SR 99 OVER N 50TH ST	51000
101	101/18	NB & SB	20.32	GREENHEAD SLOUGH	43000
101	101/22	NB & SB	25.56	TEAL SLOUGH	43000
101	101/27	NB & SB	30.62	SOUTH NEMAH R NO 2	43000
101	101/29	NB & SB	32.52	SOUTH NEMAH R NO 1	40000
101	101/51	NB & SB	54.14	HALF BRIDGE	47000
101	101/58	NB & SB	63.98	SMITH CREEK	57000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
101	101/115	NB & SB	83.22	CHEHALIS RIVER BRIDGE	43000
<b>101</b>	<b>101/125W</b>	<b>SB</b>	<b>87.99</b>	<b>HOQUIAM RIVER-SIMPSON</b>	<b>POSTED</b>
101	101/140	NB & SB	97.53	WEST FORK HOQUIAM RIVER	40000
101	101/155	NB & SB	120.43	COOK CREEK	43000
101	101/158	NB & SB	124.02	BOULDER CR	43000
101	101/162	NB & SB	129.23	PRAIRIE CR	55000
101	101/217	NB & SB	176.57	HOH RIVER	50000
101	101/258	NB & SB	305.81	OYSTER BED CREEK	49000
101	101/260	NB & SB	306.44	DOSEWALLIPS RELIEF NO 2	56000
101	101/261	NB & SB	306.48	DOSEWALLIPS RELIEF NO 1	56000
101	101/265	NB & SB	310.08	DUCKABUSH SLOUGH	53000
101	101/266	NB & SB	310.22	DUCKABUSH RIVER	43000
101	101/268	NB & SB	312.32	MCDONALD CR	52000
101	101/269	NB & SB	313.55	FULTON CREEK	54000
101	101/308	NB & SB	192.36	CALAWAH RIVER	52000
101	101/314	NB & SB	203.15	SOL DUC RIVER #2	45000
101	101/316	NB & SB	203.66	SOL DUC RIVER	49000
101	101/318	NB & SB	206.01	BEAR CREEK	52000
101	101/320	NB & SB	211.55	SOL DUC RIVER	55000
101	101/322	NB & SB	212.46	SOL DUC RIVER #5	56000
101	101/326	NB & SB	229.51	LAKE CRESCENT HALF BR	41000
101	101/327	NB & SB	229.55	LAKE CRESCENT HALF BR	51000
101	101/330	NB & SB	234.62	INDIAN CR	58000
<b>101</b>	<b>101/332</b>	<b>NB &amp; SB</b>	<b>237.55</b>	<b>INDIAN CREEK</b>	<b>POSTED</b>
101	101/403	NB & SB	319.7	N HAMMA HAMMA RIVER	44000
101	101/404	NB & SB	319.93	S HAMMA HAMMA RIVER	44000
101	101/409	NB & SB	327.23	LILLIWAUP R	51000
101	101/411	NB & SB	329.07	SUND CREEK	55000
101	101/415	NB & SB	334.47	CUSHMAN PROJECT	56000
101	101/418	NB & SB	338.77	SKOKOMISH RIVER	52000
104	104/5.1	EB & WB	14.03	HOOD CANAL-WA BUGGE BR W	43000
104	104/5.2	EB & WB	14.73	HOOD CANAL-WA BUGGE BR E	43000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
105	105/110	NB & SB	39.69	O'LEARY CREEK	43000
105	105/116	NB & SB	43.48	CAMPBELL CREEK	43000
105	105/120	NB & SB	45.2	NEWSKAH CREEK	51000
107	107/4	NB & SB	6.83	CHEHALIS RIVER	52000
107	107/5	NB & SB	7.59	SLOUGH	43000
107	107/6	NB & SB	7.79	SLOUGH	43000
108	108/4	EB & WB	0.5	WILDCAT CREEK	34000
108	108/103	EB & WB	6.66	SKOOKUM CREEK	43000
108	108/106	EB & WB	11.11	SKOOKUM CREEK	43000
109	109/6	NB & SB	6.45	GRASS CREEK	51000
109	109/8	NB & SB	8.66	CHENOIS CREEK	58000
109	109/9	NB & SB	10.02	GILLIS SL	51000
109	109/10	NB & SB	10.24	HUMPTULIPS RIVER	44000
109	109/11	NB & SB	10.78	JESSIE SLOUGH	58000
109	109/14	NB & SB	16.97	CONNER CREEK	54000
109	109/17	NB & SB	21.39	COPALIS R	43000
109	109/20	NB & SB	29.16	JOE CR	48000
109	109/23	NB & SB	31.5	MOCLIPS RIVER	47000
109	109/25	NB & SB	35.17	WRECK CREEK	52000
112	112/4	EB & WB	1.55	BULLMAN CREEK	43000
112	112/10	EB & WB	11.83	HOKO RIVER	55000
112	112/13	EB & WB	14.94	FALLS CREEK	43000
112	112/15	EB & WB	16.52	CREEK	43000
112	112/22	EB & WB	21.89	N FK GREEN CR	43000
112	112/23	EB & WB	22.55	GREEN CREEK	43000
112	112/24	EB & WB	23.59	GREEN CREEK	43000
112	112/39	EB & WB	46.19	LYRE RIVER	43000
112	112/41	EB & WB	54.55	SALT CREEK	51000
113	113/5	NB & SB	1.87	BEAVER CREEK	43000
117	117/1	NB & SB	0	SR 117 NB OVER US 101	54000
121	121/6	NB & SB	0.24	MAYTOWN ROAD BRIDGE	50000
122	122/5	EB & WB	3.57	TILTON RIVER	52000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
122	122/10	EB & WB	6.56	MOSSYROCK	53000
125	125/35	NB & SB	23.38	TOUCHET RIVER	37000
129	129/3	NB & SB	5.78	RATTLESNAKE CREEK FISH PASSAGE	48000
129	129/10	NB & SB	36.62	ASOTIN CREEK	48000
131	131/15	NB & SB	1.82	CHILCOAT	57000
141	141/4	NB & SB	8.56	RATTLESNAKE CREEK	50000
141	141/5	NB & SB	8.7	WHITE SALMON RIVER	51000
141	141/14	NB & SB	23.21	CAVE CREEK	43000
153	153/4	NB & SB	4.22	METHOW RIVER	51000
153	153/6	NB & SB	6.6	BLACK CANYON CREEK	49000
153	153/10	NB & SB	11.83	METHOW RIVER	48000
153	153/13	NB & SB	13.45	METHOW RIVER	48000
153	153/14	NB & SB	14	METHOW RIVER	46000
153	153/15	NB & SB	15.51	METHOW RIVER	47000
153	153/16	NB & SB	16.85	METHOW RIVER	43000
153	153/17	NB & SB	18.91	METHOW RIVER	49000
153	153/20	NB & SB	22.31	METHOW RIVER	41000
155	155/8	NB & SB	16.81	DEVILS CREEK	50000
155	155/10	NB & SB	19.12	NORTHRUP CR	53000
155	155/101	NB & SB	28.26	COLUMBIA R GRAND COULEE	48000
161	161/3	NB & SB	4.29	OHOP CREEK	43000
161	161/22	NB & SB	30.44	SR 161 OVER RAILROAD	49000
162	162/20	EB & WB	17.7	S PRAIRIE CR	58000
165	165/10	NB & SB	11.5	CARBON RIVER	POSTED
165	165/11	NB & SB	11.9	GULCH NO 3 (HALF BRIDGE)	43000
165	165/12	NB & SB	11.93	GULCH NO 2	43000
165	165/13	NB & SB	12.03	GULCH NO 1	43000
165	165/16	NB & SB	16.38	WILKESON CREEK	54000
165	165/17	NB & SB	16.75	WILKESON CREEK	43000
167	167/13	NB & SB	0.64	SR 167 OVER RAILROAD	48000
169	169/8	NB & SB	5.2	GREEN RIVER-DAN EVANS BR	51000
173	173/10	NB & SB	10.64	BREWSTER BRIDGE	58000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](http://www.wa.gov)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
174	174/205	EB & WB	37.43	CORBETT CREEK	48000
181	181/11	NB & SB	8.16	SLOUGH	55000
181	181/12	NB & SB	8.28	MILL CREEK	34000
195	195/6A	NB & SB	7.49	UNION FLAT CR SIDE APPR	46000
195	195/24	NB & SB	38.09	S FK PALOUSE R CT HOUSE	52000
195	195/124E	NB	95.95	US 195 OVER I-90	54000
195	195/124W	SB	95.95	US 195 OVER I-90	54000
202	202/38	EB & WB	2.5	SAMMAMISH R	47000
202	202/60	EB & WB	26	SNOQUALMIE RIVER	53000
202	202/61	EB & WB	26.3	KIMBALL CR	57000
202	202/65	EB & WB	29.35	OVERFLOW CHANNEL	50000
203	203/2	NB & SB	0.24	SLOUGH	43000
203	203/3	NB & SB	0.49	SLOUGH	43000
203	203/4	NB & SB	0.67	SLOUGH	43000
203	203/5	NB & SB	0.75	SLOUGH	43000
203	203/6	NB & SB	1.09	SLOUGH	43000
203	203/7	NB & SB	1.24	SLOUGH	43000
203	203/8	NB & SB	1.37	SLOUGH	43000
203	203/10	NB & SB	2.1	SLOUGH	43000
203	203/12	NB & SB	3	CREEK	43000
203	203/20	NB & SB	8.12	HARRIS CREEK	43000
203	203/28	NB & SB	15.68	SLOUGH	43000
203	203/29	NB & SB	16.1	SLOUGH	43000
203	203/31	NB & SB	16.5	SLOUGH	43000
203	203/32	NB & SB	17.07	SLOUGH	43000
203	203/103	NB & SB	20.88	OVERFLOW SL	44000
203	203/104	NB & SB	22.05	DRAINAGE OVERFLOW	55000
206	206/16	EB & WB	6.71	DEADMAN CREEK	POSTED
231	231/101	NB & SB	44.65	SPOKANE RIVER	41000
241	241/5	NB & SB	1.34	MABTON SUNNSIDE	POSTED
278	278/4	EB & WB	1.18	HOXIE ROAD OVER ROCK CR	48000
278	278/6	EB & WB	2.19	HOXIE ROAD OVER ROCK CR	POSTED

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
281	281/10	NB & SB	9.98	WEST CANAL	58000
285	285/20E	NB	4.36	WENATCHEE AVE-NORTH BND	55000
285	285/20W	SB	4.36	WENATCHEE AVE-SOUTH BND	48000
300	300/1	EB & WB	0.28	MISSION CREEK	49000
302	302/3	EB & WB	1.29	COULTER CR	43000
303	303/12	NB & SB	0.73	PORT WASHINGTON CS1840	56000
395	395/120	NB & SB	55.92	DRY GULCH	51000
395	395/512	NB & SB	203.3	COLVILLE RIVER	47000
395	395/542	NB & SB	241.33	US 395 OVER RAILROAD	42000
395	395/608	NB & SB	252.74	US 395 OVER RR BARSTOW	40000
395	395/614A	NB & SB	257.3	GARY D. BATTIN BRIDGE	43000
395	395/616	NB & SB	258.98	DEER CR	50000
395	395/618	NB & SB	263.73	LITTLE BOULDER CR	50000
405	405/56E	NB	20.1	I-405 OVER PED TRAIL	54000
410	410/255	EB & WB	115.92	NACHES-SELAH CANAL	54000
411	411/10	NB & SB	13.26	HUNTINGTON AVE N	50000
432	432/10N	EB & WB	9.58	COWLITZ RIVER & RAILROAD	57000
500	500/9	EB & WB	8.85	5TH PLAIN CR	55000
500	500/18	EB & WB	18.92	CANAL	50000
<b>503</b>	<b>503/26</b>	<b>NB &amp; SB</b>	<b>27.84</b>	<b>LEWIS RIVER YALE</b>	POSTED
503	503/112	NB & SB	39.55	JIM CREEK	43000
505	505/102	NB & SB	16.44	SALMON CREEK	49000
507	507/8	NB & SB	2.36	SKOOKUMCHUCK RIVER	55000
507	507/126.5C	NB & SB	30.51	CENTRALIA POWER CANAL	43000
507	507/207	NB & SB	38.49	MUCK CREEK OVERFLOW	45000
507	507/208	NB & SB	38.95	MUCK CREEK	44000
508	508/14	EB & WB	15.97	KEARNEY CREEK	43000
508	508/16	EB & WB	18.32	MILL CREEK	43000
508	508/18	EB & WB	19.47	CINEBAR CREEK	43000
508	508/23	EB & WB	22.65	ALDER CREEK	43000
508	508/25	EB & WB	24.08	CREEK	43000
509	509/30	NB & SB	6.54	DRY GULCH	51000

# FIRE TRUCK MAXIMUM TANDEM WEIGHTS RESTRICTIONS

- For fire trucks **travelling off the Interstate**, Reference **RCW 46.44.190**. Firefighting Apparatus meeting the limits of Section (4) of RCW 46.44.190 are legal in the State, no permit required. Trucks exceeding limits set in Section (4) shall apply for permit per Section (6) of referenced RCW. Note Maximum permitted limits set in Section (5) and other limits in Section (7).

- Fire trucks **travelling on the Interstate** and within one roadway mile shall not exceed limits set in **WAC 468-38-435**

[RCW 46.44.190: Firefighting apparatus. \(wa.gov\)](http://www.wa.gov)

[WAC 468-38-435:](#)

State Route	Bridge Number	Travel Direction	Milepost	Bridge Name	Max. Permit Weight Per Tandem Axles
509	509/101	NB & SB	7.85	F B HOIT	47000
509	509/103	NB & SB	9.93	JOES CREEK	58000
509	509/105	NB & SB	12.86	SR 509 OVER 1ST AVE S	51000
513	513/12	NB & SB	0.19	MONTLAKE BRIDGE	50000
525	525/10	NB & SB	8.36	SR 525 OVER RAILROAD	46000
529	529/10E	NB & SB	3.82	SNOHOMISH RIVER BRIDGE	54000
<b>530</b>	<b>530/207</b>	<b>EB &amp; WB</b>	<b>56.22</b>	<b>SAUK RIVER BRIDGE</b>	<b>POSTED</b>
530	530/289	EB & WB	67.2	BOHS SLOUGH	55000
530	530/290	EB & WB	67.34	ROCKPORT BRIDGE	50000
539	539/858W	NB & SB	8.43	WISER LAKE	43000
539	539/859E	NB & SB	9.15	NOOKSACK RIVER OVERFLOW	43000
539	539/860E	NB & SB	9.43	NOOKSACK RIVER	51000
539	539/861E	NB & SB	10.11	NOOKSACK RIVER OVERFLOW	43000
542	542/21	EB & WB	17.65	BELLS CREEK	48000
542	542/23	EB & WB	20.62	COAL CREEK	43000
542	542/25	EB & WB	21.93	KENDALL CREEK	42000
542	542/30	EB & WB	30.87	N FK NOOKSACK R WARNICK	57000
542	542/33	EB & WB	33.49	GLACIER CREEK	54000
542	542/36	EB & WB	38.65	FOSSIL CREEK	40000
542	542/38	EB & WB	43.2	HALF BRIDGE	43000
542	542/42	EB & WB	49.16	BAGLEY CREEK	53000
542	542/43	EB & WB	50.38	GALENA CR LOWER X-ING	43000
542	542/44	EB & WB	51.28	RAZORHONE CR LOWER X-ING	56000
542	542/46	EB & WB	53.65	GALENA CR UPPER X-ING	44000
547	547/2	NB & SB	8.89	SAAR CREEK	45000
<b>548</b>	<b>548/10</b>	<b>NB &amp; SB</b>	<b>11.54</b>	<b>DAKOTA CREEK</b>	<b>POSTED</b>
706	706/8	EB & WB	11.16	COPPER CR	59000
821	821/119	NB & SB	25.04	WILSON CREEK	42000
903	903/3	NB & SB	2.28	ROSLYN CR	56000
904	904/10	EB & WB	16.9	SR 904 OVER I-90	46000
906	906/103	EB & WB	2.01	HYAK CREEK	52000