

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
<b>SECTION: 1 PREPARATION</b>							
0001	L.S.	MOBILIZATION		A1	STANDARD ITEM	2-01.5	
0002	L.S.	MOBILIZATION-----	(43)	A1	REQUIRES SPECIAL PROV.	2-01 Req. Special Provision	
0025	ACRE	CLEARING AND GRUBBING		D6	STANDARD ITEM	3-01.5	
0030	ACRE	CLEARING AND GRUBBING - SITE-----	(27)	D6	STANDARD ITEM	3-01	
0035	L.S.	CLEARING AND GRUBBING		D6	STD. ITEM, GSP REQUIRED	3-01 GSP Required	3-01.5.GR3
0040	L.S.	CLEARING AND GRUBBING - SITE-----	(27)	D6	STD. ITEM, GSP REQUIRED	3-01 GSP Required	3-01.5.GR3
0044	C.Y.	STRIPPING INCL. HAUL		D6	STANDARD ITEM	4-01.6	
0045	C.Y.	STRIPPING INCL. HAUL - SITE-----	(28)	D6	STANDARD ITEM	4-01	
0038	EST.	ARCHAEOLOGICAL AND HISTORICAL SALVAGE		A1	GSP ITEM		1-07.16(4).GR1
0047	EACH	REMOVING MANHOLE		G2	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0049	EACH	REMOVING DRAINAGE STRUCTURE		G2	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0050	L.S.	REMOVAL OF STRUCTURES AND OBSTRUCTIONS		F8	STD. ITEM, GSP REQUIRED	3-02 GSP Required	3-02.5.OPT1,FR3
0252	EST.	REMOVING NOISE BARRIER WALL SHAFT OBSTRUCTIONS		T0	STANDARD ITEM	6-12.5	
0254	EST.	REMOVING SOLDIER PILE SHAFT OBSTRUCTIONS		T0	STANDARD ITEM	6-16.5	
0256	EST.	REMOVING SHAFT OBSTRUCTIONS		T0	STANDARD ITEM	6-19.5	
0257	EST.	REMOVING TRAFFIC SIGNAL SHAFT OBSTRUCTIONS		T0	GSP ITEM		8-20.5.OPT1.GB8
0258	EST.	REMOVING SIGN STRUCTURE SHAFT OBSTRUCTIONS		T0	STANDARD ITEM	8-21.5	
0259	L.S.	WORK ACCESS-----	(44)	B0	GSP ITEM		6-01.5.OPT1(B). GB6
0060	L.S.	REMOVING PORTION OF EXISTING STRUCTURE-----	(17)	E0	STANDARD ITEM	3-02.5	
0061	L.S.	REMOVING PORTION OF EXISTING BRIDGE-----	(20)	B0	STANDARD ITEM	3-02.5	
0062	L.S.	REMOVING PORTION OF CONC. BOX CULV.-----	(20)	F8	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0070	L.S.	REMOVING EXISTING STRUCTURE-----	(28)	F8	STANDARD ITEM	3-02.5	
0071	L.S.	REMOVING EXISTING BRIDGE-----	(31)	F8	STANDARD ITEM	3-02.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
0116	EACH	REMOVING CONC. INLET		D6	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0080	S.Y.	REMOVING BITUMINOUS PAVEMENT		D6	GSP ITEM		3-02.5.OPT13.FR3
0090	S.Y.	REMOVING CEMENT CONC. PAVEMENT		D6	GSP ITEM		3-02.5.OPT13.FR3
0100	S.Y.	REMOVING CEMENT CONC. SIDEWALK		D6	GSP ITEM		3-02.5.OPT16.FR3
0108	L.F.	REMOVING CEMENT CONC. CURB AND GUTTER		D6	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0110	L.F.	REMOVING CEMENT CONC. CURB		D6	GSP ITEM		3-02.5.OPT17.FR3
0114	L.F.	REMOVING CEMENT CONC. GUTTER		D6	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0120	S.Y.	REMOVING ASPHALT CONC. PAVEMENT		D6	GSP ITEM		3-02.5.OPT13.FR3
0130	S.Y.	REMOVING ASPHALT CONC. SIDEWALK		D6	GSP ITEM		3-02.5.OPT13.FR3
0140	L.F.	REMOVING ASPHALT CONC. CURB		D6	GSP ITEM		3-02.5.OPT17.FR3
0145	L.F.	REMOVING CONC. BARRIER		N0	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0150	S.Y.	REMOVING TRAFFIC ISLAND		D6	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0160	L.F.	REMOVING TRAFFIC CURB		D6	GSP ITEM		3-02.5.OPT17.FR3
0170	L.F.	REMOVING GUARDRAIL		K2	STANDARD ITEM	8-11.5	
0182	EACH	REMOVING GUARDRAIL ANCHOR		K2	STANDARD ITEM	8-11.5	
0183	L.F.	REMOVING HIGH TENSION CABLE BARRIER		J0	GSP ITEM		8-11.5.OPT3.GR8
0180	EACH	REMOVING CONC. SPOT POST		A1	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0185	EACH	REMOVING GUIDE POST		K6	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0187	L.F.	REMOVING PAINT LINE		Q2	STANDARD ITEM	8-22.5	
0190	L.F.	REMOVING PLASTIC LINE		Q2	STANDARD ITEM	8-22.5	
0199	EACH	REMOVING PAINTED TRAFFIC MARKING		Q2	STANDARD ITEM	8-22.5	
0200	EACH	REMOVING PLASTIC TRAFFIC MARKING		Q2	STANDARD ITEM	8-22.5	
0203	S.F.	REMOVING PAINTED CROSSWALK LINE		Q2	STANDARD ITEM	8-22.5	
0204	S.F.	REMOVING PLASTIC CROSSWALK LINE		Q2	STANDARD ITEM	8-22.5	
0201	EACH	REMOVING TRAFFIC BUTTON		Q2	REQUIRES SPECIAL PROV.	8-22 Req. Special Provision	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
0208	HUND	REMOVING RAISED PAVEMENT MARKER		Q2	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0209	L.S.	REMOVING RAISED PAVEMENT MARKER		Q2	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0213	L.F.	REMOVING DELINEATION LIGHT		H2	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0215	L.S.	REMOVING MISCELLANEOUS TRAFFIC ITEM		Q2	GSP ITEM		3-02.5.OPT8.GR3
0220	L.F.	REMOVING CHAIN LINK FENCE		I8	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0230	L.F.	REMOVING WIRE FENCE		I8	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0240	EST.	VOLCANIC ASH REMOVAL-----	(35)	A1	REQUIRES SPECIAL PROV.	3-02 Req. Special Provision	
0250	L.S.	REMOVAL AND DISPOSAL OF ASBESTOS MATERIAL		A3	GSP ITEM		3-02.5.OPT11.GR3
0251	C.Y.	HAZARDOUS MATERIAL EXCAVATION		A1	GSP ITEM		3-02.5.OPT7.GR3
0260	EST.	HAZARDOUS MATERIAL HANDLING AND DISPOSAL		A1	GSP ITEM		3-02.5.OPT7.GR3
0261	C.Y.	HAZARDOUS MATERIAL EXCAVATION INCL. HAUL		A1	GSP ITEM		3-02.5.OPT7.GR3
0940	L.S.	DISPOSAL OF CREOSOTED MATERIAL		F8	WSF ITEM REQ. SPECIAL PROV.		
0262	L.S.	DECOMMISSIONING WELLS		D6	GSP ITEM		3-02.5.OPT2.GR3
<b>SECTION: 2 GRADING</b>							
0300	C.Y.	ROADWAY EXCAVATION		J6	STANDARD ITEM	3-03.5	
0310	C.Y.	ROADWAY EXCAVATION INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0320	C.Y.	ROADWAY EXCAVATION - AREA-----	(30)	J6	STANDARD ITEM	3-03.5	
0330	C.Y.	ROADWAY EXCAVATION INCL. HAUL - AREA-----	(19)	J6	STANDARD ITEM	3-03.5	
0301	MI.	SHOULDER FINISHING		J6	STANDARD ITEM	4-05.5	
0332	S.Y.	PAVEMENT REPAIR EXCAVATION INCL. HAUL		J6	STANDARD ITEM	5-04.5	
0340	C.Y.	UNSUITABLE FOUNDATION EXCAVATION		J6	STANDARD ITEM	3-03.5	
0350	C.Y.	UNSUITABLE FOUNDATION EXCAVATION INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0370	L.F.	CONTROLLED BLASTING OF ROCK FACE		G8	STANDARD ITEM	3-03.5	
0380	CRHR	ROCK SLOPE SCALING		X0	GSP ITEM		3-03.5.OPT3.GR3

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
0390	C.Y.	ROCK SLOPE SCALING DEBRIS REMOVAL INCL. HAUL		K8	GSP ITEM		3-03.5.OPT3.GR3
0400	UNIT	HAUL		K8	STANDARD ITEM	3-04.5	
0405	C.Y.	COMMON BORROW INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0408	TON	SELECT BORROW INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0409	C.Y.	SELECT BORROW INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0421	C.Y.	GRAVEL BORROW INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0431	TON	GRAVEL BORROW INCL. HAUL		J6	STANDARD ITEM	3-03.5	
0440	TON	SAND DRAINAGE BLANKET		J6	STANDARD ITEM	3-03.5	
0455	L.F.	PREFABRICATED VERTICAL DRAIN		L4	STANDARD ITEM	3-03.5	
0460	C.Y.	EMBANKMENT IN PLACE		J6	REQ. SPECIAL & HQ APPROV.	3-03 Req. Spec. Prov & HQ Approv.	
0470	C.Y.	EMBANKMENT COMPACTION		J6	STANDARD ITEM	3-03.5	
0480	HR	COMPACTOR UNIT		J6	REQUIRES SPECIAL PROV.	3-03 Req. Special Provision	
0490	EST.	AERATION		J6	STD. ITEM REQ. HQ APPROV.	3-03.5 Req HQ Approval	
0491	C.Y.	GEOFOAM LIGHTWEIGHT FILL		J6	GSP ITEM		3-03.5.OPT4.GR3
0500	L.F.	SETTLEMENT INDICATING DEVICE		T6	REQUIRES SPECIAL PROV.	3-03 Req Special Provision	
0502	EACH	SETTLEMENT INDICATING DEVICE		T6	REQUIRES SPECIAL PROV.	3-03 Req Special Provision	
0505	EACH	PORE PRESSURE DETECTION DEVICE		R4	REQUIRES SPECIAL PROV.	3-03 Req Special Provision	
<b>SECTION: 3 STOCKPILING</b>							
0601	CALC	EXCESS PROCESSED MATERIAL		F6	STANDARD ITEM	4-01.6	
0600	C.Y.	BALLAST IN STOCKPILE		F6	STANDARD ITEM	4-05.5	
0610	TON	BALLAST IN STOCKPILE		F6	STANDARD ITEM	4-05.5	
0620	C.Y.	PERMEABLE BALLAST IN STOCKPILE		F6	STANDARD ITEM	4-05.5	
0630	TON	PERMEABLE BALLAST IN STOCKPILE		F6	STANDARD ITEM	4-05.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
0640	C.Y.	CRUSHED SURFACING BASE COURSE IN STOCKPILE		F6	STANDARD ITEM	4.02.5	
0650	TON	CRUSHED SURFACING BASE COURSE IN STOCKPILE		F6	STANDARD ITEM	4.02.5	
0660	C.Y.	CRUSHED SURFACING TOP COURSE IN STOCKPILE		F6	STANDARD ITEM	4.02.5	
0670	TON	CRUSHED SURFACING TOP COURSE IN STOCKPILE		F6	STANDARD ITEM	4.02.5	
0690	TON	CRUSHED COVER STONE IN STOCKPILE		F6	STANDARD ITEM		
0695	C.Y.	CRUSHED COVER STONE IN STOCKPILE		F6	STANDARD ITEM		
0700	TON	SCREENED COVER STONE IN STOCKPILE		F6	STANDARD ITEM	4-02	
0710	TON	CRUSHED SCREENING 5/8 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM		
0711	C.Y.	CRUSHED SCREENING 5/8 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM		
0720	TON	CRUSHED SCREENING 1/2 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM		
0721	C.Y.	CRUSHED SCREENING 1/2 TO 1/4 IN STOCKPILE		F6	STANDARD ITEM		
0725	TON	CRUSHED SCREENING 3/8 TO NO. 10 IN STOCKPILE		F6	STANDARD ITEM		
0726	C.Y.	CRUSHED SCREENING 3/8 TO NO. 10 IN STOCKPILE		F6	STANDARD ITEM		
0730	TON	CRUSHED SCREENING 1/4 TO 0 IN STOCKPILE		F6	STANDARD ITEM		
0731	C.Y.	CRUSHED SCREENING 1/4 TO 0 IN STOCKPILE		F6	STANDARD ITEM		
0740	TON	AGG. FOR ACP CL. B 5/8 IN. TO 1/4 IN. IN STOCKPILE		F6	STANDARD ITEM		
0750	TON	AGG. FOR ACP CL. B 1/4 IN. TO 0 IN. IN STOCKPILE		F6	STANDARD ITEM		
0790	TON	AGG. FOR ACP CL. F 3/4 IN. TO 1/4 IN. IN STOCKPILE		F6	STANDARD ITEM		
0800	TON	AGG. FOR ACP CL. F 1/4 IN. TO 0 IN. IN STOCKPILE		F6	STANDARD ITEM		
0820	C.Y.	MAINTENANCE ROCK 1/2 IN. MINUS IN STOCKPILE		F6	STANDARD ITEM		
0830	TON	MAINTENANCE ROCK 1/2 IN. MINUS IN STOCKPILE		F6	STANDARD ITEM		
0840	C.Y.	MAINTENANCE SAND 3/8 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.	4-02 Req. Special Provision	
0850	TON	MAINTENANCE SAND 3/8 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.	4-02 Req. Special Provision	
0860	C.Y.	MAINTENANCE SAND 1/4 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.	4-02 Req. Special Provision	
0870	TON	MAINTENANCE SAND 1/4 IN. MINUS IN STOCKPILE		F6	REQUIRES SPECIAL PROV.	4-02 Req. Special Provision	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
<b>SECTION: 4 DRAINAGE</b>							
1025	C.Y.	DITCH EXCAVATION		G2	STANDARD ITEM	3-03.5	
1030	C.Y.	DITCH EXCAVATION INCL. HAUL		G2	STANDARD ITEM	3-03.5	
1035	C.Y.	CHANNEL EXCAVATION		J6	STANDARD ITEM	3-03.5	
1040	C.Y.	CHANNEL EXCAVATION INCL. HAUL		J6	STANDARD ITEM	3-03.5	
1046	EACH	CONCRETE INLET		G2	STANDARD ITEM	7-05.5	
1053	EACH	GRATE INLET TYPE 1		G2	STANDARD ITEM	7-05.5	
1054	EACH	GRATE INLET TYPE 2		G2	STANDARD ITEM	7-05.5	
1052	EACH	FRAME AND VANED GRATES FOR GRATE INLET TYPE 2		G2	REQUIRES SPECIAL PROV.		
1058	EACH	DROP INLET TYPE 1		G2	STANDARD ITEM	7-05.5	
1059	EACH	DROP INLET TYPE 2		G2	STANDARD ITEM	7-05.5	
1062	EACH	PRECAST CONCRETE DRYWELL		G2	STANDARD ITEM	7-05.5	
1063	EACH	COMBINATION INLET		G2	STANDARD ITEM	7-05.5	
1065	L.F.	CEMENT CONC. GUTTER		C8	STANDARD ITEM	7-05.5	
1066	L.F.	ASPHALT CONC. GUTTER		A2	STANDARD ITEM	7-05.5	
1070	L.F.	CEMENT CONC. SPILLWAY		C8	STANDARD ITEM	7-05.5	
1071	L.F.	ASPHALT CONC. SPILLWAY		A2	STANDARD ITEM	7-05.5	
1069	C.Y.	FILTER BLANKET		G2	STANDARD ITEM	8-15.5	
1068	TON	FILTER BLANKET		G2	STANDARD ITEM	8-15.5	
1067	S.Y.	MEDIA FILTER DRAIN TYPE-----	(32)	G2	GSP ITEM		7-01.SA1.GR7
0927	TON	AQUITARD		G2	REQUIRES SPECIAL PROV.		
1077	TON	8 IN. QUARRY ROCK		R0	REQUIRES SPECIAL PROV.		
1093	TON	STREAMBED SEDIMENT		G2	STANDARD ITEM	8-30.5	
1099	TON	STREAMBED FINE SEDIMENT		G2	STANDARD ITEM	8-30.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
1090	TON	STREAMBED SAND		G2	STANDARD ITEM	8-30.5	
1095	C.Y.	STREAMBED SEDIMENT		G2	REQUIRES SPECIAL PROV.		
1072	C.Y.	HAND PLACED RIPRAP		R0	STANDARD ITEM	8-04.5	
1073	TON	LIGHT LOOSE RIPRAP		R0	STANDARD ITEM	8-15.5	
1074	C.Y.	LIGHT LOOSE RIPRAP		R0	STANDARD ITEM	8-15.5	
1075	TON	HEAVY LOOSE RIPRAP		R0	STANDARD ITEM	8-15.5	
1076	C.Y.	HEAVY LOOSE RIPRAP		R0	STANDARD ITEM	8-15.5	
0885	C.Y.	STREAMBED COBBLES 4 IN		G2	REQUIRES SPECIAL PROV.	9-03.11(4) Req. Special Provision	
0886	C.Y.	STREAMBED COBBLES 6 IN.		G2	REQUIRES SPECIAL PROV.	9-03.11(4) Req. Special Provision	
0887	C.Y.	STREAMBED COBBLES 8 IN.		G2	REQUIRES SPECIAL PROV.	9-03.11(4) Req. Special Provision	
0888	C.Y.	STREAMBED COBBLES 10 IN.		G2	REQUIRES SPECIAL PROV.	9-03.11(4) Req. Special Provision	
0889	C.Y.	STREAMBED COBBLES 12 IN.		G2	REQUIRES SPECIAL PROV.	9-03.11(4) Req. Special Provision	
0900	TON	STREAMBED COBBLES 4 IN.		G2	STANDARD ITEM	8-30.5	
0901	TON	STREAMBED COBBLES 6 IN.		G2	STANDARD ITEM	8-30.5	
0902	TON	STREAMBED COBBLES 8 IN.		G2	STANDARD ITEM	8-30.5	
0903	TON	STREAMBED COBBLES 10 IN.		G2	STANDARD ITEM	8-30.5	
0904	TON	STREAMBED COBBLES 12 IN.		G2	STANDARD ITEM	8-30.5	
0905	EACH	STREAMBED BOULDER TYPE ONE		R0	STANDARD ITEM	8-30.5	
0906	TON	STREAMBED BOULDER TYPE ONE		R0	REQUIRES SPECIAL PROV.		
0907	EACH	STREAMBED BOULDER TYPE TWO		R0	STANDARD ITEM	8-30.5	
0908	EACH	STREAMBED BOULDER TYPE THREE		R0	STANDARD ITEM	8-30.5	
0909	EACH	STREAMBED BOULDER TYPE FOUR		R0	STANDARD ITEM	8-30.5	
0912	EACH	HABITAT BOULDER THREE MAN		R0	REQUIRES SPECIAL PROV.		

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
0913	EACH	HABITAT BOULDER FOUR MAN		R0	REQUIRES SPECIAL PROV.		
0914	EACH	HABITAT BOULDER FIVE MAN		R0	REQUIRES SPECIAL PROV.		
0915	EACH	HABITAT BOULDER SIX MAN		R0	REQUIRES SPECIAL PROV.		
0918	EACH	LARGE WOODY MATERIAL-LOG WITHOUT ROOTWAD DIA-----	(11)	A1	GSP ITEM		8-SA5.GR8
0919	EACH	LARGE WOODY MATERIAL-LOG WITH ROOTWAD DIA-----	(14)	A1	GSP ITEM		8-SA5.GR8
0928	EACH	BOULDER ANCHOR		A1	GSP ITEM		8-SA5.GR8
0929	C.Y.	SMALL WOODY MATERIAL		A1	GSP ITEM		8-SA5.GR8
0916	EST.	ADDITIONAL STREAMBED GRADING		J6	STANDARD ITEM	8-30.5	
0917	C.Y.	SLASH		A1	GSP ITEM		8-SA5.GR8
0921	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS A		R0	STANDARD ITEM	8-30.5	
0922	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS A		R0	STANDARD ITEM	8-30.5	
0923	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS B		R0	STANDARD ITEM	8-30.5	
0924	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS B		R0	STANDARD ITEM	8-30.5	
0925	TON	ROCK FOR EROSION AND SCOUR PROTECTION CLASS C		R0	REQUIRES SPECIAL PROV.		
0926	C.Y.	ROCK FOR EROSION AND SCOUR PROTECTION CLASS C		R0	STANDARD ITEM	8-30.5	
1085	C.Y.	QUARRY SPALLS		R0	STANDARD ITEM	8-15.5	
1086	TON	QUARRY SPALLS		R0	STANDARD ITEM	8-15.5	
1080	L.F.	RELAYING-----	(47)	G2	STANDARD ITEM	7-02.5	
1091	L.F.	SAFETY BARS FOR CULVERT PIPE TYPE 1		G2	STANDARD ITEM	7-02.5	
1092	L.F.	SAFETY BARS FOR CULVERT PIPE TYPE 2		G2	STANDARD ITEM	7-02.5	
0967	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 15 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0968	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 18 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0969	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 21 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0970	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 24 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0971	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 30 IN. DIAM		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
0972	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 36 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0973	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 36 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0974	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 42 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0975	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 42 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0976	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 48 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0977	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 48 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0978	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 54 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0979	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 54 IN. DIAM		G2	STANDARD ITEM	7-02.5	
0966	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 21 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0989	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 24 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0990	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 28 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0991	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 35 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0992	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 35 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0993	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 42 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0994	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 42 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0995	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 49 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0996	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 49 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0997	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0998	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
0999	EACH	TAPERED END SECTION WITH TYPE 3 SAFETY BARS 64 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1000	EACH	TAPERED END SECTION WITH TYPE 4 SAFETY BARS 64 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1100	EACH	FLARED END SECTION 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1101	EACH	FLARED END SECTION 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1102	EACH	FLARED END SECTION 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1104	EACH	FLARED END SECTION 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1105	EACH	FLARED END SECTION 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1106	EACH	FLARED END SECTION 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1107	EACH	FLARED END SECTION 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1108	EACH	FLARED END SECTION 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1109	EACH	FLARED END SECTION 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1110	EACH	FLARED END SECTION 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1112	EACH	FLARED END SECTION 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1113	EACH	FLARED END SECTION 78 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1114	EACH	FLARED END SECTION 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1120	EACH	FLARED END SECTION 17 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1121	EACH	FLARED END SECTION 21 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1122	EACH	FLARED END SECTION 24 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1123	EACH	FLARED END SECTION 28 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1124	EACH	FLARED END SECTION 35 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1125	EACH	FLARED END SECTION 42 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1126	EACH	FLARED END SECTION 49 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1127	EACH	FLARED END SECTION 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1128	EACH	FLARED END SECTION 64 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1129	EACH	FLARED END SECTION 71 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1130	EACH	FLARED END SECTION 77 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1131	EACH	FLARED END SECTION 83 IN. SPAN		G2	STANDARD ITEM	7-02.5	
1135	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 12 IN.DIAM		G2	STANDARD ITEM	8-04.5	
1136	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 18 IN.DIAM		G2	STANDARD ITEM	8-04.5	
1137	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 24 IN.DIAM		G2	STANDARD ITEM	8-04.5	
1138	L.F.	HALF ROUND PLAIN ST. CULV. PIPE 0.064 IN.TH. 30 IN.DIAM		G2	STANDARD ITEM	8-04.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
1140	L.F.	HALF ROUND TR. 1 ST. CULV. PIPE 0.064 IN.TH. 12 IN.DIAM		G2	STANDARD ITEM	8-04.5	
1142	L.F.	HALF ROUND TR. 1 ST. CULV. PIPE 0.064 IN.TH. 24 IN.DIAM		G2	STANDARD ITEM	8-04.5	
1160	L.F.	UNDERDRAIN PIPE 6 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1161	L.F.	UNDERDRAIN PIPE 8 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1162	L.F.	UNDERDRAIN PIPE 10 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1163	L.F.	UNDERDRAIN PIPE 12 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1164	L.F.	UNDERDRAIN PIPE 15 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1165	L.F.	UNDERDRAIN PIPE 18 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1166	L.F.	UNDERDRAIN PIPE 21 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1170	L.F.	DRAIN PIPE 6 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1171	L.F.	DRAIN PIPE 8 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1172	L.F.	DRAIN PIPE 10 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1173	L.F.	DRAIN PIPE 12 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1174	L.F.	DRAIN PIPE 15 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1175	L.F.	DRAIN PIPE 18 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1176	L.F.	DRAIN PIPE 21 IN. DIAM.		L4	STANDARD ITEM	7-01.5	
1180	L.F.	SCHEDULE A CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1182	L.F.	SCHEDULE A CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1184	L.F.	SCHEDULE A CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1186	L.F.	SCHEDULE A CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1188	L.F.	SCHEDULE B CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1190	L.F.	SCHEDULE B CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1192	L.F.	SCHEDULE B CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1194	L.F.	SCHEDULE B CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1196	L.F.	SCHEDULE C CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1198	L.F.	SCHEDULE C CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1200	L.F.	SCHEDULE C CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1202	L.F.	SCHEDULE C CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1204	L.F.	SCHEDULE D CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1206	L.F.	SCHEDULE D CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1208	L.F.	SCHEDULE D CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1210	L.F.	SCHEDULE D CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1215	L.F.	PLAIN CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1216	L.F.	PLAIN CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1217	L.F.	PLAIN CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2992	L.F.	SOLID WALL PVC CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2993	L.F.	SOLID WALL PVC CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2994	L.F.	SOLID WALL PVC CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2995	L.F.	SOLID WALL PVC CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2996	L.F.	SOLID WALL PVC CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2997	L.F.	PROFILE WALL PVC CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2998	L.F.	PROFILE WALL PVC CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2999	L.F.	PROFILE WALL PVC CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3000	L.F.	PROFILE WALL PVC CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3001	L.F.	PROFILE WALL PVC CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3008	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3009	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3010	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3011	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3012	L.F.	CORRUGATED POLYETHYLENE CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3013	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3014	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3015	L.F.	ST. RIB REINF POLYETHYLENE CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3016	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3017	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3018	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3020	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 26 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3019	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
3050	L.F.	POLYPROPYLENE CULVERT PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-02.5	
3052	L.F.	POLYPROPYLENE CULVERT PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-02.5	
3054	L.F.	POLYPROPYLENE CULVERT PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-02.5	
1220	L.F.	CL. II REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1221	L.F.	CL. II REINF. CONC. CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1222	L.F.	CL. II REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1223	L.F.	CL. II REINF. CONC. CULV. PIPE 21 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1224	L.F.	CL. II REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1226	L.F.	CL. II REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1228	L.F.	CL. II REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1229	L.F.	CL. II REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1230	L.F.	CL. II REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1231	L.F.	CL. II REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1232	L.F.	CL. II REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1234	L.F.	CL. II REINF. CONC. CULV. PIPE 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1236	L.F.	CL. II REINF. CONC. CULV. PIPE 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1238	L.F.	CL. II REINF. CONC. CULV. PIPE 96 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1245	L.F.	CL. III REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1247	L.F.	CL. III REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1248	L.F.	CL. III REINF. CONC. CULV. PIPE 21 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1249	L.F.	CL. III REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1251	L.F.	CL. III REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1253	L.F.	CL. III REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1254	L.F.	CL. III REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1255	L.F.	CL. III REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1256	L.F.	CL. III REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1257	L.F.	CL. III REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1270	L.F.	CL. IV REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1271	L.F.	CL. IV REINF. CONC. CULV. PIPE 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1272	L.F.	CL. IV REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1274	L.F.	CL. IV REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1276	L.F.	CL. IV REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1278	L.F.	CL. IV REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1279	L.F.	CL. IV REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1280	L.F.	CL. IV REINF. CONC. CULV. PIPE 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1281	L.F.	CL. IV REINF. CONC. CULV. PIPE 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1282	L.F.	CL. IV REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1284	L.F.	CL. IV REINF. CONC. CULV. PIPE 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1290	L.F.	CL. V REINF. CONC. CULV. PIPE 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1292	L.F.	CL. V REINF. CONC. CULV. PIPE 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1294	L.F.	CL. V REINF. CONC. CULV. PIPE 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1296	L.F.	CL. V REINF. CONC. CULV. PIPE 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1298	L.F.	CL. V REINF. CONC. CULV. PIPE 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1299	L.F.	CL. V REINF. CONC. CULV. PIPE 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1302	L.F.	CL. V REINF. CONC. CULV. PIPE 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1310	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1311	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 10 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1312	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1319	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 15 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1313	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1314	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1315	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1316	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1317	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1318	L.F.	PLAIN ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1320	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1321	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1322	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1323	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1324	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1325	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1326	L.F.	PLAIN ST. CULV. PIPE 0.079 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1327	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1328	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1329	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1330	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1331	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1332	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1333	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1334	L.F.	PLAIN ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1336	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1338	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1340	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1341	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1343	L.F.	PLAIN ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1345	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1349	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1351	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1352	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 78 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1353	L.F.	PLAIN ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1360	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1362	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1363	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1364	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1365	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1366	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1368	L.F.	TR. 1 ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1371	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1372	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1375	L.F.	TR. 1 ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1378	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1379	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1380	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1381	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1384	L.F.	TR. 1 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1387	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1389	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1390	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1393	L.F.	TR. 1 ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1399	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1400	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1403	L.F.	TR. 1 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1410	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 8 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1412	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1413	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1414	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1415	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1416	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1417	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1418	L.F.	TR. 2 ST. CULV. PIPE 0.064 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1419	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1420	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1421	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1422	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1423	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1424	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1425	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1426	L.F.	TR. 2 ST. CULV. PIPE 0.079 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1427	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1428	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1429	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1430	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1432	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1433	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1434	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1435	L.F.	TR. 2 ST. CULV. PIPE 0.109 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1437	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1438	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1441	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1443	L.F.	TR. 2 ST. CULV. PIPE 0.138 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1445	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1447	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1449	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1450	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1451	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1453	L.F.	TR. 2 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1462	L.F.	TR. 3 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1463	L.F.	TR. 3 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1513	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1514	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1516	L.F.	TR. 4 ST. CULV. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1534	L.F.	TR. 4 ST. CULV. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1539	L.F.	TR. 4 ST. CULV. PIPE 0.138 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1545	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1547	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1553	L.F.	TR. 4 ST. CULV. PIPE 0.168 IN. TH. 84 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1562	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1563	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1564	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1565	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1567	L.F.	TR. 5 ST. CULV. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1571	L.F.	TR. 5 ST. CULV. PIPE 0.079 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1580	L.F.	TR. 5 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1600	L.F.	TR. 5 ST. CULV. PIPE 0.168 IN. TH. 66 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1612	L.F.	TR. 6 ST. CULV. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1630	L.F.	TR. 6 ST. CULV. PIPE 0.109 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1632	L.F.	TR. 6 ST. CULV. PIPE 0.109 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1660	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1661	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1663	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1664	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1665	L.F.	PLAIN NESTABLE ST. PIPE 0.064 IN. TH. 42 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1681	L.F.	PLAIN NESTABLE ST. PIPE 0.109 IN. TH. 60 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1700	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1701	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1702	L.F.	TR. 1 NESTABLE ST. PIPE 0.064 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1709	L.F.	TR. 1 NESTABLE ST. PIPE 0.079 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
1716	L.F.	TR. 1 NESTABLE ST. PIPE 0.109 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1800	L.F.	TR. 3 NESTABLE ST. PIPE 0.109 IN. TH. 54 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1950	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 12 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1951	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 18 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1952	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 24 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1953	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 30 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1954	L.F.	PLAIN AL. CULV. PIPE 0.060 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1962	L.F.	PLAIN AL. CULV. PIPE 0.075 IN. TH. 48 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1967	L.F.	PLAIN AL. CULV. PIPE 0.105 IN. TH. 36 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
1991	L.F.	PLAIN AL. CULV. PIPE 0.164 IN. TH. 72 IN. DIAM.		G2	STANDARD ITEM	7-02.5	
2002	L.F.	ST. STR. PLATE PIPE 12 GAGE 72 IN. DIAM.		V4	STANDARD ITEM		
2005	L.F.	ST. STR. PLATE PIPE 12 GAGE 90 IN. DIAM.		V4	STANDARD ITEM		
2006	L.F.	ST. STR. PLATE PIPE 12 GAGE 96 IN. DIAM.		V4	STANDARD ITEM		
2007	L.F.	ST. STR. PLATE PIPE 12 GAGE 102 IN. DIAM.		V4	STANDARD ITEM		
2008	L.F.	ST. STR. PLATE PIPE 12 GAGE 108 IN. DIAM.		V4	STANDARD ITEM		
2012	L.F.	ST. STR. PLATE PIPE 12 GAGE 132 IN. DIAM.		V4	STANDARD ITEM		
2025	L.F.	ST. STR. PLATE PIPE 10 GAGE 84 IN. DIAM.		V4	STANDARD ITEM		
2037	L.F.	ST. STR. PLATE PIPE 10 GAGE 156 IN. DIAM.		V4	STANDARD ITEM		
2039	L.F.	ST. STR. PLATE PIPE 10 GAGE 168 IN. DIAM.		V4	STANDARD ITEM		
2044	L.F.	ST. STR. PLATE PIPE 8 GAGE 72 IN. DIAM.		V4	STANDARD ITEM		
2046	L.F.	ST. STR. PLATE PIPE 8 GAGE 84 IN. DIAM.		V4	STANDARD ITEM		
2048	L.F.	ST. STR. PLATE PIPE 8 GAGE 96 IN. DIAM.		V4	STANDARD ITEM		
2052	L.F.	ST. STR. PLATE PIPE 8 GAGE 120 IN. DIAM.		V4	STANDARD ITEM		
2053	L.F.	ST. STR. PLATE PIPE 8 GAGE 126 IN. DIAM.		V4	STANDARD ITEM		
2054	L.F.	ST. STR. PLATE PIPE 8 GAGE 132 IN. DIAM.		V4	STANDARD ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
2063	L.F.	ST. STR. PLATE PIPE 7 GAGE 60 IN. DIAM.		V4	STANDARD ITEM		
2080	L.F.	ST. STR. PLATE PIPE 7 GAGE 162 IN. DIAM.		V4	STANDARD ITEM		
2092	L.F.	ST. STR. PLATE PIPE 5 GAGE 108 IN. DIAM.		V4	STANDARD ITEM		
2097	L.F.	ST. STR. PLATE PIPE 5 GAGE 138 IN. DIAM.		V4	STANDARD ITEM		
2098	L.F.	ST. STR. PLATE PIPE 5 GAGE 144 IN. DIAM.		V4	STANDARD ITEM		
2100	L.F.	ST. STR. PLATE PIPE 5 GAGE 156 IN. DIAM.		V4	STANDARD ITEM		
2104	L.F.	ST. STR. PLATE PIPE 5 GAGE 180 IN. DIAM.		V4	STANDARD ITEM		
2109	L.F.	ST. STR. PLATE PIPE 3 GAGE 84 IN. DIAM.		V4	STANDARD ITEM		
2126	L.F.	ST. STR. PLATE PIPE 1 GAGE 60 IN. DIAM.		V4	STANDARD ITEM		
2132	L.F.	ST. STR. PLATE PIPE 1 GAGE 96 IN. DIAM.		V4	STANDARD ITEM		
2263	L.F.	AL. STR. PLATE PIPE 0.250 IN. TH. 102 IN. DIAM.		V4	STANDARD ITEM		
2280	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 17 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2281	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2283	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 28 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2279	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 35 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2285	L.F.	PLAIN ST. CULV. PIPE ARCH 0.064 IN. TH. 42 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2286	L.F.	PLAIN ST. CULV. PIPE ARCH 0.079 IN. TH. 49 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2287	L.F.	PLAIN ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2288	L.F.	PLAIN ST. CULV. PIPE ARCH 0.109 IN. TH. 64 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2289	L.F.	PLAIN ST. CULV. PIPE ARCH 0.138 IN. TH. 71 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2290	L.F.	PLAIN ST. CULV. PIPE ARCH 0.168 IN. TH. 77 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2291	L.F.	PLAIN ST. CULV. PIPE ARCH 0.168 IN. TH. 83 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2305	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2310	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.079 IN. TH. 49 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2311	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
2312	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.109 IN. TH. 64 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2313	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.138 IN. TH. 71 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2314	L.F.	TR. 2 ST. CULV. PIPE ARCH 0.168 IN. TH. 77 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2317	L.F.	TR. 3 ST. CULV. PIPE ARCH 0.064 IN. TH. 21 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2344	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.064 IN. TH. 35 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2345	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.064 IN. TH. 42 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2347	L.F.	TR. 5 ST. CULV. PIPE ARCH 0.109 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2417	L.F.	PLAIN AL. CULV. PIPE ARCH 0.135 IN. TH. 57 IN. SPAN		G2	STANDARD ITEM	7-02.5	
2430	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 1 IN. SPAN		V4	STANDARD ITEM		
2431	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 4 IN. SPAN		V4	STANDARD ITEM		
2432	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 6 FT. 9 IN. SPAN		V4	STANDARD ITEM		
2433	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 7 FT. 0 IN. SPAN		V4	STANDARD ITEM		
2435	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 7 FT. 8 IN. SPAN		V4	STANDARD ITEM		
2437	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 2 IN. SPAN		V4	STANDARD ITEM		
2438	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 7 IN. SPAN		V4	STANDARD ITEM		
2439	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 8 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2441	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 9 FT. 6 IN. SPAN		V4	STANDARD ITEM		
2443	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 10 FT. 3 IN. SPAN		V4	STANDARD ITEM		
2448	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 11 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2450	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 6 IN. SPAN		V4	STANDARD ITEM		
2451	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 8 IN. SPAN		V4	STANDARD ITEM		
2452	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 12 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2455	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 14 FT. 1 IN. SPAN		V4	STANDARD ITEM		
2461	L.F.	ST. STR. PLATE PIPE ARCH 12 GAGE 15 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2504	L.F.	ST. STR. PLATE ARCH 12 GAGE 10 FT. 0 IN. SPAN		V4	STANDARD ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
2522	L.F.	ST. STR. PLATE ARCH 10 GAGE 10 FT. 0 IN. SPAN		V4	STANDARD ITEM		
2550	L.F.	ST. STR. PLATE ARCH 8 GAGE 20 FT. 0 IN. SPAN		V4	STANDARD ITEM		
2586	L.F.	ST. STR. PLATE ARCH 5 GAGE 20 FT. 0 IN. SPAN		V4	STANDARD ITEM		
2900	L.F.	DESIGN 1 ST. UNDERPASS 12 GAGE 6 FT. 8 IN. SPAN		V4	STANDARD ITEM		
2901	L.F.	DESIGN 1 ST. UNDERPASS 12 GAGE 6 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2909	L.F.	DESIGN 2 ST. UNDERPASS 12 GAGE 14 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2911	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 12 FT. 2 IN. SPAN		V4	STANDARD ITEM		
2917	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 14 FT. 10 IN. SPAN		V4	STANDARD ITEM		
2924	L.F.	DESIGN 2 ST. UNDERPASS 10 GAGE 18 FT. 4 IN. SPAN		V4	STANDARD ITEM		
2938	L.F.	DESIGN 2 ST. UNDERPASS 8 GAGE 18 FT. 4 IN. SPAN		V4	STANDARD ITEM		
3030	C.Y.	CULVERT BEDDING MATERIAL		E0	STANDARD ITEM		
3075	L.S.	TEMPORARY STREAM DIVERSION-----	(29)	J6	STANDARD ITEM	8-31.5	
3077	EST.	FISH EXCLUSION ASSISTANCE		A1	STANDARD ITEM	8-31.5	
3078	EST.	FISH BLOCK NET MAINTENANCE		A1	STANDARD ITEM	8-31.5	
<b>SECTION: 5 STORM SEWER</b>							
3091	EACH	CATCH BASIN TYPE 1		T8	STANDARD ITEM	7-05.5	
3105	EACH	CATCH BASIN TYPE 2 48 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3106	EACH	CATCH BASIN TYPE 2 54 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3109	EACH	CATCH BASIN TYPE 2 60 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3090	EACH	CATCH BASIN TYPE-----	(39)	T8	STANDARD ITEM	7-05.5	
3107	EACH	CATCH BASIN TYPE 2 72 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3104	EACH	CATCH BASIN TYPE 2 84 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3108	EACH	CATCH BASIN TYPE 2 96 IN. DIAM.		T8	STANDARD ITEM	7-05.5	
3093	EACH	CATCH BASIN TYPE 3		T8	STANDARD ITEM	7-05.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3151	L.F.	TESTING STORM SEWER PIPE		T8	STANDARD ITEM	7-04.5	
3390	L.F.	PLAIN CONC. STORM SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3391	L.F.	PLAIN CONC. STORM SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3392	L.F.	PLAIN CONC. STORM SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3393	L.F.	PLAIN CONC. STORM SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3394	L.F.	PLAIN CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3395	L.F.	PLAIN CONC. STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3396	L.F.	PLAIN CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3397	L.F.	PLAIN CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3398	L.F.	PLAIN CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3405	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3407	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3408	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3409	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3411	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3413	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3414	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3415	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3416	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 54 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3417	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 60 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3419	L.F.	CL. II REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3430	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3432	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3434	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3436	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3438	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3439	L.F.	CL. III REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3455	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3456	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3457	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3458	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3459	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3461	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3463	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3464	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3465	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3467	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 60 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3469	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3471	L.F.	CL. IV REINF. CONC. STORM SEWER PIPE 84 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3480	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3482	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3483	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3484	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3486	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3488	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3490	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3494	L.F.	CL. V REINF. CONC. STORM SEWER PIPE 72 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3541	L.F.	SCHEDULE A STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3542	L.F.	SCHEDULE A STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3543	L.F.	SCHEDULE A STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3544	L.F.	SCHEDULE A STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3545	L.F.	SCHEDULE A STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3546	L.F.	SCHEDULE A STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3547	L.F.	SCHEDULE A STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3550	L.F.	SCHEDULE B STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3551	L.F.	SCHEDULE B STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3552	L.F.	SCHEDULE B STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3553	L.F.	SCHEDULE B STORM SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3554	L.F.	SCHEDULE B STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3555	L.F.	SCHEDULE B STORM SEWER PIPE 42 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3556	L.F.	SCHEDULE B STORM SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3502	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3503	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3504	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3506	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3507	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3508	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3510	L.F.	TR. 5 ST. STORM SEWER PIPE 0.064 IN. TH. 48 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3519	L.F.	TR. 5 ST. STORM SEWER PIPE 0.079 IN. TH. 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3530	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3532	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3533	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3537	L.F.	TR. 5 ST. STORM SEWER PIPE 0.109 IN. TH. 60 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3575	L.F.	TR. 5 AL. STORM SEWER PIPE 0.075 IN. TH. 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3577	L.F.	SOLID WALL PVC STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3578	L.F.	SOLID WALL PVC STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3579	L.F.	SOLID WALL PVC STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3582	L.F.	SOLID WALL PVC STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3583	L.F.	SOLID WALL PVC STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3592	L.F.	PROFILE WALL PVC STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3593	L.F.	PROFILE WALL PVC STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3594	L.F.	PROFILE WALL PVC STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3597	L.F.	PROFILE WALL PVC STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3598	L.F.	PROFILE WALL PVC STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3602	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3603	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3607	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3608	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3609	L.F.	CORRUGATED POLYETHYLENE STORM SEWER PIPE 36 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3616	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 24 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3617	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 30 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3618	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 36 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3633	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 42 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3634	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 48 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3635	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 54 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3636	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 60 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3637	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 66 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3638	L.F.	ST. RIB REINF POLYETHYLENE STORM SEWER PIPE 72 IN. DIAM		T8	STANDARD ITEM	7-04.5	
3560	L.F.	POLYPROPYLENE STORM SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3562	L.F.	POLYPROPYLENE STORM SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3564	L.F.	POLYPROPYLENE STORM SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3566	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3567	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3568	L.F.	HIGH-DENSITY POLYETHYLENE(HDPE) PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
3569	L.F.	HIGH-DENSITY POLYETHYLENE (HDPE) PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-04.5	
<b>SECTION: 6 SANITARY SEWER</b>							
3640	EACH	SEWER CLEANOUT		T8	STANDARD ITEM	7-19.5	
3152	L.F.	TESTING SEWER PIPE		T8	STANDARD ITEM	7-04.5	
3651	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3654	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3655	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3657	L.F.	PLAIN CONC. OR V.C. SEWER PIPE 21 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3706	L.F.	CL. IV REINF. CONC. SEWER PIPE 15 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3715	L.F.	CL. IV REINF. CONC. SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3725	L.F.	CL. V REINF. CONC. SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3727	L.F.	CL. V REINF. CONC. SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3729	L.F.	CL. V REINF. CONC. SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3731	L.F.	CL. V REINF. CONC. SEWER PIPE 30 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3735	L.F.	CL. V REINF. CONC. SEWER PIPE 48 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3765	L.F.	PVC SANITARY SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3766	L.F.	PVC SANITARY SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3767	L.F.	PVC SANITARY SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3768	L.F.	PVC SANITARY SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3769	L.F.	PVC SANITARY SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-17.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
3770	L.F.	DUCTILE IRON SEWER PIPE 4 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3771	L.F.	DUCTILE IRON SEWER PIPE 6 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3772	L.F.	DUCTILE IRON SEWER PIPE 8 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3773	L.F.	DUCTILE IRON SEWER PIPE 10 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3774	L.F.	DUCTILE IRON SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3776	L.F.	DUCTILE IRON SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3781	L.F.	ABS COMPOSITE SEWER PIPE-----	(31)	T8	STANDARD ITEM	7-17.5	
3794	L.F.	POLYPROPYLENE SEWER PIPE 12 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3796	L.F.	POLYPROPYLENE SEWER PIPE 18 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
3798	L.F.	POLYPROPYLENE SEWER PIPE 24 IN. DIAM.		T8	STANDARD ITEM	7-17.5	
2826	L.S.	VTS SEWER SYSTEM		T8	WSF ITEM REQ. SPECIAL PROV.		

**SECTION: 7 WATER LINES**

3800	C.Y.	ROCK EXCAVATION		X2	STANDARD ITEM	7-09.5	
3806	C.Y.	EXTRA TRENCH EXCAVATION		X2	STANDARD ITEM	7-09.5	
3810	C.Y.	REMOVAL AND REPLACEMENT OF UNSUITABLE MATERIAL		X2	STANDARD ITEM	7-09.5	
3815	C.Y.	BANK RUN GRAVEL FOR TRENCH BACKFILL		X2	STANDARD ITEM	7-09.5	
6150	EACH	GATE VALVE 4 IN.		X2	STANDARD ITEM	7-12.5	
6155	EACH	GATE VALVE 6 IN.		X2	STANDARD ITEM	7-12.5	
6160	EACH	GATE VALVE 8 IN.		X2	STANDARD ITEM	7-12.5	
6162	EACH	GATE VALVE 10 IN.		X2	STANDARD ITEM	7-12.5	
6165	EACH	GATE VALVE 12 IN.		X2	STANDARD ITEM	7-12.5	
6167	EACH	GATE VALVE-----	(45)	X2	STANDARD ITEM	7-12.5	
3820	EACH	BUTTERFLY VALVE 12 IN.		X2	STANDARD ITEM	7-12.5	
3821	EACH	BUTTERFLY VALVE 14 IN.		X2	STANDARD ITEM	7-12.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
3822	EACH	BUTTERFLY VALVE 16 IN.		X2	STANDARD ITEM	7-12.5	
3823	EACH	BUTTERFLY VALVE 18 IN.		X2	STANDARD ITEM	7-12.5	
3825	EACH	BUTTERFLY VALVE 24 IN.		X2	STANDARD ITEM	7-12.5	
3827	EACH	BUTTERFLY VALVE 36 IN.		X2	STANDARD ITEM	7-12.5	
3835	EACH	COMB. AIR RELEASE/AIR VACUUM VALVE ASSEMBLY 1 IN.		X2	STANDARD ITEM	7-12.5	
3837	EACH	COMB. AIR RELEASE/AIR VACUUM VALVE ASSEMBLY 2 IN.		X2	STANDARD ITEM	7-12.5	
7007	S.F.	SHORING OR EXTRA EXCAVATION TRENCH		I2	STANDARD ITEM	7-09.5	
3838	EACH	BLOWOFF ASSEMBLY		X2	STANDARD ITEM	7-09.5	
3842	EACH	TAPPING SLEEVE AND VALVE ASSEMBLY 6 IN.		X2	STANDARD ITEM	7-12.5	
3843	EACH	TAPPING SLEEVE AND VALVE ASSEMBLY 8 IN.		X2	STANDARD ITEM	7-12.5	
3846	EACH	HYDRANT ASSEMBLY		X2	STANDARD ITEM	7-14.5	
3848	EACH	RESETTING EXISTING HYDRANT		X2	STANDARD ITEM	7-14.5	
3850	EACH	MOVING EXISTING HYDRANT		X2	STANDARD ITEM	7-14.5	
3852	EACH	RECONNECTING EXISTING HYDRANT		X2	STANDARD ITEM	7-14.5	
3854	L.F.	HYDRANT EXTENSION		X2	STANDARD ITEM	7-14.5	
3857	EACH	SERVICE CONNECTION 3/4 IN. DIAM.		X2	STANDARD ITEM	7-15.5	
3858	EACH	SERVICE CONNECTION 1 IN. DIAM.		X2	STANDARD ITEM	7-15.5	
3859	EACH	SERVICE CONNECTION 1-1/4 IN. DIAM.		X2	STANDARD ITEM	7-15.5	
3861	EACH	SERVICE CONNECTION 2 IN. DIAM.		X2	STANDARD ITEM	7-15.5	
3865	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3866	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 6 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3867	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 8 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3868	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 10 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3869	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 12 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3870	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 14 IN. DIAM.		X2	STANDARD ITEM	7-09.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
3871	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 16 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3872	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 18 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3874	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 24 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3875	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 30 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3876	L.F.	DUCTILE IRON PIPE FOR WATER MAIN 36 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3901	L.F.	CONC. CYLINDER PIPE FOR WATER MAIN 36 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3910	L.F.	ST. PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3911	L.F.	ST. PIPE FOR WATER MAIN 6 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3932	L.F.	PVC PIPE FOR WATER MAIN 3 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3933	L.F.	PVC PIPE FOR WATER MAIN 4 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
3934	L.F.	PVC PIPE FOR WATER MAIN 6 IN. DIAM		X2	STANDARD ITEM	7-09.5	
3935	L.F.	PVC PIPE FOR WATER MAIN 8 IN. DIAM		X2	STANDARD ITEM	7-09.5	
3937	L.F.	PVC PIPE FOR WATER MAIN 12 IN. DIAM.		X2	STANDARD ITEM	7-09.5	
2827	L.S.	VTS WATER SUPPLY SYSTEM		X2	WSF ITEM REQ. SPECIAL PROV.		

**SECTION: 8 STRUCTURE**

4001	L.S.	TEMPORARY BRIDGE-----	(39)	B0	GSP ITEM		6-01.5.OPT2.FB6
4005	C.Y.	STRUCTURE EXCAVATION CLASS A		I2	STANDARD ITEM	3-07.5	
4006	C.Y.	STRUCTURE EXCAVATION CLASS A INCL. HAUL		I2	STANDARD ITEM	3-07.5	
4009	L.F.	ROCK EXCAVATION FOR SHAFT INCLUDING HAUL		T0	STANDARD ITEM	6-19.5	
4010	C.Y.	SPECIAL EXCAVATION-----	(37)	I2	REQUIRES SPECIAL PROV.		
4013	L.S.	SHORING OR EXTRA EXCAVATION CL. A-----	(22)	I2	STANDARD ITEM	6-19.5	
4025	C.Y.	GRAVEL BACKFILL FOR WALL		I2	STANDARD ITEM	6-02.5	
4084	L.F.	CONSTRUCTING 4 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4086	L.F.	CONSTRUCTING 5 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
4087	L.F.	CONSTRUCTING 6 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4088	L.F.	CONSTRUCTING 7 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4089	L.F.	CONSTRUCTING 8 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4091	L.F.	CONSTRUCTING 9 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4092	L.F.	CONSTRUCTING 10 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4093	L.F.	CONSTRUCTING 11 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4094	L.F.	CONSTRUCTING 12 FT. DIAM SHAFT		T3	STD. ITEM, GSP REQUIRED		
4046	MGAL	FRESH WATER FOR SHAFT SLURRY		A1	GSP ITEM		6-19.5.OPT2.GB6
4047	L.F.	SHAFT - 24 IN. DIAMETER		T0	STANDARD ITEM	6-16.5	
4048	L.F.	SHAFT - 30 IN. DIAMETER		T0	STANDARD ITEM	6-16.5	
4049	L.F.	SHAFT - 36 IN. DIAMETER		T0	STANDARD ITEM	6-16.5	
4050	L.F.	SHAFT - 42 IN. DIAMETER		T0	STANDARD ITEM	6-16.5	
4053	L.F.	FURNISHING SOLDIER PILE-----	(32)	T0	STANDARD ITEM	6-16.5	
4054	L.F.	PREBORING FOR 12 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB6
4056	L.F.	PREBORING FOR 14 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB7
4057	L.F.	PREBORING FOR 16 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB8
4058	L.F.	PREBORING FOR 18 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB9
4059	L.F.	PREBORING FOR 20 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB10
4061	L.F.	PREBORING FOR 24 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB11
4062	L.F.	PREBORING FOR 30 IN. DIAM. CONC. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB12
4063	L.F.	PREBORING FOR ST. PILE		Q4	GSP ITEM		6-05.5.OPT1.FB13
4064	L.F.	PREBORING FOR TIMBER PILE		Q4	GSP ITEM		6-05.5.OPT1.FB14
4060	EACH	FURNISHING AND DRIVING CONCRETE TEST PILE		Q4	STANDARD ITEM	6-05.5	
4070	L.F.	FURNISHING CONC. PILING-----	(32)	Q4	STANDARD ITEM	6-05.5	
4080	EACH	DRIVING CONC. PILE-----	(37)	Q4	STANDARD ITEM	6-05.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
4085	EACH	FURNISHING AND DRIVING STEEL TEST PILE		Q4	STANDARD ITEM	6-05.5	
4090	L.F.	FURNISHING ST. PILING-----	(34)	Q4	STANDARD ITEM	6-05.5	
4095	EACH	DRIVING ST. PILE-----	(39)	Q4	STANDARD ITEM	6-05.5	
8376	EACH	FURNISHING STEEL PILE TIP OR SHOE-----	(22)	Q4	STANDARD ITEM	6-05.5	
8378	EACH	PRECAST CONCRETE PILE BUILDUP		Q4	STANDARD ITEM	6-05.5	
4100	EACH	FURNISHING AND DRIVING TIMBER TEST PILE		Q4	STANDARD ITEM	6-05.5	
4105	L.F.	FURNISHING TIMBER PILING - UNTREATED		Q4	STANDARD ITEM	6-05.5	
4107	L.F.	FURNISHING TIMBER PILING-----	(31)	Q4	STANDARD ITEM	6-05.5	
4108	EACH	DRIVING TIMBER PILE - UNTREATED		Q4	STANDARD ITEM	6-05.5	
4111	EACH	DRIVING TIMBER PILE-----	(36)	Q4	STANDARD ITEM	6-05.5	
4116	EACH	PILE SPLICE - TIMBER		Q4	REQUIRES SPECIAL PROV.		
4115	EACH	DRIVING TIMBER COMPOSITE PILE		Q4	REQUIRES SPECIAL PROV.		
4130	EACH	PLACING PRESTRESSED HOLLOW CONC. PILE-----	(18)	Q4	STANDARD ITEM		
4140	EACH	DRIVING PRESTRESSED HOLLOW CONC. PILE-----	(18)	Q4	STANDARD ITEM		
4157	EACH	MICROPILE		V7	GSP ITEM		6-05.2.OPT1.GB6
4193	EACH	MICROPILE VERIFICATION LOAD TESTING		V7	GSP ITEM		6-05.2.OPT1.GB6
4194	EACH	MICROPILE PROOF LOAD TESTING		V7	GSP ITEM		6-05.5.OPT6.GB6
4147	LB.	EPOXY-COATED ST. REINF. BAR		U0	STANDARD ITEM	6-02.5	
4148	LB.	EPOXY-COATED ST. REINF. BAR FOR BRIDGE		U0	STANDARD ITEM	6-02.5	
4142	LB.	EPOXY-COATED ST. REINF. BAR - SUPERSTR.		U0	STANDARD ITEM	6-02.5	
4143	LB.	EPOXY-COATED ST. REINF. BAR - SUPERSTR. INCL. TRAF. BAR		U0	STANDARD ITEM	6-02.5	
4141	LB.	EPOXY-COATED ST. REINF. BAR FOR RETAINING WALL		U0	STANDARD ITEM	6-11.5	
4138	LB.	EPOXY-COATED ST. REINF. BAR FOR PRECAST RETAINING WALL		U0	STANDARD ITEM	6-11.5	
4144	LB.	EPOXY-COATED ST. REINF. BAR-----	(28)	U0	STANDARD ITEM	6-02.5	
4149	LB.	ST. REINF. BAR FOR BRIDGE		U0	STANDARD ITEM	6-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
4145	LB.	ST. REINF. BAR - SUPERSTR.		U0	STANDARD ITEM	6-02.5	
4146	LB.	ST. REINF. BAR - SUPERSTR. INCL. TRAF. BAR.		U0	STANDARD ITEM	6-02.5	
4150	LB.	ST. REINF. BAR FOR RETAINING WALL		U0	STANDARD ITEM	6-11.5	
4136	LB.	ST. REINF. BAR FOR PRECAST RETAINING WALL		U0	STANDARD ITEM	6-11.5	
4151	LB.	ST. REINF. BAR-----	(41)	U0	STANDARD ITEM	6-02.5	
4160	EACH	QA SHAFT TEST		T0	STANDARD ITEM	6-19.5	
4166	C.Y.	LEAN CONCRETE		E0	STANDARD ITEM	6-02.5	
4200	C.Y.	CONC. CLASS 3000 FOR-----	(35)	E0	STANDARD ITEM	6-02.5	
4202	C.Y.	CONC. CLASS 4000 FOR-----	(35)	E0	STANDARD ITEM	6-02.5	
4322	C.Y.	CONC. CLASS 4000 FOR BRIDGE		B0	STANDARD ITEM	6-10.5	
4153	C.Y.	CONC. CLASS 4000 - SUPERSTR.		B0	STANDARD ITEM	6-10.5	
4155	C.Y.	CONC. CLASS 4000 TRAFFIC BARRIER - SUPERSTR.		B0	STANDARD ITEM	6-10.5	
4156	C.Y.	CONC. CLASS 4000 - SUPERSTR. INCL. TRAF. BAR.		B0	STANDARD ITEM	6-10.5	
4139	C.Y.	CONC. CLASS 4000 FOR RETAINING WALL		B0	STANDARD ITEM	6-11.5	
4137	C.Y.	CONC. CLASS 7000 FOR PRECAST RETAINING WALL		B0	STANDARD ITEM	6-11.5	
4204	C.Y.	CONC. CLASS 4000W FOR-----	(34)	E0	STANDARD ITEM	6-02.5	
4324	C.Y.	CONC. CLASS 4000W FOR BRIDGE		B0	STANDARD ITEM	6-02.5	
4380	C.Y.	CONC. CLASS 4000D FOR BRIDGE		B0	STANDARD ITEM	6-02.5	
4205	C.Y.	CONC. CLASS 5000 FOR-----	(35)	E0	STANDARD ITEM	6-02.5	
4325	C.Y.	CONC. CLASS 5000 FOR BRIDGE		B0	STANDARD ITEM	6-02.5	
4158	C.Y.	CONC. CLASS 5000 - SUPERSTR.		B0	STANDARD ITEM		
4207	C.Y.	CONC. CLASS 6000 FOR-----	(35)	E0	STANDARD ITEM	6-02.5	
4327	C.Y.	CONC. CLASS 6000 FOR BRIDGE		B0	STANDARD ITEM	6-02.5	
4370	C.Y.	CONC. CLASS 6000 - SUPERSTR.		B0	STANDARD ITEM	6-02.5	
4161	C.Y.	CONC. CLASS 4000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM	6-10.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
4162	C.Y.	CONC. CLASS 5000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM	6-10.5	
4375	C.Y.	CONC. CLASS 6000 - BOX GIRDER - SUPERSTR.		B0	STANDARD ITEM	6-02.5	
4269	L.F.	PRESTRESSED CONC. GIRDER-----	(31)	R8	STANDARD ITEM	6-02.5	
4278	LB.	PRESTRESSING BAR - SUPERSTR.		B0	REQUIRES SPECIAL PROV.		
4279	LB.	PRESTRESSING STRAND - SUPERSTR.		B0	REQUIRES SPECIAL PROV.		
4219	CALC	DEFICIENT STRENGTH CONC. PRICE ADJUSTMENT		B0	STANDARD ITEM	6-02.5	
4236	L.S.	POLYESTER CONCRETE TRIAL OVERLAY		B6	STANDARD ITEM	6-23.5	
4237	S.Y.	POLYESTER CONCRETE OVERLAY		B6	STANDARD ITEM	6-23.2	
4232	C.F.	MODIFIED CONC. OVERLAY		B6	STANDARD ITEM	6-21.5	
4233	S.Y.	FINISHING AND CURING MODIFIED CONC. OVERLAY		B6	STANDARD ITEM	6-21.5	
4195	S.Y.	EXPOSED AGG. FINISH		B0	REQUIRES SPECIAL PROV.		6-05.2.OPT1.GB6
4196	S.Y.	PERMEON TREATMENT		B0	STANDARD ITEM	6-02.5	
4230	L.S.	STRUCTURAL CARBON STEEL		H8	STANDARD ITEM	6-03.5	
4286	LB.	STRUCTURAL CARBON STEEL - SUPERSTR.		H8	STANDARD ITEM	6-03.5	
4235	L.S.	STRUCTURAL LOW ALLOY STEEL		H8	STANDARD ITEM	6-03.5	
4240	L.S.	STRUCTURAL HIGH STRENGTH STEEL		H8	STANDARD ITEM	6-03.5	
4288	LB.	STRUCTURAL HIGH STRENGTH STEEL - SUPERSTR.		H8	STANDARD ITEM	6-03.5	
4245	L.S.	CAST STEEL		H8	STANDARD ITEM	6-03.5	
4246	LB.	CAST STEEL		H8	STANDARD ITEM	6-03.5	
4292	LB.	CAST STEEL - SUPERSTR.		H8	STANDARD ITEM		
4250	L.S.	FORGED STEEL		H8	STANDARD ITEM	6-03.5	
4293	LB.	FORGED STEEL - SUPERSTR.		H8	STANDARD ITEM		
4251	LB.	FORGED STEEL		H8	STANDARD ITEM	6-03.5	
4255	L.S.	CAST IRON		M2	STANDARD ITEM	6-03.5	
4256	LB.	CAST IRON		M2	STANDARD ITEM	6-03.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
4294	LB.	CAST IRON - SUPERSTR.		M2	STANDARD ITEM		
4260	L.S.	MALLEABLE IRON		M2	STANDARD ITEM	6-03.5	
4261	LB.	MALLEABLE IRON		M2	STANDARD ITEM	6-03.5	
4295	LB.	MALLEABLE IRON - SUPERSTR.		M2	STANDARD ITEM		
4264	L.S.	DUCTILE IRON		M2	STANDARD ITEM	6-03.5	
4267	LB.	DUCTILE IRON		M2	STANDARD ITEM	6-03.5	
4296	LB.	DUCTILE IRON - SUPERSTR.		M2	STANDARD ITEM		
4270	L.S.	CAST BRONZE		M2	STANDARD ITEM	6-03.5	
4271	LB.	CAST BRONZE		M2	STANDARD ITEM	6-03.5	
4297	LB.	CAST BRONZE - SUPERSTR.		M2	STANDARD ITEM		
4299	S.F.	LAGGING		V0	STANDARD ITEM	6-16.5	
4280	MBM	TIMBER AND LUMBER - UNTREATED		V0	STANDARD ITEM	6-04.5	
4302	MBM	TIMBER AND LUMBER - UNTREATED - SUPERSTR.		V0	STANDARD ITEM	6-04.5	
4282	MBM	TIMBER AND LUMBER - CREOSOTE TREATED		V0	STANDARD ITEM	6-04.5	
4303	MBM	TIMBER AND LUMBER - CREOSOTE TREATED - SUPERSTR.		V0	STANDARD ITEM	6-04.5	
4284	MBM	TIMBER AND LUMBER - SALTS TREATED		V0	STANDARD ITEM	6-04.5	
4304	MBM	TIMBER AND LUMBER - SALTS TREATED - SUPERSTR.		V0	STANDARD ITEM	6-04.5	
4305	MBM	GLULAM DECK PANELS - SUPERSTR.		V0	REQUIRES SPECIAL PROV.		
4290	L.S.	STRUCTURAL METAL		H8	STANDARD ITEM	6-04.5	
4306	EACH	ELASTOMERIC PAD - SUPERSTR.		H8	REQUIRES SPECIAL PROV.		
4307	EACH	FABRIC PAD BEARING - SUPERSTR.		H8	STANDARD ITEM	6-02.5	
4308	EACH	PIN BEARING - SUPERSTR.		H8	STANDARD ITEM	6-02.5	
4319	EACH	TRANSVERSE STOP BEARING		H8	STANDARD ITEM		
4312	EACH	DISC BEARING - SUPERSTR.		H8	STANDARD ITEM	6-02.5	
4313	EACH	SPHERICAL BEARING - SUPERSTR.		H8	STANDARD ITEM	6-02.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
4316	EACH	ROCKER BEARING - SUPERSTR.		H8	REQUIRES SPECIAL PROV.		
4330	L.S.	SEISMIC RETROFIT-----	(39)	B0	GSP ITEM		6-02.5.OPT72.GB6
4331	L.S.	COLUMN JACKETING-----	(39)	B0	GSP ITEM		6-02.5.OPT73.GB6
4333	EACH	LONGITUDINAL SEISMIC RESTRAINER		B0	GSP ITEM		6-02.5.OPT71.GB6
4334	L.S.	AGENCY DESIGNED BURIED STRUCTURE NO.-----	(19)	B0	STANDARD ITEM	6-20.5	
4335	L.S.	CONTRACTOR DESIGNED BURIED STRUCTURE NO.-----	(15)	B0	STANDARD ITEM	6-20.5	
4336	L.S.	COMPOSITE ARCH SYSTEM		B0	STD. ITEM, GSP REQUIRED		
4300	L.S.	SUPERSTRUCTURE-----	(41)	B0	STANDARD ITEM	6-02.5	
4329	L.S.	BRIDGE DECK-----	(44)	B0	STD. ITEM, GSP REQUIRED		
4400	L.F.	ST. HAND RAIL-----	(42)	M2	REQUIRES SPECIAL PROV.		
4355	L.F.	STEEL HANDRAIL - SUPERSTR.		M2	REQUIRES SPECIAL PROV.		
4410	L.F.	BRIDGE RAILING TYPE-----	(36)	B0	STANDARD ITEM	6-06.5	
4360	L.F.	BRIDGE RAILING TYPE BP - SUPERSTR.		B0	STANDARD ITEM	6-06.5	
4361	L.F.	BRIDGE RAILING TYPE BP-B - SUPERSTR.		B0	STANDARD ITEM	6-06.5	
4412	L.F.	BRIDGE RAILING TYPE CHAIN LINK FENCE		I6	STANDARD ITEM	6-06.5	
4357	L.F.	BRIDGE RAIL LOW FENCE TYPE - SUPERSTR.		I6	REQUIRES SPECIAL PROV.		
4415	L.F.	TRAFFIC BARRIER		D0	STANDARD ITEM	6-10.5	
4365	L.F.	TRAFFIC BARRIER - SUPERSTR.		D0	REQUIRES SPECIAL PROV.		
4416	L.F.	BARRIER		D0	REQUIRES SPECIAL PROV.		
4114	L.F.	TRAFFIC PEDESTRIAN BARRIER		D0	STANDARD ITEM	6-10.5	
4117	L.F.	PEDESTRIAN BARRIER		D0	STANDARD ITEM	6-10.5	
4119	L.F.	MOMENT SLAB TRAFFIC BARRIER		D0	STANDARD ITEM	6-10.5	
4120	L.F.	SEW PEDESTRIAN BARRIER		D0	STANDARD ITEM	6-10.5	
4121	L.F.	GEOSYNTHETIC WALL SINGLE SLOPE TRAFFIC BARRIER		D0	REQUIRES SPECIAL PROV.		
4122	L.F.	GEOSYNTHETIC WALL F - SHAPE TRAFFIC BARRIER		D0	REQUIRES SPECIAL PROV.		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
4123	L.F.	GEOSYNTHETIC RETAINING WALL PEDESTRIAN BARRIER		D0	REQUIRES SPECIAL PROV.		
4433	EACH	MODIFY BRIDGE DRAIN		B0	GSP ITEM		6-02.4.OPT26.GB6
4434	EACH	PLUGGING EXISTING BRIDGE DRAIN		B0	GSP ITEM		6-02.4.OPT27.GB6
4337	EACH	PLUGGING EXISTING BRIDGE DRAIN - SUPERSTR.		B0	REQUIRES SPECIAL PROV.		
4338	L.F.	EXPANSION JOINT SYSTEM COMPRESSION SEAL - SUPERSTR.		B0	STANDARD ITEM	6-02.5	
4339	L.F.	EXPANSION JOINT SYSTEM STRIP SEAL - SUPERSTR.		B0	STANDARD ITEM	6-02.5	
4441	L.S.	MODULAR EXPANSION JOINT SYSTEM-----	(25)	B0	STD. ITEM, GSP REQUIRED		
4442	L.S.	EXPANSION JOINT MODIFICATION-----	(27)	B6	GSP ITEM		6-02.5.OPT33.GB6
4443	L.S.	EXPANSION JOINT MODIFICATION		B6	REQUIRES SPECIAL PROV.		
4444	L.F.	EXPANSION JOINT MODIFICATION-----	(26)	B6	STANDARD ITEM	6-02.5	
4451	S.F.	BRIDGE DECK REPAIR BR. NO.-----	(29)	B6	STANDARD ITEM	6-08.5	
4447	GAL.	EPOXY RESIN		H6	REQUIRES SPECIAL PROV.		
4449	L.F.	EPOXY CRACK SEALING		H6	GSP ITEM		6-02.5.OPT49.GB6
4450	S.Y.	WATERPROOFING		O8	REQUIRES SPECIAL PROV.		
4455	S.Y.	WATERPROOF MEMBRANE BR. NO.-----	(28)	X4	STANDARD ITEM	6-08.5	
4456	S.Y.	SCARIFYING CONC. SURFACE-----	(31)	B6	STANDARD ITEM	6-21.5	
4458	S.Y.	REMOVING EXISTING CONCRETE OVERLAY		B6	REQUIRES SPECIAL PROV.		
4463	EST.	FORCE ACCOUNT FORMS FOR FULL DEPTH DECK REPAIR		B6	REQUIRES SPECIAL PROV.		
4465	S.F.	TYPE 1 DECK REPAIR		B6	STANDARD ITEM	6-21.5	
4467	S.F.	TYPE 2 DECK REPAIR		B6	STANDARD ITEM	6-21.5	
4468	L.S.	CLEANING AND PAINTING-----	(34)	P4	STANDARD ITEM	6-07.5	
4487	L.F.	SEALING AND CAULKING PACK RUST		P4	STANDARD ITEM	6-07.5	
4488	S.F.	SPOT ABRASIVE BLAST CLEANING		P4	STANDARD ITEM	6-07.5	
4469	L.S.	CONTAINMENT OF ABRASIVES		P4	STANDARD ITEM	6-07.5	
4470	EST.	TESTING AND DISPOSAL OF CONTAINMENT WASTE		P4	STANDARD ITEM	6-07.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
4472	S.F.	NOISE BARRIER WALL TYPE-----	(32)	E0	STANDARD ITEM	6-12.5	
4473	EACH	NOISE BARRIER WALL ACCESS DOOR		F0	STANDARD ITEM	6-12.5	
4474	S.F.	CONCRETE FASCIA PANEL		B0	STANDARD ITEM	6-14.5	
4480	S.F.	CONCRETE FASCIA PANEL FOR GEOSYNTHETIC WALL		B0	STANDARD ITEM	6-14.5	
4478	EACH	SOIL NAIL - EPOXY COATED		V7	STANDARD ITEM	6-15.5	
4479	EACH	SOIL NAIL - ENCAPSULATED		V7	STANDARD ITEM	6-15.5	
4486	EACH	SOIL NAIL VERIFICATION TEST AND SOIL NAIL PROOF TEST		V7	STANDARD ITEM	6-15.5	
4482	S.Y.	PREFABRICATED DRAINAGE MAT		G2	STANDARD ITEM	6-15.5	
4483	EACH	PERMANENT GROUND ANCHOR		V7	STANDARD ITEM	6-14.5	
4484	EACH	PERMANENT GROUND ANCHOR PERFORMANCE TEST		V7	STANDARD ITEM	6-14.5	
4485	L.S.	PERMANENT GROUND ANCHOR VERIFICATION TEST		V7	STANDARD ITEM	6-14.5	
7169	S.F.	STRUCTURAL EARTH WALL		E0	STANDARD ITEM	6-13.5	
5656	S.Y.	BRIDGE APPROACH SLAB		B0	STANDARD ITEM	6-02.5	
8920	L.F.	FURNISHING ST. PILING 24 IN. DIAM.-----	(21)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8921	L.F.	FURNISHING ST. PILING 30 IN. DIAM.-----	(21)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8922	L.F.	FURNISHING ST. PILING 36 IN. DIAM.-----	(21)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8925	L.F.	FABRICATING ST. PILING 24 IN. DIAM.-----	(20)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8926	L.F.	FABRICATING ST. PILING 30 IN. DIAM.-----	(20)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8927	L.F.	FABRICATING ST. PILING 36 IN. DIAM.-----	(20)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8930	EACH	DRIVING ST. PILE 24 IN. DIAM.-----	(26)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8931	EACH	DRIVING ST. PILE 30 IN. DIAM.-----	(26)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8932	EACH	DRIVING ST. PILE 36 IN. DIAM.-----	(26)	Q4	WSF ITEM REQ. SPECIAL PROV.		
8934	EACH	DYNAMIC PILE TESTING		Q4	WSF ITEM REQ. SPECIAL PROV.		
8939	L.S.	STRUCTURAL STEEL-----	(39)	H8	WSF ITEM REQ. SPECIAL PROV.		
8940	L.S.	STRUCTURAL CARBON STEEL-----	(32)	H8	WSF ITEM REQ. SPECIAL PROV.		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
8941	L.S.	STRUCTURAL LOW ALLOY STEEL-----	(29)	H8	WSF ITEM REQ. SPECIAL PROV.		
8943	L.S.	CHAIN AND HARDWARE-----	(37)	H8	WSF ITEM REQ. SPECIAL PROV.		
8945	MBM	TIMBER AND LUMBER-----	(38)	V0	WSF ITEM REQ. SPECIAL PROV.		
8946	MBM	GLUED-LAMINATED DECKING-----	(32)	V0	WSF ITEM REQ. SPECIAL PROV.		
8948	L.S.	RESIN BONDED ANCHORS		B0	WSF ITEM REQ. SPECIAL PROV.		
8950	EACH	UNANCHORED MICROPILE		V7	WSF ITEM REQ. SPECIAL PROV.		
8952	EACH	ANCHORED MICROPILE		V7	WSF ITEM REQ. SPECIAL PROV.		
8954	EACH	MICROPILE VERIFICATION TEST		V7	WSF ITEM REQ. SPECIAL PROV.		
8956	EACH	MICROPILE LOAD TEST		V7	WSF ITEM REQ. SPECIAL PROV.		
8958	EACH	MICROPILE SHELL		V7	WSF ITEM REQ. SPECIAL PROV.		
8965	L.S.	FLOATING DOLPHIN		N4	WSF ITEM REQ. SPECIAL PROV.		
8966	L.S.	FLOATING DOLPHIN FENDER ASSEMBLY		N4	WSF ITEM REQ. SPECIAL PROV.		
8967	TON	FLOATING DOLPHIN BALLAST		N4	WSF ITEM REQ. SPECIAL PROV.		
8968	L.F.	FLOATING DOLPHIN ANCHOR CHAIN		N4	WSF ITEM REQ. SPECIAL PROV.		
8969	L.S.	TEMPORARY PROTECTIVE DOLPHIN		N4	WSF ITEM REQ. SPECIAL PROV.		
8974	L.S.	MARINE FENDER-----	(42)	N4	WSF ITEM REQ. SPECIAL PROV.		
8975	EACH	MARINE FENDER-----	(42)	N4	WSF ITEM REQ. SPECIAL PROV.		
8976	EACH	FURNISH MARINE FENDER-----	(34)	N4	WSF ITEM REQ. SPECIAL PROV.		
8977	EACH	INSTALL MARINE FENDER-----	(34)	N4	WSF ITEM REQ. SPECIAL PROV.		
8980	EACH	UHMW POLYETHYLENE RUBBING FACE FOR DOLPHINS		N4	WSF ITEM REQ. SPECIAL PROV.		
8981	L.S.	UHMW POLYETHYLENE RUBBING FACE FOR WINGWALLS		N4	WSF ITEM REQ. SPECIAL PROV.		
8982	EACH	UHMW POLYETHYLENE RUBBING FACE FOR PILES		N4	WSF ITEM REQ. SPECIAL PROV.		
8983	L.S.	UHMW POLYETHYLENE		N4	WSF ITEM REQ. SPECIAL PROV.		
8984	HR	PAINTER AND TOOLS		P4	WSF ITEM REQ. SPECIAL PROV.		
7181	S.Y.	TRANSFER SPAN OVERLAY-----	(34)	B6	WSF ITEM REQ. SPECIAL PROV.		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
<b>SECTION: 9 SURFACING</b>							
5005	C.Y.	BALLAST FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5010	TON	BALLAST FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5015	C.Y.	BALLAST		F6	STANDARD ITEM	4-05.5	
5020	TON	BALLAST		F6	STANDARD ITEM	4-05.5	
5025	C.Y.	SHOULDER BALLAST FROM STOCKPILE		F4	STANDARD ITEM		
5030	TON	SHOULDER BALLAST FROM STOCKPILE		F4	STANDARD ITEM		
5035	C.Y.	PERMEABLE BALLAST		F6	STANDARD ITEM	4-05.5	
5040	TON	PERMEABLE BALLAST		F6	STANDARD ITEM	4-05.5	
5047	TON	GRAVEL BASE		F6	STANDARD ITEM		
5057	C.Y.	GRAVEL BASE		F6	STANDARD ITEM		
5085	C.Y.	CRUSHED SURFACING BASE COURSE FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5090	TON	CRUSHED SURFACING BASE COURSE FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5095	C.Y.	CRUSHED SURFACING BASE COURSE		F6	STANDARD ITEM	4-05.5	
5100	TON	CRUSHED SURFACING BASE COURSE		F6	STANDARD ITEM	4-05.5	
5105	C.Y.	CRUSHED SURFACING TOP COURSE FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5110	TON	CRUSHED SURFACING TOP COURSE FROM STOCKPILE		F4	STANDARD ITEM	4-05.5	
5115	C.Y.	CRUSHED SURFACING TOP COURSE		F6	STANDARD ITEM	4-05.5	
5120	TON	CRUSHED SURFACING TOP COURSE		F6	STANDARD ITEM	4-05.5	
<b>SECTION: 10 LIQUID ASPHALT</b>							
5280	TON	MODIFIED ASPHALT CEMENT AC-15P		B4	GSP ITEM		5-02.5.OPT4.GR5
5290	TON	EMULSIFIED ASPHALT CRS-1		B4	STANDARD ITEM	5-02.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
5295	TON	EMULSIFIED ASPHALT CRS-2		B4	STANDARD ITEM	5-02.5	
5296	TON	EMULSIFIED ASPHALT CRS-2P		B4	STANDARD ITEM	5-02.5	
5294	CALC	CRS-2P COST PRICE ADJUSTMENT		B4	GSP ITEM		5-02.5.OPT3.GR5
5297	TON	EMULSIFIED ASPHALT CMS-2		B4	STANDARD ITEM	5-02.5	
5298	TON	EMULSIFIED ASPHALT CMS-2H		A8	STANDARD ITEM	5-02.5	
5299	TON	EMULSIFIED ASPHALT CMS-2M		A8	GSP ITEM		
5300	TON	EMULSIFIED ASPHALT CMS-2S		A8	STANDARD ITEM	5-02.5	
5305	TON	EMULSIFIED ASPHALT CSS-1		A8	STANDARD ITEM	5-02.5	
5310	TON	EMULSIFIED ASPHALT CSS-1H		A8	STANDARD ITEM	5-02.5	
5315	TON	EMULSIFIED ASPHALT STE-1		A8	STANDARD ITEM	5-02.5	
5340	TON	ASPHALT FOR FOG SEAL		B4	STANDARD ITEM	5-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
<b>SECTION: 11 BITUMINOUS SURFACE TREATMENT</b>							
5400	MI.	PROCESSING AND FINISHING		B4	REQUIRES SPECIAL PROV.		
5410	C.Y.	AGG. FROM STOCKPILE FOR BST-----	(28)	B4	STANDARD ITEM	5-02.5	
5420	C.Y.	FURNISHING AND PLACING CRUSHED COVER STONE		B4	STANDARD ITEM	5-02.5	
5423	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 3/4 TO 1/2		B4	STANDARD ITEM	5-02.5	
5424	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 5/8 TO NO. 4		B4	STANDARD ITEM	5-02.5	
5429	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 1/2 TO NO. 4		B4	STANDARD ITEM	5-02.5	
5433	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING 3/8 TO NO. 10		B4	STANDARD ITEM	5-02.5	
5436	TON	FURNISHING AND PLACING CRUSHED-----	(25)	B4	STANDARD ITEM	5-02.5	
5437	S.Y.	FURNISHING AND PLACING CRUSHED-----	(25)	B4	STANDARD ITEM	5-02.5	
5434	C.Y.	FURNISHING AND PLACING CRUSHED SCREENING NO. 4 TO 0		B4	STANDARD ITEM	5-02.5	
5455	EACH	BITUMINOUS SURFACE TREATMENT FOR ROAD APPROACH		B4	GSP ITEM		5-02.5.OPT3.GR5
5460	HR	ADDITIONAL BROOMING		B4	STANDARD ITEM	5-02.5	
<b>SECTION: 13 CEMENT CONCRETE PAVEMENT</b>							
5625	C.Y.	CEMENT CONC. PAVEMENT		C0	STANDARD ITEM	5-05.5	
5637	CALC	RIDE SMOOTHNESS COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM	5-05.5	
5638	CALC	CEMENT CONC. COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM	5-05.5	
5639	CALC	GRINDING SMOOTHNESS COMPLIANCE ADJUSTMENT		C0	STANDARD ITEM	5-01.5	
5685	EACH	CORROSION RESISTANT DOWEL BAR		C0	STANDARD ITEM	5-05.5	
5662	S.Y.	REPLACE CEMENT CONCRETE PANEL		D2	STANDARD ITEM	5-01.5	
5663	EST.	PARTIAL DEPTH SPALL REPAIR		P8	STANDARD ITEM	5-01.5	
5681	EACH	RETROFIT DOWEL BARS		C0	STANDARD ITEM	5-01.5	
5683	EACH	TIE BAR WITH DRILL HOLE		C0	STANDARD ITEM	5-05.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
5627	L.F.	PCCP JOINT MATCHING		C0	STANDARD ITEM	5-05.5	
5712	S.Y.	CEMENT CONCRETE PAVEMENT GRINDING		E2	STANDARD ITEM	5-01.5	
5709	EST.	REPLACE UNCOMPACTABLE MATERIAL		C0	STANDARD ITEM	5-01.5	
5704	L.F.	SEALING EXISTING CCP RANDOM CRACK		E7	STANDARD ITEM	5-03.5	
5705	L.F.	CLEAN AND SEAL BRIDGE DECK PANEL JOINT		E7	STANDARD ITEM	5-03.5	
5706	L.F.	SEALING EXISTING CCP TRANSV AND LONGIT JOINT		E7	STANDARD ITEM	5-03.5	
<b>SECTION: 14 HOT MIX ASPHALT</b>							
5700	MI.	PREPARATION OF UNTREATED ROADWAY		B4	STANDARD ITEM		
5707	EST.	CRACK SEALING BIT PVMT - FA		A4	STANDARD ITEM	5-03.5	
5710	L.F.	CRACK SEALING BIT PVMT 1/4 INCH TO 1 INCH - LF		A4	STANDARD ITEM	5-03.5	
5702	L.F.	CRACK SEALING BIT PVMT WIDER THAN 1 INCH - LF		A4	STANDARD ITEM	5-03.5	
5701	CM	CRACK SEALING BIT PVMT - CM		A4	STANDARD ITEM	5-03.5	
5703	L.F.	CRACK SEALING BIT PVMT - LF		A4	STANDARD ITEM	5-03.5	
6511	L.F.	HMA JOINT SEAL AT BRIDGE END		A4	STANDARD ITEM	5-03.4	
6517	L.F.	HMA JOINT SEAL AT BRIDGE DECK PANEL JOINT		A4	STANDARD ITEM	5-03.5	
6514	L.F.	SEALING CCP TO HMA LONGIT JOINTS		A4	STANDARD ITEM	5-03.5	
5711	S.Y.	PLANING BITUMINOUS PAVEMENT		A0	STANDARD ITEM	5-04.5	
5708	S.Y.	REMOVING EXISTING OVERLAY FROM BRIDGE DECK-----	(13)	A0	STANDARD ITEM	6-08.5	
5713	TON	PRIME COAT AGG. FROM STOCKPILE		B4	REQUIRES SPECIAL PROV.		
5714	C.Y.	PRIME COAT AGG. FROM STOCKPILE		B4	REQUIRES SPECIAL PROV.		
5715	TON	PRIME COAT AGG.		B4	STANDARD ITEM		
5720	C.Y.	PRIME COAT AGG.		B4	STANDARD ITEM		
5722	S.Y.	FABRIC REINFORCEMENT		A4	REQUIRES SPECIAL PROV.		
5716	TON	HMA FOR PRELEVELING CL. 3/8 IN. PG-----	(21)	A4	STD. ITEM, GSP REQUIRED		

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
5717	TON	HMA FOR PRELEVELING CL. 1/2 IN. PG-----	(21)	A4	STD. ITEM, GSP REQUIRED		
5718	TON	HMA FOR PRELEVELING CL. 3/4 IN. PG-----	(21)	A4	STD. ITEM, GSP REQUIRED		
5738	TON	HMA FOR PAVEMENT REPAIR CL. 3/8 IN. PG-----	(17)	A4	STD. ITEM, GSP REQUIRED		
5739	TON	HMA FOR PAVEMENT REPAIR CL. 1/2 IN. PG-----	(17)	A4	STD. ITEM, GSP REQUIRED		
5740	TON	HMA FOR PAVEMENT REPAIR CL. 3/4 IN. PG-----	(17)	A3	STD. ITEM, GSP REQUIRED		
5766	TON	HMA CL. 3/8 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED		
5767	TON	HMA CL. 1/2 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED		
5768	TON	HMA CL. 3/4 IN. PG-----	(37)	A4	STD. ITEM, GSP REQUIRED		
5769	TON	HMA CL. 1 IN. PG-----	(39)	A4	STD. ITEM, GSP REQUIRED		
5830	CALC	JOB MIX COMPLIANCE PRICE ADJUSTMENT		A4	STANDARD ITEM	5-04.5	
5835	CALC	COMPACTION PRICE ADJUSTMENT		A4	STANDARD ITEM	5-04.5	
5837	CALC	ASPHALT COST PRICE ADJUSTMENT		A4	GSP ITEM		5-04.5.OPT2.GR5
6885	EACH	HMA CORE-ROADWAY		A4	STANDARD ITEM	5-04.5	
6991	EACH	HMA CORE-BRIDGE		A4	STANDARD ITEM	5-04.5	
5872	TON	HMA FOR APPROACH CL. 3/8 IN. PG-----	(24)	A4	STANDARD ITEM	5-04.5	
5873	TON	HMA FOR APPROACH CL. 1/2 IN. PG-----	(24)	A4	STD. ITEM, GSP REQUIRED		
5874	TON	HMA FOR APPROACH CL. 3/4 IN. PG-----	(24)	A4	STD. ITEM, GSP REQUIRED		
5875	TON	COMMERCIAL HMA		A4	STANDARD ITEM	5-04.5	
5840	S.Y.	PREPARATION OF SURFACE		A4	GSP ITEM		
5841	TON	AGGREGATE FOR SEAL COAT		A4	GSP ITEM		
5856	GAL.	COAL TAR ASPHALT EMULSION BLENDED SEALER		A4	GSP ITEM		
5860	TON	ASPHALT EMULSION-----	(39)	A4	STANDARD ITEM		
6510	S.Y.	SOIL RESIDUAL HERBICIDE		L2	STANDARD ITEM	5-04.5	
6512	MI.	SOIL RESIDUAL HERBICIDE 6 FT. WIDE		L2	STANDARD ITEM	5-04.5	
6513	MI.	SOIL RESIDUAL HERBICIDE-----	(32)	L2	STANDARD ITEM	5-04.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
6516	CALC	CYCLIC DENSITY PRICE ADJUSTMENT		A4	STANDARD ITEM	5-04.5	
6520	CALC	ASPHALT BINDER REVISION		A4	GSP ITEM		
6518	CALC	SMOOTHNESS COMPLIANCE ADJUSTMENT		A4	GSP ITEM		5-04.5.OPT1.FR5
7180	S.Y.	WATERPROOF STRESS MEMBRANE		A4	WSF ITEM REQ. SPECIAL PROV.		
<b>SECTION: 16 IRRIGATION AND WATER DISTRIBUTION</b>							
6071	L.S.	IRRIGATION SYSTEM		M4	STANDARD ITEM	8-03.5	
<b>SECTION: 17 EROSION CONTROL AND ROADSIDE PLANTING</b>							
6403	DAY	ESC LEAD		H0	STANDARD ITEM	8-01.5(2)	
6402	L.F.	TURBIDITY CURTAIN		H0	STANDARD ITEM	8-01.5(2)	
6453	S.Y.	COMPOST BLANKET		H0	STANDARD ITEM	8-01.5(2)	
6464	S.Y.	PLASTIC COVERING		H0	STANDARD ITEM	8-01.5(2)	
6463	L.F.	CHECK DAM		H0	STANDARD ITEM	8-01.5(2)	
6471	EACH	INLET PROTECTION		H0	STANDARD ITEM	8-01.5(2)	
6473	EACH	OUTLET PROTECTION		H0	STANDARD ITEM	8-01.5(2)	
6474	L.F.	GRAVEL FILTER BERM		H0	STANDARD ITEM	8-01.5(2)	
6468	S.Y.	STABILIZED CONSTRUCTION ENTRANCE		H0	STANDARD ITEM	8-01.5(2)	
6469	EACH	TIRE WASH		H0	STANDARD ITEM	8-01.5(2)	
6470	HR	STREET CLEANING		H0	STANDARD ITEM	8-01.5(2)	
6373	L.F.	SILT FENCE		H0	STANDARD ITEM	8-01.5(2)	
6475	L.F.	WOOD CHIP BERM		H0	STANDARD ITEM	8-01.5(2)	
6374	L.F.	COMPOST BERM		H0	STANDARD ITEM	8-01.5(2)	
6479	L.F.	WATTLE		H0	STANDARD ITEM	8-01.5(2)	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
6500	L.F.	COMPOST SOCK		H0	STANDARD ITEM	8-01.5(2)	
6502	L.F.	COIR LOG		H0	STANDARD ITEM	8-01.5(2)	
6488	L.S.	EROSION CONTROL AND WATER POLLUTION PREVENTION		H0	STANDARD ITEM	8-01.5(1)	
6490	EST.	EROSION/WATER POLLUTION CONTROL		H0	STANDARD ITEM	8-01.5(2)	
6472	L.F.	TEMPORARY CURB		H0	STANDARD ITEM	8-01.5(2)	
7315	L.F.	TEMPORARY PIPE SLOPE DRAIN		G2	STANDARD ITEM	8-01.5(2)	
6437	ACRE	TEMPORARY MULCHING		H0	STANDARD ITEM	8-01.5(2)	
6436	ACRE	MULCHING - SITE-----	(40)	T2	STANDARD ITEM		
6433	L.S.	MULCHING		T2	REQUIRES SPECIAL PROV.		
6445	ACRE	TACKIFIER		H0	STANDARD ITEM	8-01.5(2)	
6444	ACRE	PAM		H0	REQUIRES SPECIAL PROV.		
6491	ACRE	TEMPORARY SEEDING		H0	STANDARD ITEM	8-01.5(2)	
6418	L.S.	SEEDING		T2	REQUIRES SPECIAL PROV.		
6414	ACRE	SEEDING, FERTILIZING, AND MULCHING		T2	STD. ITEM, GSP REQUIRED		
6417	ACRE	SEEDING, FERTILIZING, AND MULCHING - SITE-----	(14)	T2	STD. ITEM, GSP REQUIRED		
6416	L.S.	SEEDING, FERTILIZING, AND MULCHING		T2	REQUIRES SPECIAL PROV.		
6431	S.Y.	SEEDING, FERTILIZING AND MULCHING		T2	STD. ITEM, GSP REQUIRED		
6429	S.Y.	SEEDING AND FERTILIZING		T2	STANDARD ITEM	8-02.5	
6412	ACRE	SEEDING AND FERTILIZING		T2	STANDARD ITEM	8-02.5	
6422	ACRE	SEEDING AND MULCHING		T2	STANDARD ITEM	8-02.5	
6415	ACRE	SEEDING AND FERTILIZING - SITE-----	(25)	T2	STANDARD ITEM		
6413	L.S.	SEEDING AND FERTILIZING		T2	REQUIRES SPECIAL PROV.		
6419	S.Y.	SEEDING AND FERTILIZING BY HAND		T2	STANDARD ITEM	8-02.5	
6423	L.S.	FERTILIZING		T2	REQUIRES SPECIAL PROV.		
6427	ACRE	SECOND APPLICATION OF FERTILIZER		T2	STANDARD ITEM	8-02.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
6428	ACRE	SECOND APPLICATION OF FERTILIZER - SITE-----	(16)	T2	STANDARD ITEM		
6407	ACRE	TOPSOIL TYPE A		H0	STANDARD ITEM	8-02.5	
6408	ACRE	TOPSOIL TYPE B		H0	STANDARD ITEM	8-02.5	
6409	ACRE	TOPSOIL TYPE C		H0	STANDARD ITEM	8-02.5	
6391	S.Y.	TOPSOIL TYPE A		H0	STD. ITEM, GSP REQUIRED		
6392	S.Y.	TOPSOIL TYPE B		H0	STD. ITEM, GSP REQUIRED		
6393	S.Y.	TOPSOIL TYPE C		H0	STD. ITEM, GSP REQUIRED		
6531	C.Y.	SPECIAL SOIL MIX		M8	REQUIRES SPECIAL PROV.		
6535	S.Y.	PREPARATION FOR PLANTING		M8	REQUIRES SPECIAL PROV.		
6550	EACH	PLANT SELECTION-----	(40)	M8	STANDARD ITEM	8-02.5	
6552	EACH	PSIPE-----	(50)	M8	STANDARD ITEM	8-02.5	
6559	L.F.	PSIPE BRUSH LAYER		H0	STANDARD ITEM	8-02.5	
6551	S.Y.	PSIPE LIVE BRUSH MATTRESS		M8	STANDARD ITEM	8-02.5	
6549	L.F.	PSIPE LIVE FASCINE		M8	STANDARD ITEM	8-02.5	
6554	EACH	LIVE POLE		M8	STANDARD ITEM	8-02.5	
6556	L.F.	LIVE STAKE ROW		M8	STANDARD ITEM	8-02.5	
6557	S.Y.	BRUSH MATTRESS		M8	STANDARD ITEM	8-02.5	
6558	L.F.	BRUSH LAYER		H0	STANDARD ITEM	8-02.5	
6448	EST.	REMOVAL OF BURIED PREVIOUSLY FABRICATED DEBRIS		A1	GSP ITEM		8-02.3(5).OPT4. GR8
6553	L.F.	FASCINES		M8	STANDARD ITEM		
6480	ACRE	FINE COMPOST		T2	STANDARD ITEM	8-02.5	
6483	S.Y.	FINE COMPOST		T2	STANDARD ITEM	8-02.5	
6481	ACRE	MEDIUM COMPOST		T2	STANDARD ITEM	8-02.5	
6484	S.Y.	MEDIUM COMPOST		T2	STANDARD ITEM	8-02.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
6482	ACRE	COARSE COMPOST		T2	STANDARD ITEM	8-02.5	
6485	S.Y.	COARSE COMPOST		T2	STANDARD ITEM	8-02.5	
6571	LB.	FERTILIZER - TABLET		M8	REQUIRES SPECIAL PROV.		
6572	LB.	FERTILIZER - GRANULAR		M8	REQUIRES SPECIAL PROV.		
6546	EST.	PROJECT AREA WEED AND PEST CONTROL		M8	STANDARD ITEM	8-02.5	
6537	EST.	PLANTING AREA WEED CONTROL AND PREPARATION		M8	REQUIRES SPECIAL PROV.		
6612	EST.	PESTICIDE APPLICATION		L8	STANDARD ITEM		
6529	ACRE	SOIL AMENDMENT		H0	STANDARD ITEM	8-02.5	
6530	S.Y.	SOIL AMENDMENT		H0	STANDARD ITEM	8-02.5	
6528	ACRE	BIOTIC SOIL AMENDMENT		H0	GSP ITEM		
6515	GAL.	HERBICIDE APPLIED IN LIQUID FORM		L2	REQUIRES SPECIAL PROV.		
6504	MI.	SHOULDER SLOPE STERILIZATION-----	(27)	L2	REQUIRES SPECIAL PROV.		
6579	ACRE	BARK OR WOOD CHIP MULCH		M8	STD. ITEM, GSP REQUIRED		
6580	S.Y.	BARK OR WOOD CHIP MULCH		M8	GSP ITEM		
6578	EACH	BARK OR WOOD CHIP MULCH RINGS		M8	STANDARD ITEM	8-02.5	
6560	S.Y.	SEEDED LAWN INSTALLATION		M8	STANDARD ITEM	8-02.5	
6555	S.Y.	SOD INSTALLATION		M8	STANDARD ITEM	8-02.5	
6462	S.Y.	LAWN MOWING		O6	STANDARD ITEM	8-02.5	
6466	EST.	ROADSIDE MAINTENANCE UNDER CONSTRUCTION		O6	STANDARD ITEM	8-02.5	
6620	ACRE	GRASS MOWING		O6	REQUIRES SPECIAL PROV.		
6625	ACRE	VEGETATIVE CONTROL MOWING		O6	REQUIRES SPECIAL PROV.		
6626	ACRE	VEGETATIVE CONTROL MOWING - SITE-----	(23)	O6	REQUIRES SPECIAL PROV.		
6460	ACRE	MOWING		O6	STANDARD ITEM		
6630	L.F.	HIGH VISIBILITY FENCE		H0	STANDARD ITEM	8-01.5	
6635	L.F.	HIGH VISIBILITY SILT FENCE		H0	STANDARD ITEM	8-01.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
6404	L.S.	ENVIRONMENTAL COMPLIANCE LEAD		A1	GSP ITEM		8-SA3.GR8
6455	S.Y.	EROSION CONTROL BLANKET		H0	STANDARD ITEM	8-01.5(2)	
6606	EST.	PLANT ESTABLISHMENT - SECOND YEAR		M8	STANDARD ITEM	8-02.5	
6608	EST.	PLANT ESTABLISHMENT - THIRD YEAR		M8	STANDARD ITEM	8-02.5	
<b>SECTION: 18 TRAFFIC</b>							
6698	EACH	ROUNABOUT SPLITTER ISLAND NOSING CURB		C8	STANDARD ITEM	8-04.5	
6699	L.F.	ROUNABOUT CEMENT CONCRETE CURB AND GUTTER		C8	STANDARD ITEM	8-04.5	
6700	L.F.	CEMENT CONC. TRAFFIC CURB AND GUTTER		C8	STANDARD ITEM	8-04.5	
6701	L.F.	CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM	8-04.5	
6702	L.F.	MOUNTABLE CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM	8-04.5	
6708	L.F.	ROUNABOUT CENTRAL ISLAND CEMENT CONCRETE CURB		C8	STANDARD ITEM	8-04.5	
6709	L.F.	ROUNABOUT TRUCK APRON CEM. CONC. CURB AND GUTTER		C8	STANDARD ITEM	8-04.5	
6705	L.F.	DUAL-FACED CEMENT CONC. TRAFFIC CURB AND GUTTER		C8	STANDARD ITEM	8-04.5	
6706	L.F.	DUAL-FACED CEMENT CONC. TRAFFIC CURB		C8	STANDARD ITEM	8-04.5	
6707	L.F.	CEMENT CONC. PEDESTRIAN CURB		C8	STANDARD ITEM	8-04.5	
6727	L.F.	EXTRUDED CURB		A2	STANDARD ITEM	8-04.5	
6840	L.F.	PRECAST SLOPED MOUNTABLE CURB		W4	STANDARD ITEM	8-07.5	
6841	L.F.	PRECAST DUAL FACED SLOPED MOUNTABLE CURB		W4	STANDARD ITEM	8-07.5	
6744	EACH	BOX CULVERT GUARDRAIL STEEL POST TYPE 31		J0	GSP ITEM		
6747	L.F.	BEAM GUARDRAIL TYPE 1 - 9 FT. LONG POST		J0	STANDARD ITEM	8-11.5	
6749	L.F.	BEAM GUARDRAIL TYPE 1 - 11 FT. LONG POST		J0	STANDARD ITEM	8-11.5	
6711	L.F.	BEAM GUARDRAIL TYPE 31 - 8 FT. LONG POST		J0	STANDARD ITEM	8-11.5	
6712	L.F.	BEAM GUARDRAIL TYPE 31 - 9 FT. LONG POST		J0	STANDARD ITEM	8-11.5	
6713	L.F.	BEAM GUARDRAIL TYPE 31 - 11 FT. LONG POST		J0	STANDARD ITEM	8-11.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
6755	EACH	BEAM GUARDRAIL BLOCK		J0	STANDARD ITEM	8-11.5	
6645	L.F.	AES. TR. BEAM GUARDRAIL TYPE-----	(27)	J0	GSP ITEM		
6671	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 8FT. LONG POST		J0	GSP ITEM		
6672	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 9FT. LONG POST		J0	GSP ITEM		
6673	L.F.	AES. TR. BEAM GUARDRAIL TYPE 1 11FT. LONG POST		J0	GSP ITEM		
6674	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 8FT. LONG POST		J0	GSP ITEM		
6675	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 9FT. LONG POST		J0	GSP ITEM		
6676	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 11FT. LONG POST		J0	GSP ITEM		
6646	EACH	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE-----	(8)	J0	GSP ITEM		
6647	EACH	AES. TR. BEAM GUARDRAIL ANCHOR TYPE-----	(20)	J0	GSP ITEM		
6650	EACH	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL		J0	GSP ITEM		
6648	EACH	AES. TR. BEAM GUARDRAIL FLARED TERMINAL		J0	GSP ITEM		
6651	EACH	AES. TR. BEAM GUARDRAIL BULL NOSE TERMINAL		J0	REQUIRES SPECIAL PROV.		
6652	EACH	AES. TR. BEAM GUARDRAIL BULL NOSE TERMINAL TYPE 2		J0	REQUIRES SPECIAL PROV.		
6752	L.F.	BEAM GUARDRAIL TYPE 2		J0	STANDARD ITEM	8-11.5	
6751	L.F.	BEAM GUARDRAIL TYPE 1		J0	STANDARD ITEM	8-11.5	
6653	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2		J0	GSP ITEM		
6753	L.F.	BEAM GUARDRAIL TYPE 3		J0	STANDARD ITEM	8-11.5	
6754	L.F.	BEAM GUARDRAIL TYPE 4		J0	STANDARD ITEM	8-11.5	
6756	L.F.	BEAM GUARDRAIL TYPE-----	(36)	J0	STANDARD ITEM	8-11.5	
6759	L.F.	BEAM GUARDRAIL TYPE 10		J0	STANDARD ITEM	8-11.5	
6757	L.F.	BEAM GUARDRAIL TYPE 31		J0	STANDARD ITEM	8-11.5	
6760	EACH	BEAM GUARDRAIL TRANSITION SECTION TYPE-----	(17)	J0	STANDARD ITEM	8-11.5	
6719	EACH	BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL		J0	STANDARD ITEM	8-11.5	
6733	L.F.	BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2		J0	STANDARD ITEM	8-11.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
6737	EACH	BEAM GUARDRAIL BULL NOSE TERMINAL		J0	REQUIRES SPECIAL PROV.		
6735	EACH	BEAM GUARDRAIL BULL NOSE TERMINAL TYPE 2		J0	STANDARD ITEM	8-11.5	
6771	EACH	BEAM GUARDRAIL ANCHOR TYPE 1		J0	REQUIRES SPECIAL PROV.		
6774	EACH	BEAM GUARDRAIL ANCHOR TYPE 4		J0	REQUIRES SPECIAL PROV.		
6770	EACH	BEAM GUARDRAIL ANCHOR TYPE 5		J0	REQUIRES SPECIAL PROV.		
6765	EACH	BEAM GUARDRAIL ANCHOR TYPE 7		J0	REQUIRES SPECIAL PROV.		
6766	EACH	BEAM GUARDRAIL ANCHOR TYPE 10		J0	REQUIRES SPECIAL PROV.		
6786	EACH	BEAM GUARDRAIL ANCHOR TYPE 11		J0	STANDARD ITEM	8-11.5	
6780	L.F.	REMOVING AND RESETTING BEAM GUARDRAIL		J0	STANDARD ITEM	8-11.5	
6783	L.F.	RAISING EXISTING BEAM GUARDRAIL		J0	STANDARD ITEM	8-11.5	
6775	L.F.	PRECAST CONC. BARRIER FROM STOCKPILE		N0	REQUIRES SPECIAL PROV.		
6776	L.F.	PRECAST CONC. BARRIER TYPE-----	(29)	N0	STANDARD ITEM	6-10.5	
6790	L.F.	CONC. BARRIER TRANSITION TYPE 2 TO BRIDGE F-SHAPE		D0	STANDARD ITEM	6-10.5	
6788	L.F.	PRECAST CONC. BARRIER TYPE F UNANCHORED		N0	STANDARD ITEM	6-10.5	
6789	L.F.	PRECAST CONC. BARRIER TYPE F ANCHORED		N0	STANDARD ITEM	6-10.5	
6763	L.F.	SINGLE SLOPE CONCRETE BARRIER		D0	STANDARD ITEM	8-11.5	
6764	EACH	SINGLE SLOPE CONC. BARRIER LIGHT STANDARD FOUNDATION		D0	STANDARD ITEM	8-11.5	
6777	L.F.	CAST-IN-PLACE CONC. BARRIER		D0	STANDARD ITEM	6-10.5	
6779	EACH	CAST-IN-PLACE CONC. BARRIER LIGHT STANDARD SECTION		D0	STANDARD ITEM	6-10.5	
6781	L.F.	TEMPORARY BARRIER		N0	STANDARD ITEM	6-10.5	
6784	L.F.	REMOVING AND RESETTING EXISTING PERMANENT BARRIER		N0	STANDARD ITEM	6-10.5	
6795	C.Y.	CONC. CLASS 4000 FOR BARRIER		D0	STANDARD ITEM	6-10.5	
6799	LB.	ST. REINF. BAR FOR BARRIER		D0	REQUIRES SPECIAL PROV.		
7432	L.F.	HIGH-TENSION CABLE BARRIER SYSTEM (4 CABLE)		J0	GSP ITEM		
7434	L.S.	ADDITIONAL HIGH-TENSION CABLE BARRIER COMPONENTS		J0	GSP ITEM		

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
7435	L.F.	SHORT RADIUS GUARDRAIL SYSTEM (SRGS)		J0	GSP ITEM		
7436	L.F.	RESTORING HIGH TENSION CABLE BARRIER SYSTEM		J0	GSP ITEM		
7442	EACH	PERMANENT IMPACT ATTENUATOR		L6	STANDARD ITEM	8-17.5	
7440	EACH	TEMPORARY IMPACT ATTENUATOR		L6	STANDARD ITEM	8-17.5	
7445	EACH	RESETTING IMPACT ATTENUATOR		L6	STANDARD ITEM	8-17.5	
7448	HR	TRANSPORTABLE ATTENUATOR		L6	STANDARD ITEM	2-04.5(2)	
7450	EST.	REPAIR TRANSPORTABLE ATTENUATOR		L6	STANDARD ITEM	2-04.5(2)	
6832	EACH	FLEXIBLE GUIDE POST		A1	STANDARD ITEM	8-10.5	
6830	EACH	BARRIER DELINEATOR		A1	STANDARD ITEM	8-10.5	
6834	EACH	LINEAR DELINEATION PANEL FOR CONCRETE BARRIER		A1	GSP ITEM		
6839	EACH	LINEAR DELINEATION PANEL FOR GUARDRAIL		A1	GSP ITEM		
6835	EACH	REMOVING AND RESETTING GUIDE POST		A1	REQUIRES SPECIAL PROV.		
6806	L.F.	PAINT LINE		P6	STANDARD ITEM	8-22.5	
6807	L.F.	PLASTIC LINE		V6	STANDARD ITEM	8-22.5	
6837	L.F.	PAINTED 12-INCH WIDE LINE		P6	STANDARD ITEM	8-22.5	
6838	L.F.	PLASTIC 12-INCH WIDE LINE		V6	STANDARD ITEM	8-22.5	
6809	L.F.	PROFILED PLASTIC LINE		V6	STANDARD ITEM	8-22.5	
6808	L.F.	EMBOSSSED PLASTIC LINE		V6	STANDARD ITEM	8-22.5	
6810	L.F.	PROFILED EMBOSSSED PLASTIC LINE		P6	STANDARD ITEM	8-22.5	
6813	L.F.	GROOVED PLASTIC LINE		V6	STANDARD ITEM	8-22.5	
6861	L.F.	GROOVED PLASTIC WIDE LINE		V6	STANDARD ITEM	8-22.5	
6845	L.F.	PROFILED PLASTIC WIDE LINE		V6	STANDARD ITEM	8-22.5	
6812	L.F.	EMBOSSSED PLASTIC WIDE LINE		V6	STANDARD ITEM	8-22.5	
6800	L.F.	PROFILED EMBOSSSED PLASTIC WIDE LINE		V6	STANDARD ITEM	8-22.5	
6854	L.F.	PAINTED BARRIER CENTER LINE		P6	STANDARD ITEM	8-22.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
6855	L.F.	PLASTIC BARRIER CENTER LINE		V6	STANDARD ITEM	8-22.5	
6856	S.F.	PAINTED CROSSWALK LINE		P6	STANDARD ITEM	8-22.5	
6857	S.F.	PLASTIC CROSSWALK LINE		V6	STANDARD ITEM	8-22.5	
6858	L.F.	PAINTED STOP LINE		P6	STANDARD ITEM	8-22.5	
6859	L.F.	PLASTIC STOP LINE		V6	STANDARD ITEM	8-22.5	
6860	EACH	PAINTED TRAFFIC ARROW		P0	STANDARD ITEM	8-22.5	
6833	EACH	PLASTIC TRAFFIC ARROW		V6	STANDARD ITEM	8-22.5	
6870	EACH	PAINTED TRAFFIC LETTER		P0	STANDARD ITEM	8-22.5	
6871	EACH	PLASTIC TRAFFIC LETTER		V6	STANDARD ITEM	8-22.5	
6862	EACH	PAINTED ACCESS PARKING SPACE SYMBOL		P0	STANDARD ITEM	8-22.5	
6863	EACH	PLASTIC ACCESS PARKING SPACE SYMBOL		V6	STANDARD ITEM	8-22.5	
6878	EACH	PAINTED RAILROAD CROSSING SYMBOL		P0	STANDARD ITEM	8-22.5	
6879	EACH	PLASTIC RAILROAD CROSSING SYMBOL		V6	STANDARD ITEM	8-22.5	
6866	EACH	PAINTED BICYCLE LANE SYMBOL		P0	STANDARD ITEM	8-22.5	
6867	EACH	PLASTIC BICYCLE LANE SYMBOL		V6	STANDARD ITEM	8-22.5	
6880	EACH	PAINTED DRAINAGE MARKING		P0	STANDARD ITEM	8-22.5	
6881	EACH	PLASTIC DRAINAGE MARKING		V6	STANDARD ITEM	8-22.5	
6874	EACH	PAINTED JUNCTION BOX MARKING		P0	STANDARD ITEM	8-22.5	
6875	EACH	PLASTIC JUNCTION BOX MARKING		V6	STANDARD ITEM	8-22.5	
9243	EACH	PAINTED AERIAL SURVEILLANCE FULL MARKER		V6	STANDARD ITEM	8-22.5	
9244	EACH	PLASTIC AERIAL SURVEILLANCE FULL MARKER		V6	STANDARD ITEM	8-22.5	
9245	EACH	PAINTED AERIAL SURVEILLANCE 1/2 MARKER		V6	STANDARD ITEM	8-22.5	
9246	EACH	PLASTIC AERIAL SURVEILLANCE 1/2 MARKER		V6	STANDARD ITEM	8-22.5	
9237	EACH	PAINTED YIELD LINE SYMBOL		P6	STANDARD ITEM	8-22.5	
9238	EACH	PLASTIC YIELD LINE SYMBOL		P6	STANDARD ITEM	8-22.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
9239	EACH	PAINTED YIELD AHEAD SYMBOL		P6	STANDARD ITEM	8-22.5	
9240	EACH	PLASTIC YIELD AHEAD SYMBOL		P6	STANDARD ITEM	8-22.5	
9241	EACH	PAINTED SPEED BUMP SYMBOL		P6	STANDARD ITEM	8-22.5	
9242	EACH	PLASTIC SPEED BUMP SYMBOL		P6	STANDARD ITEM	8-22.5	
9247	EACH	PAINTED ACCESS PARKING SPACE SYMBOL WITH BACKGROUND		P6	STANDARD ITEM	8-22.5	
9248	EACH	PLASTIC ACCESS PARKING SPACE SYMBOL WITH BACKGROUND		P6	STANDARD ITEM		
6893	MI.	CENTERLINE RUMBLE STRIP		E6	STANDARD ITEM	8-08.5	
6901	MI.	SINUSOIDAL RUMBLE STRIP		E6	REQUIRES SPECIAL PROV.		
6892	MI.	SHOULDER RUMBLE STRIP TYPE-----	(29)	E6	STANDARD ITEM	8-08.5	
7443	L.F.	TEMPORARY ADHESIVE TRANSVERSE RUMBLE STRIPS		N2	GSP ITEM		
7441	EACH	TEMPORARY PORTABLE TRANSVERSE RUMBLE STRIPS		N2	GSP ITEM		
6882	HUND	RAISED PAVEMENT MARKER TYPE 1		N2	STANDARD ITEM	8-09.5	
6884	HUND	RAISED PAVEMENT MARKER TYPE 2		N2	STANDARD ITEM	8-09.5	
6886	HUND	RAISED PAVEMENT MARKER TYPE 3-----	(26)	N2	STANDARD ITEM	8-09.5	
6889	HUND	RECESSED PAVEMENT MARKER		N2	STANDARD ITEM	8-09.5	
6887	EACH	WHITE PLASTIC RUMBLE BAR		N2	REQUIRES SPECIAL PROV.		
6890	L.S.	PERMANENT SIGNING		U4	STANDARD ITEM	8-21.5	
6895	L.F.	TEMPORARY PAVEMENT MARKING-SHORT DURATION		N2	STANDARD ITEM	8-23.5	
6896	L.F.	TEMPORARY PAVEMENT MARKING-LONG DURATION		N2	STANDARD ITEM	8-23.5	
6872	EACH	TEMPORARY MISC. PAVEMENT MARKINGS - SHORT DURATION		N2	STANDARD ITEM	8-22.5	
6894	EACH	TEMPORARY MISC. PAVEMENT MARKINGS - LONG DURATION		N2	STANDARD ITEM	8-23.5	
6842	L.F.	TEMPORARY STOP LINE - SHORT DURATION		N2	STANDARD ITEM	8-23.5	
6843	L.F.	TEMPORARY STOP LINE - LONG DURATION		N2	STANDARD ITEM	8-23.5	
6851	S.F.	TEMPORARY CROSSWALK LINE - SHORT DURATION		N2	STANDARD ITEM	8-23.5	
6852	S.F.	TEMPORARY CROSSWALK LINE - LONG DURATION		N2	STANDARD ITEM	8-23.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
6897	L.S.	SIGN BRIDGE NO.-----	(40)	U8	STANDARD ITEM	8-21.5	
6898	L.S.	CANTILEVER SIGN STRUCTURE NO.-----	(26)	U8	STANDARD ITEM	8-21.5	
6899	L.S.	BRIDGE MOUNTED SIGN BRACKET NO.-----	(24)	U8	STANDARD ITEM	8-21.5	
6902	S.F.	SIGN COVERING		U4	STANDARD ITEM	8-21.5	
6903	L.S.	TEMPORARY ILLUMINATION SYSTEM-----	(26)	H2	REQUIRES SPECIAL PROV.		
6904	L.S.	ILLUMINATION SYSTEM-----	(36)	H2	STANDARD ITEM	8-20.5	
6912	L.S.	TRAFFIC SIGNAL SYSTEM-----	(34)	W6	STANDARD ITEM	2-04.5(2)	
6914	L.S.	ITS-----	(52)	H4	STANDARD ITEM	8-20.5	
6913	L.S.	PORTABLE TEMPORARY TRAFFIC CONTROL SIGNAL		W6	STANDARD ITEM	2-04.5(2)	
6918	HR	OPERATION OF QUEUE WARNING SYSTEM		W6	GSP ITEM		
6919	HR	OPERATION OF SMART WORK ZONE SYSTEM		W6	GSP ITEM		
6920	HR	AUTOMATED FLAGGER ASSISTANCE DEVICE		W3	GSP ITEM		
6921	HR	RADAR SPEED DISPLAY SIGN		W3	GSP ITEM		
6922	HR	CONTRACTOR PROVIDED UNIFORMED POLICE OFFICER		A1	REQUIRES SPECIAL PROV.		NW region should use their region GSP for this item
6915	L.F.	CASING		H2	STANDARD ITEM	8-20.5	
6917	L.F.	DIRECTIONAL BORING		H2	STANDARD ITEM	8-20.5	
6942	L.F.	CONDUIT PIPE 1 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6943	L.F.	CONDUIT PIPE 1-1/4 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6944	L.F.	CONDUIT PIPE 1-1/2 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6945	L.F.	CONDUIT PIPE 2 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6946	L.F.	CONDUIT PIPE 2-1/2 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6947	L.F.	CONDUIT PIPE 3 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6948	L.F.	CONDUIT PIPE 3-1/2 IN. DIAM.		H2	STANDARD ITEM	8-20.5	
6949	L.F.	CONDUIT PIPE 4 IN. DIAM.		B0	STANDARD ITEM	8-20.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
6956	HR	SEQUENTIAL ARROW SIGN		W3	STANDARD ITEM	2-04.5(2)	
6993	HR	PORTABLE CHANGEABLE MESSAGE SIGN		W3	STANDARD ITEM	2-04.5(2)	
6971	L.S.	PROJECT TEMPORARY TRAFFIC CONTROL		W3	STANDARD ITEM	2-04.5(1)	
6973	L.S.	OTHER TEMPORARY TRAFFIC CONTROL DEVICES		W3	STANDARD ITEM	2-04.5(2)	
6980	HR	FLAGGERS		W3	STANDARD ITEM	2-04.5(2)	
6992	HR	OTHER TRAFFIC CONTROL LABOR		W3	STANDARD ITEM	2-04.5(2)	
6974	L.S.	TRAFFIC CONTROL SUPERVISOR		W3	STD. ITEM, GSP REQUIRED		
7572	EST.	WORK ZONE SAFETY CONTINGENCY		A1	GSP ITEM		
6982	S.F.	CONSTRUCTION SIGNS CLASS A		W3	STANDARD ITEM	2-04.5(2)	
6975	CALC	WSP REIMBURSEMENT		W3	GSP ITEM		
6976	HR	PATROL AND MAINTAIN TRAFFIC CONTROL MEASURES		W3	STANDARD ITEM	2-04.5(2)	
6977	DAY	MOBILE BARRIER TRAILER SYSTEM		W3	GSP ITEM		
6978	L.S.	MOVEABLE BARRIERS		W3	GSP ITEM		
6983	HR	OPERATING THE BTM		W3	GSP ITEM		
6864	EACH	PAINTED HOV LANE SYMBOL		P0	STANDARD ITEM	8-22.5	
6865	EACH	PLASTIC HOV LANE SYMBOL		V6	STANDARD ITEM	8-22.5	
6869	L.S.	PEDESTRIAN TRAFFIC CONTROL		A1	STANDARD ITEM	2-04.5(2)	
7220	L.F.	PAINTING CURB		P6	WSF ITEM REQ. SPECIAL PROV.		
6821	L.F.	PAINTED CROSSHATCH MARKING		P6	STANDARD ITEM	8-22.5	
6822	L.F.	PLASTIC CROSSHATCH MARKING		V6	STANDARD ITEM	8-22.5	
6750	EACH	BEAM GUARDRAIL POST		J0	STANDARD ITEM	8-11.5	
6817	L.F.	PAINTED WIDE LINE		P6	STANDARD ITEM	8-22.5	
6818	L.F.	PLASTIC WIDE LINE		V6	STANDARD ITEM	8-22.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
<b>SECTION: 19 OTHER ITEMS</b>							
9000	EST.	REIMBURSEMENT FOR ESA MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PROV.		
9001	EST.	REIMBURSEMENT FOR PERMIT MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PROV.		
9002	EST.	REIMB. FOR PROTECTED SPECIES MONITORING SUSPENSION		A1	WSF ITEM REQ. SPECIAL PROV.		
9003	L.S.	PROTECTED SPECIES MONITORING		A1	WSF ITEM REQ. SPECIAL PROV.		
9004	CALC	PROJECT PARTNERING		A1	GSP ITEM		
7069	EACH	WHEEL STOP		W4	WSF ITEM REQ. SPECIAL PROV.		
7001	EST.	TAX INCREASE PER SEC. 1-07.1		A1	HEADQUARTERS USE ONLY		
7002	EST.	INCENTIVE EARLY COMPL.		A1	GSP ITEM		1-08.5OPT11.FR1
7003	L.S.	TYPE B PROGRESS SCHEDULE		A1	STANDARD ITEM	1-08.3(5)	
7004	L.S.	TYPE C PROGRESS SCHEDULE		A1	STANDARD ITEM	1-08.3(5)	
7005	C.Y.	STRUCTURE EXCAVATION CLASS B		I2	STANDARD ITEM	3-07.5	
7006	C.Y.	STRUCTURE EXCAVATION CLASS B INCL. HAUL		I2	STANDARD ITEM	3-07.5	
7008	S.F.	SHORING OR EXTRA EXCAVATION CLASS B		I2	STANDARD ITEM	3-07.5	
7011	C.Y.	GRAVEL BACKFILL FOR FOUNDATION CLASS A		F6	STANDARD ITEM	6-02.5	
7012	C.Y.	GRAVEL BACKFILL FOR FOUNDATION CLASS B		F6	STANDARD ITEM	6-02.5	
7013	C.Y.	GRAVEL BACKFILL FOR PIPE BEDDING		F6	REQUIRES SPECIAL PROV.		
7017	C.Y.	GRAVEL BACKFILL FOR PIPE ZONE BEDDING		F6	STANDARD ITEM	7-08.5	
7014	C.Y.	GRAVEL BACKFILL FOR DRAIN		F6	STANDARD ITEM	7-01.5	
7015	C.Y.	CONTROLLED DENSITY FILL		F6	STANDARD ITEM	3-07.5	
7016	C.Y.	DESIGN C TRENCH CONSTRUCTION		I2	STANDARD ITEM		
7018	MGAL	WATER		A1	STANDARD ITEM	3-06.5	
7024	C.Y.	CONC. CLASS 3000		E0	STANDARD ITEM	6-02.5	
7027	C.Y.	COMMERCIAL CONCRETE		E0	STANDARD ITEM	6-02.5	

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STANDARD ITEM TABLE – ENGLISH

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
7029	EACH	PLUGGING EXISTING PIPE		G2	STANDARD ITEM	7-08.5	
7030	LB.	ST. REINF. BAR		U0	STANDARD ITEM	6-02.5	
7037	L.S.	STRUCTURE SURVEYING		V3	GSP ITEM	6-08.5	1-05.4.OPT1.GR1
7038	L.S.	ROADWAY SURVEYING		V3	GSP ITEM		
7042	L.S.	ADA FEATURES SURVEYING		V3	GSP ITEM		
7044	L.S.	SURVEYING FOR MODIFIED CONC. OVERLAY		V3	STANDARD ITEM	6-21.5	
7046	L.S.	SURVEYING FOR POLYESTER CONCRETE OVERLAY		V3	GSP ITEM		
7040	EST.	LICENSED SURVEYING		V3	GSP ITEM		
7035	EACH	MILEPOST		U4	REQUIRES SPECIAL PROV.		
7041	EACH	BOLLARD TYPE-----	(43)	J0	GSP ITEM		
7045	EACH	MONUMENT CASE AND COVER		O4	STANDARD ITEM	8-13.5	
7047	EACH	MONUMENT CASE, COVER, AND PIPE		O4	GSP ITEM		
7380	EACH	ADJUST MONUMENT CASE AND COVER		O4	STANDARD ITEM	8-13.5	
7052	EACH	BRIDGE END SIDEWALK RAMP		A2	REQUIRES SPECIAL PROV.		
7055	S.Y.	CEMENT CONC. SIDEWALK		C8	STANDARD ITEM	8-14.5	
7060	S.Y.	ASPHALT CONC. SIDEWALK		A2	REQUIRES SPECIAL PROV.		
7059	S.Y.	CEMENT CONC. DRIVEWAY ENTRANCE TYPE-----	(20)	C8	STANDARD ITEM	8-06.5	
7058	EACH	CEMENT CONC. CURB RAMP TYPE-----	(28)	C8	STANDARD ITEM	8-14.5	
7054	S.F.	DETECTABLE WARNING SURFACE		C8	STANDARD ITEM	8-14.5	
7057	S.Y.	MONOLITHIC CEMENT CONC. CURB AND SIDEWALK		C8	STANDARD ITEM	8-14.5	
7056	S.Y.	CEMENT CONC. SIDEWALK WITH RAISED EDGE		C8	STANDARD ITEM	8-14.5	
7065	S.Y.	CONC. SLOPE PROTECTION		E8	STANDARD ITEM	8-16.5	
7066	S.Y.	SEMI-OPEN CONC. MASONRY SLOPE PROTECTION		E8	GSP ITEM		
7074	EACH	WIRE MESH SLOPE PROTECTION ANCHOR		X0	STANDARD ITEM	8-29.5	
7078	S.F.	CABLE NET SLOPE PROTECTION TYPE-----	(24)	X0	GSP ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
7080	L.F.	CABLE FENCE		16	STANDARD ITEM	8-12.5	
7083	L.F.	CHAIN LINK FENCE TYPE 3		16	STANDARD ITEM	8-12.5	
7085	L.F.	COATED CHAIN LINK FENCE TYPE 3		16	GSP ITEM		
7084	L.F.	CHAIN LINK FENCE TYPE 4		16	STANDARD ITEM	8-12.5	
7088	L.F.	COATED CHAIN LINK FENCE TYPE 4		16	GSP ITEM		
7086	L.F.	CHAIN LINK FENCE TYPE 6		16	STANDARD ITEM	8-12.5	
7089	L.F.	COATED CHAIN LINK FENCE TYPE 6		16	GSP ITEM		
7097	EACH	END, GATE, CORNER, AND PULL POST FOR CHAIN LINK FENCE		16	STANDARD ITEM	8-12.5	
7098	EACH	COATED END, GATE, CORNER, PULLPOST FOR CHAIN LINK FENCE		16	GSP ITEM		
7100	EACH	SINGLE 6 FT. CHAIN LINK GATE		16	STANDARD ITEM	8-12.5	
7101	EACH	SINGLE 6 FT. COATED CHAIN LINK GATE		16	GSP ITEM		
7102	EACH	DOUBLE 14 FT. CHAIN LINK GATE		16	STANDARD ITEM	8-12.5	
7103	EACH	DOUBLE 14 FT. COATED CHAIN LINK GATE		16	GSP ITEM		
7104	EACH	DOUBLE 20 FT. CHAIN LINK GATE		16	STANDARD ITEM	8-12.5	
7106	EACH	DOUBLE 20 FT. COATED CHAIN LINK GATE		16	GSP ITEM		
7110	L.F.	WIRE FENCE TYPE 1		16	STANDARD ITEM	8-12.5	
7111	L.F.	WIRE FENCE TYPE 2		16	STANDARD ITEM	8-12.5	
7114	L.F.	REMOVING AND RESETTING WIRE FENCE		16	REQUIRES SPECIAL PROV.		
7116	EACH	SINGLE WIRE GATE 14 FT. WIDE		16	STANDARD ITEM	8-12.5	
7118	EACH	DOUBLE WIRE GATE 20 FT. WIDE		16	STANDARD ITEM	8-12.5	
7119	L.F.	GAME FENCE		16	REQUIRES SPECIAL PROV.		
7130	L.F.	GLARE SCREEN TYPE 1 DESIGN A		16	STANDARD ITEM	8-25.5	
7132	L.F.	GLARE SCREEN TYPE 1 DESIGN B		16	STANDARD ITEM	8-25.5	
7135	L.F.	GLARE SCREEN TYPE 2		16	STANDARD ITEM	8-25.5	
7136	L.F.	BARRIER GLARE SCREEN		16	GSP ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
7137	L.F.	TEMPORARY BARRIER GLARE SCREEN		I6	GSP ITEM		
7145	EACH	ACCESS CONTROL GATE		I6	STANDARD ITEM	8-12.5	
7150	C.Y.	GABION CRIBBING		J2	STANDARD ITEM	8-24.5	
7160	TON	ROCK RETAINING WALL		S4	REQUIRES SPECIAL PROV.		
7164	S.F.	GRAVITY BLOCK WALL		S4	GSP ITEM		
7166	TON	ROCK FOR ROCK WALL		S4	STANDARD ITEM	8-24.5	
7167	TON	BACKFILL FOR ROCK WALL		S4	STANDARD ITEM	8-24.5	
7173	S.F.	FIBER BONDED METAL CRIBBING TYPE 0 DESIGN 0		O2	STANDARD ITEM		
7200	L.S.	CLEANING AND PAINTING-----	(34)	P4	REQUIRES SPECIAL PROV.		
7300	L.S.	NAVIGATION LIGHTING SYSTEM-----	(29)	H2	GSP ITEM		
7330	EACH	AREA INLET		G2	STANDARD ITEM		
9602	EACH	ADJUST INLET		G2	STANDARD ITEM	7-05.5	
7342	EACH	ADJUST BRIDGE DRAIN		G2	REQUIRES SPECIAL PROV.		
7345	EACH	ABANDON EXISTING MANHOLE		T8	STANDARD ITEM	7-05.5	
9605	EACH	CONNECTION TO DRAINAGE STRUCTURE		T8	STANDARD ITEM	7-05.5	
3080	EACH	ADJUST MANHOLE		T8	STANDARD ITEM	7-05.5	
7360	EACH	MANHOLE 48 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7363	EACH	MANHOLE 54 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7364	EACH	MANHOLE 60 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7365	EACH	MANHOLE 72 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7366	EACH	MANHOLE 84 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7367	EACH	MANHOLE 96 IN. DIAM. TYPE-----	(30)	T8	STANDARD ITEM	7-05.5	
7369	L.F.	MANHOLE ADDITIONAL HEIGHT 48 IN. DIAM. TYPE-----	(12)	T8	STANDARD ITEM	7-05.5	
7371	L.F.	MANHOLE ADDITIONAL HEIGHT 54 IN. DIAM. TYPE-----	(12)	T8	STANDARD ITEM	7-05.5	
7372	L.F.	MANHOLE ADDITIONAL HEIGHT 60 IN. DIAM. TYPE-----	(12)	T8	STANDARD ITEM	7-05.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
7373	L.F.	MANHOLE ADDITIONAL HEIGHT 72 IN. DIAM. TYPE-----	(12)	T8	STANDARD ITEM	7-05.5	
7375	L.F.	MANHOLE ADDITIONAL HEIGHT 96 IN. DIAM. TYPE-----	(12)	T8	STANDARD ITEM	7-05.5	
3063	EACH	DROP MANHOLE CONNECTION		T8	STANDARD ITEM	7-05.5	
3100	EACH	ADJUST CATCH BASIN		T8	STANDARD ITEM	7-06.5	
3110	EACH	LOCKING SOLID METAL COVER AND FRAME FOR CATCH BASIN		T8	REQUIRES SPECIAL PROV.		
7350	L.S.	CLEANING EXISTING DRAINAGE STRUCTURE		A1	STANDARD ITEM	7-07.5	
6243	EACH	ADJUST VALVE BOX		M4	REQUIRES SPECIAL PROV.		
7043	EACH	ADJUST JUNCTION BOX		H2	REQUIRES SPECIAL PROV.		
7715	EST.	FORCE ACCOUNT-----	(42)	A1	REQUIRES SPECIAL PROV.		
7400	HR	TRAINING		A1	GSP ITEM		
7480	EST.	ROADSIDE CLEANUP		A1	STANDARD ITEM	3-01.5	
7490	L.S.	TRIMMING AND CLEANUP		A1	STANDARD ITEM	3-08.5	
7491	L.S.	TRIMMING AND CLEANUP-----	(35)	A1	REQUIRES SPECIAL PROV.		
7725	EST.	REIMBURSEMENT FOR THIRD PARTY DAMAGE		A1	STANDARD ITEM	1-07.13(4)	
7726	CALC	DISPUTES REVIEW BOARD		A1	STANDARD ITEM	1-04.5(1)A10	
7728	CALC	MINOR CHANGE		A1	STANDARD ITEM	1-04.4(1)	
7730	CALC	FUEL COST ADJUSTMENT		A1	GSP ITEM		
7731	CALC	STEEL COST ADJUSTMENT		A1	STD. ITEM, GSP REQUIRED		
7732	CALC	AGGREGATE COMPLIANCE PRICE ADJUSTMENT		A1	STANDARD ITEM	4-04.5	
7733	L.S.	CONFIRMATION SCALE		A1	GSP ITEM		
7736	L.S.	SPCC PLAN		A1	STANDARD ITEM	1-07.15(1)	
7530	S.Y.	CONSTRUCTION GEOTEXTILE FOR SEPARATION		G2	STANDARD ITEM	3-09.5	
7535	S.Y.	CONSTRUCTION GEOTEXTILE FOR DITCH LINING		G2	STANDARD ITEM	3-09.5	
7550	S.Y.	CONSTRUCTION GEOTEXTILE FOR UNDERGROUND DRAINAGE		G2	STANDARD ITEM	3-09.5	
7552	S.Y.	CONSTRUCTION GEOTEXTILE FOR SOIL STABILIZATION		G2	STANDARD ITEM	3-09.5	

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
7554	S.Y.	CONSTRUCTION GEOTEXTILE FOR PERMANENT EROSION CONTROL		G2	STANDARD ITEM	3-09.5	
7558	S.F.	GEOTEXTILE RETAINING WALL		G2	REQUIRES SPECIAL PROV.		
7559	S.F.	GEOSYNTHETIC RETAINING WALL		G2	STANDARD ITEM	6-14.5	
7565	S.F.	TEMPORARY GEOSYNTHETIC RETAINING WALL		G2	STD. ITEM, GSP REQUIRED		
7567	C.Y.	GRAVEL BORROW FOR STRUCTURAL EARTH WALL INCL. HAUL		I2	STANDARD ITEM	6-13.5	
7568	TON	GRAVEL BORROW FOR STRUCTURAL EARTH WALL INCL. HAUL		I2	STANDARD ITEM	6-13.5	
7569	EACH	NO TRESPASSING SIGN		A1	GSP ITEM		
7570	L.S.	HEALTH AND SAFETY PLAN		A1	GSP ITEM		
7561	S.F.	SHOTCRETE FACING		E4	STANDARD ITEM	6-14.5	
7563	C.Y.	SHOTCRETE FACING FOR ROCK/SOIL SLOPE STABILIZATION		S2	GSP ITEM		
7562	EACH	MAILBOX SUPPORT TYPE-----	(35)	U8	STANDARD ITEM	8-18.5	
7571	EST.	FA-SITE CLEANUP OF BIO. AND PHYSICAL HAZARDS		A1	GSP ITEM		
1905	L.S.	MARINE SURVEYING		V3	WSF ITEM REQ. SPECIAL PROV.		
1910	L.S.	FURNISH BUBBLE CURTAIN SYSTEM		Q4	WSF ITEM REQ. SPECIAL PROV.		
1915	EACH	BUBBLE CURTAIN		Q4	WSF ITEM REQ. SPECIAL PROV.		
1920	EACH	MARINE LANTERN		N4	WSF ITEM REQ. SPECIAL PROV.		
1925	EACH	REFLECTIVE TRIANGLE		N4	WSF ITEM REQ. SPECIAL PROV.		
1930	EACH	RUBBER END LIP		N4	WSF ITEM REQ. SPECIAL PROV.		
1935	EACH	LIFE RING AND ENCLOSURE BOX		A1	WSF ITEM REQ. SPECIAL PROV.		
1940	L.S.	BIRD DETERRENT SYSTEM		A1	WSF ITEM REQ. SPECIAL PROV.		
1941	L.S.	BIRD PROTECTION AND MONITORING		A1	GSP ITEM		1-07.5(6).OPT2. GR1
1945	L.F.	PEDESTRIAN HANDRAIL-----	(36)	J0	WSF ITEM REQ. SPECIAL PROV.		
7070	L.F.	ROCK BOLT		S2	GSP ITEM		
7071	L.F.	ROCK DOWEL TYPE-----	(40)	S2	GSP ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

STD ITEM NO	UOM	*****DESCRIPTION*****	ADD ON DESC	PREQ UAL CODE	ITEM USE	STANDARD SPEC	GSP
7073	EST.	FORCE ACCOUNT ROCK BOLT & ROCK DOWEL GROUT EXCEEDANCE		A1	GSP ITEM		
7405	L.S.	JUST IN TIME TRAINING		A1	GSP ITEM		
7077	S.F.	WIRE MESH SLOPE PROTECTION		X0	STANDARD ITEM	8-29.5	
2805	L.S.	GENERAL ELECTRICAL		H2	WSF ITEM REQ. SPECIAL PROV.		
2815	L.S.	PACKAGED ENGINE-GENERATOR SYSTEM		H2	WSF ITEM REQ. SPECIAL PROV.		
2828	L.S.	VTS HYDRAULIC SYSTEM		N8	WSF ITEM REQ. SPECIAL PROV.		
2829	L.S.	VTS HYDRAULIC CYLINDERS		N8	WSF ITEM REQ. SPECIAL PROV.		
2830	L.S.	VTS HYDRAULIC POWER UNIT		N8	WSF ITEM REQ. SPECIAL PROV.		
2831	L.S.	VTS PINS AND BEARINGS		N8	WSF ITEM REQ. SPECIAL PROV.		
2832	L.S.	VTS ELECTRICAL SYSTEMS		H2	WSF ITEM REQ. SPECIAL PROV.		
2833	L.S.	VTS MECHANICAL AND CONTROLS INTEGRATION		H2	WSF ITEM REQ. SPECIAL PROV.		

**SECTION: 20 BUILDING**

8000	L.S.	COMPLETE PROJECT		C2	TECHNICAL SPECIFICATIONS		
------	------	------------------	--	----	--------------------------	--	--

**SECTION: 29 SUPERSTRUCTURE**

9905	C.Y.	SUPERSTRUCTURE - MISC. CONC. CLASSES		B0	SUPERSTRUCTURE ITEM		
9906	C.Y.	SUPERSTRUCTURE - CONC. CLASS 4000		B0	SUPERSTRUCTURE ITEM		
9907	C.Y.	SUPERSTRUCTURE - CONC. CLASS 5000		B0	SUPERSTRUCTURE ITEM		
9910	LB.	SUPERSTRUCTURE - ST. REINF. BAR		B0	SUPERSTRUCTURE ITEM		
9912	LB.	SUPERSTRUCTURE - EPOXY-COATED ST. REINF. BAR		B0	SUPERSTRUCTURE ITEM		
9915	LB.	SUPERSTRUCTURE - STRUCTURAL CARBON ST.		B0	SUPERSTRUCTURE ITEM		
9920	LB.	SUPERSTRUCTURE - STRUCTURAL LOW ALLOY ST.		B0	SUPERSTRUCTURE ITEM		
9925	LB.	SUPERSTRUCTURE - STRUCTURAL HIGH ALLOY ST.		B0	SUPERSTRUCTURE ITEM		

**WASHINGTON STATE DEPARTMENT OF TRANSPORTATION**

**STANDARD ITEM TABLE – ENGLISH**

<b>STD ITEM NO</b>	<b>UOM</b>	<b>*****DESCRIPTION*****</b>	<b>ADD ON DESC</b>	<b>PREQ UAL CODE</b>	<b>ITEM USE</b>	<b>STANDARD SPEC</b>	<b>GSP</b>
9930	LB.	SUPERSTRUCTURE - CAST STEEL		B0	SUPERSTRUCTURE ITEM		
9935	EACH	SUPERSTRUCTURE - BRIDGE DRAIN		B0	SUPERSTRUCTURE ITEM		
9940	L.F.	SUPERSTRUCTURE - ELECTRICAL CONDUIT		B0	SUPERSTRUCTURE ITEM		
9950	L.F.	SUPERSTRUCTURE - BRIDGE RAILING		B0	SUPERSTRUCTURE ITEM		
9960	EACH	SUPERSTRUCTURE - ELASTOMERIC BEARING PAD		B0	SUPERSTRUCTURE ITEM		
9962	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W74MG		B0	SUPERSTRUCTURE ITEM		
9963	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W58MG		B0	SUPERSTRUCTURE ITEM		
9964	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W50MG		B0	SUPERSTRUCTURE ITEM		
9965	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W42MG		B0	SUPERSTRUCTURE ITEM		
9966	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W53DMG		B0	SUPERSTRUCTURE ITEM		
9967	L.F.	SUPERSTRUCTURE - PRESTRESSED CONC. GIRDER W35DMG		B0	SUPERSTRUCTURE ITEM		
9980	LB.	SUPERSTRUCTURE - PRESTRESSING		B0	SUPERSTRUCTURE ITEM		