

**NOTICE TO CONTRACTORS  
HIGHWAY CONSTRUCTION**

**October 23, 2017**

Bidding proposals may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specifications. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening. Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America, the offices of the Regional Administrators or the Headquarters of the Department of Transportation, and at [www.wsdot.wa.gov/biz/contaa/](http://www.wsdot.wa.gov/biz/contaa/) where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted. **ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.**

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited. **Bonds submitted on other than the bond form provided by the department may be subject to rejection. The right is reserved to reject any and all bids and to waive informalities in the bidding.** Sealed bids will be received in the Bid Room 2D20, located on the second floor of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below except where otherwise provided in the Plans and Specifications.

**FEE: Project Documents will be furnished for the non-refundable fee Plus Sales Tax of:**

Electronic – plans only \$10	Electronic – with proposal \$15	
Paper – one volume \$35	Paper – two volumes \$50	Paper – three volumes \$100

*(Remittance may be made to the Department of Transportation Cash Receipts, Transportation Building, and P.O. Box 47305, Olympia, WA 98504-7305) TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835. To order by e-mail, the address is: [CAA@wsdot.wa.gov](mailto:CAA@wsdot.wa.gov).*

***Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Results, and Bid Tabulations are available on the Internet at: <http://www.wsdot.wa.gov/biz/contaa>***

**SMALL WORKS ROSTER:** The Department of Transportation is soliciting contractors interested in qualifying for placement on the department's Small Works Roster. The small works roster process as authorized by RCW 39.04.155 and WAC 468-15 may be used to secure bids for the Agency's small works projects with a total cost less than \$300,000. Contractors that are currently Prequalified may be placed on the Small Works Roster by completing the Small Works Roster Supplement located on the Contract Ad & Award website. For contractors who are not currently prequalified, application for prequalification for small works roster shall be submitted on DOT Form 420-020 (Small Works Questionnaire). Both forms are available by emailing [prequal@wsdot.wa.gov](mailto:prequal@wsdot.wa.gov) or can be printed from the WSDOT Contract Ad & Award website at: <http://www.wsdot.wa.gov/biz/contaa/prequal/default.htm> Applications for placement on the Department of Transportation Small Works Roster will be accepted by emailing [prequal@wsdot.wa.gov](mailto:prequal@wsdot.wa.gov)

**Title VI Notice to Public**

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin or sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person who believes his/her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For additional information regarding Title VI complaint procedures and/or information regarding our non-discrimination obligations, please contact OEO's Title VI Coordinator Oscar Cerda at (360) 705-7082.

**Americans with Disabilities Act (ADA) Information:** This material can be made available in an alternate format by emailing the WSDOT Diversity/ADA Affairs team at [wsdotada@wsdot.wa.gov](mailto:wsdotada@wsdot.wa.gov) or by calling toll free, 855-362-4ADA(4232). Persons who are deaf or hard of hearing may make a request by calling the Washington State Relay at 711.

## **PRE-ADVERTISEMENT SHOWING**

**SR 20/7 MI W OF RAINY PASS – FLOOD DEFLECTION BERM.** This project is located in Skagit County, at MP 150 on SR 20. In this location there is a creek on the north side of the highway that currently flows perpendicular to the highway, down the ridge towards SR 20. Approximately 300 feet from the highway, the creek turns at a 90 degree angle to run parallel to the road towards the culvert at MP 150.09. This project will realign and widen the creek as shown in Exhibits A and B. To view Exhibits A and B please visit: <http://www.wsdot.wa.gov/biz/contaa/exhibita.pdf> and <http://www.wsdot.wa.gov/biz/contaa/exhibitb.pdf>. The project will include clearing and grubbing, channel excavation, seeding and mulching, permanent erosion control, traffic control on SR 20, and other work. This project will be advertised during the first quarter of 2018.

The clearing and grubbing limits shown in Exhibit A are currently staked out in the field. The Pre Ad showing period will occur from October 30<sup>th</sup> until November 3<sup>rd</sup>. Any Contractors planning on attending the pre-advertisement meeting are requested to confirm with the WSDOT North Central Region project office. Contact Person: Kevin Waligorski 509-667-2861, [waligk@wsdot.wa.gov](mailto:waligk@wsdot.wa.gov).

## **PRE-ADVERTISEMENT SHOWING**

The Department of Transportation is making available the preliminary plans for a fish passage/bridge project on US 97 from milepost 159.16 to 159.84.

**Date:** Tuesday, October 31, 2017 at 10:00 A.M. **Location:** Swauk Creek Campground, US 97 MP 160.00.

Prospective bidders shall contact the Project Engineer, Dan Lewis (509) 667- 2881 for any questions regarding this Project. To print a copy of the preliminary plans, please go to the following web address or FTP:

<ftp://ftp.wsdot.wa.gov/incoming/NCR/US%2097%20Swauk%20Cr%20Pre%20Ad>

The purpose of this pre-advertisement is to permit all parties interested in the Project to view the work area prior to accumulation of snow on the ground. Advertisement is scheduled for December 18, 2017

The information herein is not to be considered complete and is not intended to cover the full scope of the Work. The State reserves the right to make changes, additions or deletions to the Plans, Specifications, and information released in the pre-advertisement information. The State shall not be held responsible for any actions taken by prospective bidders based on information furnished herein.

(KITTTAS) US 97 / **SWAUK CREEK CAMPGROUND - REMOVE FISH BARRIER** (CL 1 or 6, \$3,000,000 - \$4,000,000, a Federal Aid project.) Requires improvement of US 97 MP 159.16 to 159.84, by Earthwork, Precast Reinf. Conc. Split Box Culvert, Temporary Stream Diversion, Dewatering, Structural Shoring, constructing 5 Ft. diameter Shaft, st.rebar, conc. CL4000, ultra high performance concrete, prestressed conc. girder, bidge railing, traffic barrier, membrane waterproofing, bridge approach slab, surfacing, planing, HMA, erosion control, aesthetic treated guardrail, traffic items, traffic control and other work.

## **PRE-ADVERTISEMENT SHOWING**

The Department of Transportation is making available the preliminary plans for a major drainage/fish passage project on US 97 from milepost 165.49 to 168.80.

**Date:** Tuesday, October 31, 2017 at 12:30 P.M. **Location:** US 97 Approximate MP 165.50.

Prospective bidders shall contact the Project Engineer, Dan Lewis (509) 667- 2881 for any questions regarding this Project. To print a copy of the preliminary plans, please go to the following web address or FTP:

<ftp://ftp.wsdot.wa.gov/incoming/NCR/US%2097%20N.%20of%20Blewett%20Pass%20Culverts>

The purpose of this pre-advertisement is to permit all parties interested in the Project to view the work area prior to accumulation of snow on the ground. Advertisement is scheduled for February 26, 2018.

The information herein is not to be considered complete and is not intended to cover the full scope of the Work. The State reserves the right to make changes, additions or deletions to the Plans, Specifications, and information released in the pre-advertisement information. The State shall not be held responsible for any actions taken by prospective bidders based on information furnished herein.

(CHELAN) **US 97/N. OF BLEWETT PASS - CULVERT REPLACEMENTS** (CL 1, \$750,000 to \$1,000,000.00, a Federal Aid Project.) Requires improvement of US 97 MP 165.49 to 168.80, by removing drainage structure, channel excav incl. haul, precast reinf. conc split box culvert, temp stream diversion, struct excav CL A incl. haul, struct shoring, surfacing, HMA, erosion control, guardrail, traffic items, traffic control and other work.

**BID OPENING WEDNESDAY, OCTOBER 25, 2017**

- \*1. (KING) **FLOATING BRIDGES REPLACE ANCHOR CABLES** (CL 6 or 49, \$6,000,000 - \$7,000,000),  
\*\* **CONTAINS VOLUNTARY SMALL BUSINESS ENTERPRISE (SBE) GOAL 10% WITH**  
\*\*\* **MANDATORY SBE INCLUSION PLAN** F.A. No. NHPP-0901(497) on I-90, MP 4.28 TO MP 5.89.  
**CONTAINS APPRENTICE UTILIZATION REQ: 15%** Requires: Removing existing anchor cables, furnishing and installing replacement anchor cables, removing and replacing portions of the boater protection system, traffic control and other work. 110 Working days. Involves 49 items. 1 EA spare anchor cable. Lump Sum Bids for: Replace anchor cables, boater protect sys mod, temp traffic control, SPCC plan. (XL-5300)(109024M)(17A006)(9151)(6 of 4)6(4)
- \*2. (GRAYS HARBOR) **ABERDEEN/HOQUIAM SIGNALS – REBUILD SIGNALS** (CL 9, \$3,000,000 – \$4,000,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%** A State Project on US 12, US 101 & SR 109. **CONTAINS APPRENTICE UTILIZATION REQ: 15%** Requires: Replacing six signal systems, removing two signal systems, replacing fiber optic line, installing interconnect system, sidewalks and ramps, widening roadway, pavement marking, traffic control and other work. 152 Working days. Involves 59 items. 211 CY rdwy excav incl haul, 3 EA catch basin, 165 LF ductile iron sewer pipe, 170 SY plane bit pvmt, 590 T HMA CL 1/2 IN PG 64-22, 51 EA inlet protect, 1010 SF topsoil, 1332 LF cement conc traffic curb, 301 LF cement conc pedestrian curb, 2380 SF plastic crosswalk line, 409 LF plastic stop line, 951 SY cement conc sidewalk, 346 SF detect warning surface. Lump Sum Bids for: Shoring or extra excav CL A, perm signing, 8 traffic signal sys, traffic signal sys interconnect, traffic signal fiber optic, temp traffic control, rdwy survey, ADA features survey, sidewalk prep, SPCC plan.(XL-5085)(300070F)(17C510)(9155)(5 of 4)5(2)
- \*3. (SNOHOMISH) **MUKILTEO FERRY TERMINAL (PHASE 2) DEEP STORMWATER UTILITY CONSTRUCTION** (CL 15, \$2,000,000 - \$2,500,000) **CONTAINS CONDITON OF AWARD DBE GOAL: 4%**. F.A No. WA-90X604 & CFDA#20.507 on SR 525 MP 8.47 Vicinity. Requires: Constructing a deep stormwater line including an outfall, traffic control and other work. 82 Working days. Involves 38 items. 1460 T rock CL C, 54 LF HDPE pipe, 687 LF test storm sewer pipe, 613 LF trenchless install of storm drain pipe, 36 DAY ESC lead, 900 LF high vis fence, 170 LF temp const fence, 3 EA manhole. 39 LF manhole additional height, 2 EA saddle manhole, 480 CY special excav. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Dewatering, temp traffic control, rdwy survey, protected species monitoring, SPCC plan. (XL-4681)(904433A)(16W126)(9150)(7 of 4)7(5)

**BID OPENING WEDNESDAY, NOVEMBER 1, 2017**

- \*1. (WALLA WALLA) **0.2 TO 1.8 MILES N OF OREGON BORDER ROCKFALL PREVENTION** (CL 39, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 3%**. F.A. No. STPF-0730(004) on US 730, MP 0.04 to MP 1.93. Requires: Constructing 16 slope fences for rock fall prevention, traffic control and other work. 140 Working days. Involves 10 items. 4914 LF flex rockfall fence. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-5076)(573001D)(17Y010)(9163)(4 of 4)

**BID OPENING WEDNESDAY, NOVEMBER 8, 2017**

- \*1. (KING) **ALASKAN WAY VIADUCT – REPLACEMENT SOUTH ACCESS – SR 99 CONNECTIONS** (CL 1 or 5 & 6, \$20,000,000 - \$25,000,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%**. A State Project on SR 99, MP 28.87 to MP 34.17. **CONTAINS APPRENTICE UTILIZATION REQUIREMENT: 15%**. Requires: Grading, constructing storm drainage systems, fire protection system, bridge approaches for Bridge 99/539N-N, retaining walls, paving with HMA and PCCP,

installing concrete barriers, curbing, pavement markings, permanent signing, traffic signal systems, illumination systems, erosion and water pollution control, landscape, traffic control and other work. 260 working days. Involves 289 items. 12370 CY rdwy excav incl haul, 23730 T gravel borrow incl haul, 2580 T mineral aggregate, 11710 CY embank comp, 5830 CY EPS geofoam lightweight fill, 550 CY landscape EPS geofoam lightweight fill, 24340 T dispose contaminated material, 42 EA catch basin, 3813 LF test storm sewer pipe, 1684 LF TV inspection, 1833 LF sch A storm sewer pipe, 1988 LF ductile iron storm sewer pipe, 1 EA hydrant, 861 CY struct excav CL A incl haul, 62568 LB epoxy-coated st rebar, 93133 LB st rebar, 824 CY conc CL 4000, 1506 LF bridge rail, 452 LF median traffic barrier, 375 LF geofoam wall single slope traffic barrier, 796 LF rdwy slab traffic barrier, 16916 SF conc fascia panel, 265 SY bridge approach slab, 7520 T CSBC, 6155 CY cement conc pvmt, 9040 EA corrosion resist dowel bar, 3491 EA epoxy coated dowel bar, 1822 SY texturing exist cement conc pvmt, 6600 T HMA CL ½ IN PG 64-22, 424 LF irrigation sleeve, 374 LF irrigation casing, 280 DAY ESC lead, 8368 SY topsoil, 164 CY struct soil mix, 962 EA oregon grape, 80 EA excelsa cedar, 23 EA greencolumn black maple, 21 EA new harmony elm, 2 EA Princeton sentry ginko, 2294 EA mt vernon laurel, 9256 EA salal, 3787 EA western sword fern, 8450 SY bark or wood chip mulch, 3920 SF reinforced grass access, 5257 LF cement conc traffic curb, 8 LF beam guardrail, 1730 LF precast conc barrier, 1303 LF single slope conc barrier, 544 LF CIP single slope barrier, 956 LF low profile barrier curb, 696 LF barrier wall, 11360 LF paint line, 26760 LF plastic line, 29460 LF profiled plastic line, 11360 LF profiled plastic wide lane line, 1860 SF plastic crosswalk line, 158 EA plastic traffic letter, 41230 LF temp pvmt marking, 590 LF directional boring, 2020 HR other traffic control labor, 1200 SF const signs CL A, 3210 CY struct excav CL B incl haul, 600 SF fiberglass grating, 17360 SF shoring CL B, 3022 SY cement conc sidewalk, 462 SY asph conc sidewalk, 346 SY cement conc driveway entrance, 15 EA cement conc curb ramp, 1170 LF temp chain link fence, 354 LF pressed point fence, 25 EA tee, 8 EA connect to drain struct, 39 EA adjust manhole, 18 EA manhole, 36 EA adjust valve box, 3 EA adjust exist jct box, 7 EA adjust elect manhole, 14700 SF geosynthetic retaining wall, 1910 CY gravel borrow incl haul, 100 EA no trespassing sign, 1358 SF shotcrete facing. CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCH, SCH UPDATE. Lump Sum Bids for: Clean exist drain struct, fire protect sys, placing concrete fascia panel, luminaire foundation mod, bird deterrent, irrigation sys, erosion control and water pollution prevent, portable process water treatment facility, perm signing, sign bridge, illum sys, elect sys mod, traffic signal sys, traffic signal and illum sys, traffic data accum sys, CCTV sys, VMS sys, comm conduit sys, comm cables and interfaces, traffic signal interconnect sys, video, voice & data distribute & trans sys, swing gate sys, temp traffic control, permanent viaduct closure sch, 26KV vent sys, struct survey, rdwy survey, as built survey, ADA features survey, health & safety plan, geotech instrumentation, dewatering sys, just in time training, SPCC plan. (XL-3685) (809936E)(17A805)(9160)(5 of 6)

- \*2. (KITSAP) **W OF SE BURLEY OLALLA RD TO JCT SR 3 – PAVING** (CL 4, \$1,500,000 - \$2,000,000) CONTAINS UD BE CONDITION OF AWARD GOAL: 18% F.A. No. NHPP-0016(033) on SR 16, MP 20.49 to MP 29.09. Requires: Repairing pavement, replacing bridge paving joint seals, removing monument case and cover, planing, paving with HMA, pavement markings, spill prevention, temporary traffic control and other work. 30 Working days. Involves 29 items. 690 SY pvmt repair excav incl haul, 83120 SY plane bit pvmt, 8740 T HMA CL 1/2 IN PG 64-22, 158 LF HMA sawcut & seal, 40 EA inlet protect, 56550 LF paint line, 57500 LF profiled plastic line, 1430 LF profiled plastic wide lane line, 7 HUND recessed pvmt markers, 60410 LF temp pvmt marking short duration. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-5362)(301654B)(17C511)(9165)(3 of 4)
- \*3. (KIT TITAS) **EASTON TO ELLENSBURG VIC INTERCHANGE PAVING** (CL 4, \$2,000,000 - \$2,500,000) CONTAINS UD BE CONDITION OF AWARD GOAL: 4% F.A. No. NHPP-0902(451) on I-90, MP 69.77 to MP 106.33. Requires: Planing bituminous pavement, crack sealing, paving with HMA, removing existing overlay from bridge deck, bridge deck repair, waterproof membrane expansion joint modification, pavement markings, guide posts, temporary traffic control and other work. 30 Working days. Involves 44 items. 6 MI shoulder finish, 180 LF expansion jnt mod header reconstruct, 800 SY waterproof membrane, 800 SY remove exist overlay from bridge deck, 71470 SY plane bit pvmt, 7870 T HMA CL 3/8 IN PG 64-28, 7300 LF longitudinal jnt seal, 239 EA flex guide post, 45480 LF paint line, 3550 LF grooved plastic line, 11810 LF grooved plastic wide lane line, 14370 LF temp pvmt marking-short duration, 448 SF const sign CL A, 7 EA adjust jct box. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-5368) (509014A)(17Y011)(9164)(3 of 4)

- \*4. (COWLITZ) **ELM ST TO NORTH KELSO AVE INTERCHANGE ILLUMINATION REBUILD** (CL 16, \$750,000 - \$1,000,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%**. A State Project on I-5, MP 29.13 to MP 41.30. Requires: Removing old and install new luminaires with led lamps and fixtures, install new or modify existing electrical services, install new controllers, conduit and wire, traffic control and other work. 40 Working days. Involves 21 items. 226 T CSBC, 15 DAY ESC lead, 45 SY seed & fert by hand, 1100 LF high vis fence. Lump Sum Bids for: Illum sys, temp traffic control, SPCC plan. (XL-5246)(400516J)(17X311)(9166)(2 of 3)

**BID OPENING WEDNESDAY, NOVEMBER 15, 2017**

- \*1. (SKAGIT) **GRIBBLE CREEK FISH PASSAGE** (CL 1 or 6, \$1,500,000 - \$2,000,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%**. A State Project on SR 9, MP 47.95 to MP 48.05. Requires: Installing a box culvert, grading stream realignment, HMA paving, pavement marking, guardrail, erosion control, planting, traffic control and other work. 93 Working days. Involves 95 items. 4880 T gravel borrow incl haul, 4060 CY embank comp, 3610 CY channel excav incl haul, 1350 T streambed cobbles, 340 T streambed boulder, 21 EA large woody material, 2200 CY struct excav CL A incl haul, 700 CY gravel backfill, 132 LF bridge rail, 136 LF traffic barrier, 1920 T permeable ballast, 430 SY plane bit pvmt, 250 T HMA CL 1/2 IN PG 64-22, 2467 LF compost sock, 57 EA western red cedar, 262 EA vine maple, 296 EA black twinberry, 344 EA red osier dogwood, 693 EA western sword fern, 532 EA sitka willow, 500 EA slough sledge, 450 EA soft rush, 315 EA fascines, 1 ACRE soil amend, 1 ACRE bark or wood chip mulch, 600 SQ biodegradable erosion control blanket, 75 LF beam guardrail, 640 LF wire fence, 380 SY const geotextile. **CONTAINS MINIMUM BID ITEM TYPE B PROGRESS SCH.** Lump Sum Bids for: Precast reinf split box culvert, temp stream diversion, shoring or extra excav CL A, erosion control and water pollution prevent, herbicide application prior to clearing, temp dewatering plan, temp dewatering sys, perm signing, temp traffic control, struct survey, rdwy survey, relocate gate, SPCC plan. (XL-5029) (100937H)(17A019)(9167)(2 of 4)

**BID OPENING WEDNESDAY, NOVEMBER 29, 2017**

- \*1. (KING) **GEORGE WASHINGTON BRIDGE PAINTING (STAGE 2) & PAVING** (CL 8, Under \$30,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 3%**. F.A. No. NHPP-0099(137) on SR 99, MP 34.17 to MP 34.73. Requires: Cleaning and painting the metal surfaces of the truss, top and lower laterals, sway frame, and bearings, removing and replacing the existing HMA paving and membrane on the bridge deck, performing deck repair, repairing finger joint, cleaning sliding plate expansion joints, installing containment systems, installing temporary erosion control measures and temporary navigational lighting system, traffic control and other work. 391 working days. Involves 59 items. 513 LF expansion jnt mod, 835 SF bridge deck repair, 18717 SY waterproof membrane, 800 LF clean/seal/caulk pack rust, 4331 LF safety cable, 538 SF maintenance platform, 18717 SY remove exist overlay from bridge deck, 139 SY plane bit pvmt, 1940 T HMA CL 3/8 IN PG 64-22, 4503 LF paved panel joint seal, 80 day ESC lead, 152 EA barrier delineator, 2980 LF paint line, 11920 LF profiled plastic line, 14900 LF temp pvmt marking long duration, 896 HR flaggers, 1140 HR other traffic control labor, 21 EA schedule update, 2000 HR training. **CONTAINS MINIMUM BIDS ITEMS: TYPE C PROGRESS SCH, SCH UPDATE.** Lump Sum Bids for: Expansion jnt mod, finger joint, clean & paint bridge, containment of abrasives, illum system, temp traffic control, pedestrian traffic control, struct survey, SPCC plan, health & safety plan, air monitoring, reference exist pvmt markings. (XL-5208)(109946C)(17A015)(9168)(2 of 6)
2. (JEFFERSON) **W OF 4 CORNERS RD TO E OF WATER ST PAVING AND ADA COMPLIANCE** (CL 4, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 5%**. F. A. No. STBG-0020(192) on SR 20, MP 6.20 to MP 12.54. Requires: Repairing pavement, overlaying, planing and paving with hot mix asphalt, removing surfacing from bridge deck, bridge deck repair and paving, membrane waterproofing, guardrail replacement and adjustment, constructing sidewalks and ramps, installing traffic and pedestrian control systems, pavement markings, pedestrian and traffic control and other work. 55 Working days. Involves 75 items. 91 SY pvmt repair excav incl haul, 92 LF corrugated polyethylene culv pipe, 659 SY waterproof membrane, 30 T CSBC, 6 MI shoulder finish, 34240 SY plane bit pvmt, 12606 T HMA CL 1/2 IN PG 64-22, 172 T commercial HMA, 52 LF HMA sawcut and seal, 11 SY seed, fert by hand, 204 LF cement conc traffic curb and gutter, 179 LF cement conc pedestrian curb, 1906 LF extruded curb, 2826 LF beam guardrail, 150 LF guardrail buried term, 3056 LF raise exist beam guardrail, 71510 LF paint line, 4974 LF grooved plastic line, 24930 LF plastic wide lane line, 2540 SF

plastic crosswalk line, 61 EA plastic traffic arrow, 60030 LF temp pvmt marking – short duration, 27 EA tubular marker, 132 SF detect warning surface, 28 SY access pad, 220 SY cement conc curb ramp. Lump Sum Bids for: Traffic signal sys, temp traffic control, SPCC plan. (XL-5364)(302002B)(17C502)(9171)(1 of 5)

No projects awarded the week of October 16, 2017.

Roger Millar

**Secretary of Transportation**

\*Previously Advertised \*\*Extended \*\*\* Revised